District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144 June 24, 2008

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

## Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

	المساور والمساور والم
Closure of a pit, closed-loop s	stem, below-grade tank, or proposed alternative method ystem, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per inc	dividual pit, closed-loop system, below-grade tank or alternative request
The state of the s	oility should operations result in pollution of surface water, ground water or the ly with any other applicable governmental authority's rules, regulations or ordinances.
<del></del>	
Operator: Yates Petroleum Corporation	OGRID: <u>025575</u>
Address: 105 South Fourth Street, Artesia, NM 88210	
Facility or well name: Parton BGY State #2	DI-DADSD
API Number: 30-025-39003	OCD Permit Number: 1 1 000 DD
U/L or Qtr/Qtr P Section 8 Township	10\$ Range 34E County Lea
Center of Proposed Design: Latitude	Longitude NAD: 1927 1983
Surface Owner: Federal State Private Tribal Trust or Indian A	
Pit: Subsection F or G of 19.15.17.11 NMAC	Closed-loop System: Subsection H of 19.15.17.11 NMAC
Temporary: Drilling Workover	☐ Drying Pad ☐ Tanks ☒ Haul-off Bins ☐ Other
Permanent Emergency Cavitation Steel Pit	Lined Unlined
Lined Unlined	Liner type: Thicknessmil
Liner type: ThicknessmilLLDPE HDPE PVC	
Other String-Reinforced	Seams: Welded Factory Other
Seams: Welded Factory Other	Volume:bblyd³
Volume:bbl Dimensions: Lx Wx D	Dimensions: Length x Width
Below-grade tank: Subsection I of 19.15.17.11 NMAC	Fencing: Subsection D of 19.15.17.11 NMAC
Volume:bbl	Chain link, six feet in height, two strands of barbed wire at top
Type of fluid:	Four foot height, four strands of barbed wire evenly spaced between one and
Tank Construction material:	four feet
Secondary containment with leak detection	Netting: Subsection E of 19.15.17.11 NMAC
Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	Screen Netting Other
Visible sidewalls and liner	Monthly inspections
Visible sidewalls only	Signs: Subsection C of 19.15.17.11 NMAC
Other	12'x24', 2' lettering, providing Operator's name, site location, and
Liner type: Thicknessmil	emergency telephone numbers
Other	Signed in compliance with 19.15.3.103 NMAC
	Administrative Approvals and Exceptions:
Alternative Method: Submittal of an exception request is required. Exceptions must be	Justifications and/or demonstrations of equivalency are required. Please refer to
submitted to the Santa Fe Environmental Bureau office for consideration	19.15.17 NMAC for guidance.
of approval.	Please check a box if one or more of the following is requested, if not leave blank:
	Administrative approval(s): Requests must be submitted to the
	appropriate division district or the Santa Fc Environmental Bureau office for consideration of approval.
	Exception(s): Requests must be submitted to the Santa Fe
	Ferriconmental Bureau office for consideration of approval.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Ycs ☐ No ☐ NA	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ☐ No	
- Written confirmation or verification from the municipality; Written approval obtained from the municipality  Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No	
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No	
Society; Topographic map  Within a 100-year floodplain.  - FEMA map	☐ Yes ☐ No	
To-le Borreit Application Attachment Checklist: Subsection B of 19.15.17.9	NMAC ocuments are	
Temporary Pits, Emergency Pits, and Below-Fraue Tangs Petinit Application. Please indicate, by a check mark in the box, that the documents are Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC		
Previously Approved Design (attach copy of design) API Number: or Permit Number:		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19.15.17.11 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC See Attached Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC NMAC Haul waste to Gandy Marley		
Previously Approved Design (attach copy of design) API Number:		

0 1 2 0 1 0 1 0 1 1 7 0 1 0 1 1 7 0 NMAC	
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the docu	ments are
Instructions: Each of the following nems must be uninches to the appropriate the second of the following nems must be uninches to the appropriate the second of the following nems must be uninches to the appropriate the second of the following nems must be uninches to the appropriate the second of the following nems must be uninches to the appropriate the second of the following nems must be uninches to the appropriate the second of the following nems must be uninches to the appropriate the second of the following nems must be uninches to the appropriate the second of the following nems must be uninches to the second of the following nems must be uninches to the second of the following nems must be uninches to the second of the second	ĺ
attached.  Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC  Hydrogeologic Report - based upon the appropriate requirements of 19.15.17.10 NMAC	
Hydrogeologic Report - based upon the requirements of ranagraph (1) of oddstation of 19.15.17.10 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
Climatological Factors Assessment	
Climatological Factors Assessment  Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC  Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC	
Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC	
FOR A STATE THE TANK AND CONTROLLED IN A SECSION OF VIOLENCE OF VI	
Quality Control/Quality Assurance Construction and Installation Plan	
Quality Control/Quality Assurance Construction and instantant of 19.15.17.12 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
There have dead Overtopping Prevention Plan - cased upon the appropriate	
Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan	<b>\</b>
Nuisance of Hazardous Odors, including H <sub>2</sub> S, Prevention Field  Emergency Response Plan	
Oil Field Waste Stream Characterization	1
☐ Monitoring and Inspection Plan	
Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Closure Plan - based upon the appropriate requirements of	
Proposed Closure: 19.15.17.13 NMAC  Type: Drilling Workover Emergency Cavitation Permanent Pit Below-grade Tank	Alternative
Type: Drilling Workover LEmergency Cavitation Fernanding	1
Proposed Closure Method: Waste Excavation and Removal	
Proposed Gostife Method: Waste Edward (Closed-loop systems only)  Waste Removal (Closed-loop systems only)  On-site Closure Method (Only for temporary pits and closed-loop systems)	Ì
On-site Closure Memod (Only for temporary pite and the Sarra Fe Environmental Bureau for cons	11 Jarama
In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consumptions of the	sideration)
Alternative Closule (vicinos (alternative)	
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC	
Instructions: Each siting criteria requires a nemonstrative approval from	
source moterial are provided below. Requests regarding changes to the Santa Fe Environmental Bureau	ļ
source material are provided below. Requests regarding changes to certain siting criteria may require maintenance to source material are provided below. Requests regarding changes to certain siting criteria may require an exception which must be submitted to the Santa Fe Environmental Bureau the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau the appropriate district of the Santa Fe Environmental Bureau the appropriate district of the Santa Fe Environmental Bureau the appropriate district of the Santa Fe Environmental Bureau the appropriate district of the Santa Fe Environmental Bureau the appropriate district of the Santa Fe Environmental Bureau the appropriate district of the Santa Fe Environmental Bureau the appropriate district of the Santa Fe Environmental Bureau the appropriate district of the Santa Fe Environmental Bureau the appropriate district of the Santa Fe Environmental Bureau the appropriate district of the Santa Fe Environment	
office for consideration of approval. Justifications and/or demonstrations of equivalency are required	
NMAC for guidance.	
Cd. Luded meta	Yes No
Ground water is less than 50 feet below the bottom of the buried waste.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ NA
- NM Office of the State Engineer - IWATERS database search	☐ Yes ☐ No
Ground water is between 50 and 100 feet below the bottom of the buried waste	H NA
Ground water is between 50 and 100 feet below the bottom of the buries wast.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	
	☐ Yes ☐ No
Ground water is more than 100 feet below the bottom of the buried waste.	□ NA
NM Office of the State Engineer - IWATERS database scarcif, 6000, 222	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any visits significantly visits.	
Topographic map: Visual inspection (ceruncation) of the proposed and	Yes No
relations related school hospital institution, or church in existence at the time of initial application.	
Within 300 feet from a permanent residence, school, adoption, adoption, statellite image  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
" VISUAL INSPECTION (CONTINUOUS AND PARTIES AND PARTIES AND PARTIES AND ADDRESS OF STOCK	Ycs No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock.  Within 500 horizontal feet of a private, domestic fresh water well or spring, in existence at the time of initial application.	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households and for the spring that less than five	
NM Office of the State Engineer - WALERS database, and the state of the State Engineer - WALERS database, and the state of the State Engineer - WALERS database, and the state of the State Engineer - WALERS database, and the state of the State Engineer - WALERS database, and the state of the State Engineer - WALERS database, and the state of	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes No
Within incorporated municipal boundaries or within a defined municipal field well field with field	
adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	
- Written confirmation or verification from the municipality, written approximation or verification from the municipality,	Yes No
	Les L 140
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	
- US hish and withing wething recommendation with	☐ Yes ☐ No
Within the area overlying a subsurface mine.	
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	
1	,
Within an unstable area.	Yes No
Engineering measures incorporated into the design; NW Bureau of Goology & Total Control of Goology & T	1
Society; Topographic map	l
	Yes No
Within a 100-year floodplain.	
- FEMA map	

Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
closure plan. Please indicate, by a check mark in the oox, that the abcuments are unaction.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sempling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Continuation Sampling Plan (if applicable) - based upon the appropriate requirements of Supposes 1 22
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
The state of the state of the spectaging requirements of Allohouthur Late (1.12) (1.12) (1.12)
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 1977
Waste Removal Closure For Closed-loop Systems That Utilize Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility
waste Removal Closure For Closed-100p Systems 1 113. Strings to the disposal of liquids, drilling fluids and drill cuttings.
The Principle Described Described Number: NM-011-0019
Disposal Facility Name: Gandy Marley Disposal Facility Petint Number: Avi-97 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate
Construction and Design of Burnal Trench (if approximately of 19 15 17 13 NMAC
Construction and Design of Blata French (a appropriate requirements of 19.15.17.13 NMAC  Protocols and Procedures - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Soil Cover Design - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of based on the same state of the same
Operator Application Certification:
Operator Application Certification.  I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Tital - Bossistons Agent
Name (Pfint): Debbie L. Caffall  Date: 102 2008
Signature: Nebbro 3 Common Date.
CC Telephone: <u>575-748-4376</u>
e-mail address: debbicc@yycnm.com
OCD Approval: Permit Application (including closure plan)
Approval Date: // U/OT
ACD Papersontative Signature:
OCD Representative Signature:
OCD Representative Signature: OCD Permit Number: 121 - DDD 80
OCD Representative Signature:    Section
OCD Representative Signature:  OCD Permit Number: 21-0080
Title: Subsection K of 19.15.17.13 NMAC  Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC  Closure Completion Date:
Title:OCD Permit Number:
Title:
Title:
Title: OCD Permit Number: P D D D  Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC  Closure Method: Closure Completion Date:  Title: OCD Permit Number: P D D D  Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC  Closure Method: Closure Method Alternative Closure Method  If different from approved plan, please explain.  Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a checklist:
Title: OCD Permit Number: P DOSD  Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC  Closure Method: Closure Completion Date:  Title: OCD Permit Number: P DOSD  Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC  Closure Method: Alternative Closure Method  If different from approved plan, please explain.  Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a checkmark in the box, that the documents are attached.
Title: OCD Permit Number: P D D D  Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC  Closure Method: Closure Completion Date:  Title: OCD Permit Number: P D D D  Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC  Closure Method: Closure Method Alternative Closure Method  If different from approved plan, please explain.  Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a checklist:
Title:    Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC   Closure Method:
Title:    Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC   Closure Method:
OCD Representative Signature:    Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC   Closure Method:
Title:    Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC   Closure Method:
Title:
Title:    OCD Permit Number:   Plant
Title:    Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC   Closure Method:
Closure Report (required within 60 days of closure completion):  Closure Method:  Waste Excavation and Removal  Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a checkmark in the box, that the documents are attached.  Proof of Closure Notice  Proof of Deed Notice (if applicable)  Plot Plan  Confirmation Sampling Analytical Results  Waste Material Sampling Analytical Results  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)  On-site Closure Cortification:  Intrody certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Title:    Closure Report (required within 60 days of closure completion):   Subsection K of 19.15.17.13 NMAC   Closure Method:   Closure Method:   Closure Excavation and Removal   On-Site Closure Method   Alternative Closure Method   If different from approved plan, please explain.
OCD Permit Number:  Title:    Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC   Closure Method:   Closure Completion Date:

## Closed Loop Operational Plan

Closed loop system will use solids control equipment to control liquid and solid waste generated in the drilling process.

Waste will be disposed of at Gandy Marley.

## Parton BGY State #2

## Closed Loop Design Plan

