<u>District 1</u> 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr., Sunta Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 June 24, 2008

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

# Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method

Please be advised that approval of this request does not relieve the operator of li-	ndividual pit, closed-loop system, below-grade tank or alternative request ability should operations result in pollution of surface water, ground water or the					
environment. Nor does approval relieve the operator of its responsibility to com	ply with any other applicable governmental authority's rules, regulations or ordinances.					
Operator. Fasken Oil and Ramch, Ltd.	OGRID#: 151416					
Address 303 W. Wall Ave., Snite 1800	Midland, TX 79701-5116					
Facility or well name: Federal 26-A No. 3	OCD Permit Number: PI-DOID					
API Number: 30-08-34008	OCD Permit Number: — — — — — — — — — — — — — — — — — — —					
U/L or Qtr/Qtr P Section 26 Township 18	5 Range 33 E County: Lea					
U/L or Qtr/Qtr         P         Section         Z6         Township         185         Range         33 €         County:         Lea           Center of Proposed Design:         Latitude         №32°42′44.05″         Longitude         №103°37′36.37″         NAD:         □1927 □71983						
Surface Owner: 🗹 Federal 🗌 State 🔲 Private 🔲 Tribal Trust or Indian	Allotment					
☐ Pit: Subsection F or G of 19.15.17.11 NMAC	Closed-loop System: Subsection H of 19.15.17.11 NMAC					
Temporary: Drilling Workover	Drying Pad Tanks Haul-off Bins Other					
Permanent Emergency Cavitation Steel Pit	Lined Unlined					
Lined Unlined	Lincr type: Thicknessmil					
Lincr type: I'hicknessm(l LLDPE \( \backsigma \) HDPE \( \backsigma \) PVC	Other					
Other String-Reinforced	Scams: Welded Factory Other					
Seams: Welded Factory Other	Volume:bblyd <sup>3</sup>					
Volume: 25,000 bbl Dimensions: L 165 x W 126 x D 7	Dimensions: Lengthx Width					
Below-grade tank: Subsection 1 of 19.15.17.11 NMAC	Fencing: Subsection D of 19 15.17.11 NMAC					
Volume:bb1	Chain link, six feet in height, two strands of barbed wire at top					
Type of fluid:	Four foot height, four strands of barbed wire evenly spaced between one and					
Tank Construction material:	four feet					
Secondary containment with leak detection	Netting: Subsection E of 19.15.17.11 NMAC					
Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	☐ Screen ☐ Netting ☐ Other					
☐ Visible sidewalls and liner	☐ Monthly inspections					
☐ Visible sidewalls only	Signs: Subsection C of 19.15.17.11 NMAC					
Other	12'x24', 2' lettering, providing Operator's name, site location, and					
Liner type: Thicknessmil	emergency telephone numbers					
Other	Signed in compliance with 19.15.3.103 NMAC					
Alternative Method: Submittal of an exception request is required. Exceptions must be	Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to					
submitted to the Santa Fe Environmental Bureau office for consideration	19.15.17 NMAC for guidance.					
of approval.	Please check a box if one or more of the following is requested, if not leave					
	blank: Administrative approval(s): Requests must be submitted to the					
	appropriate division district or the Santa Fe Environmental Bureau office for					
	consideration of approval.  Exception(s): Requests must be submitted to the Santa Fc					
	Environmental Bureau office for consideration of approval.					

Siting Criteria (regarding permitting): 19.15.17.10 NMAC  Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative					
approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map: Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality					
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site					
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division					
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map					
Within a 100-year floodplain. - FEMA map	☐ Yes 🗹 No				
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.91 Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do	MAC				
attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC  Previously Approved Design (attach copy of design) API Number: or Permit Number:					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC					
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do attached.  Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19.15.17.10	19.15.17.9				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC  NMAC	i				
Previously Approved Design (attach copy of design) API Number					

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC	
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the dattached.	ocuments are
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC	
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan Emergency Response Plan	
Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Proposed Closure: 19.15.17.13 NMAC	"
	<b>□</b> .41
Type.  Type.  Workover  Emergency  Cavitation  Permanent Pit  Below-grade Tank  Closed-loop System    Permanent Pit  Below-grade Tank  Closed-loop System    Permanent Pit  Permanent Pit  Permanent Pit  Closed-loop System    Permanent Pit  Permane	Alternative
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems)	
☐ In-place Burial ☑ On-site Trench Burial	
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for co	nsideration)
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each string criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable	
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from	
the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10	
NMAC for guidance.	
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No☐ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste  - NM Office of the State Engineer - WATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes Yo
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes 🗗 No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Ycs 🗗 No

Waste Excavation and Removal Closure Plan Checklist: (19.15 17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC
Waste Removal Closure For Closed-loop Systems That Utilize Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings.
Disposal Facility Name: Disposal Facility Permit Number:
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Construction and Design of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.13 NMAC  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC
Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Towny E. Taylor Title: Drilling Manager
Signature: Tommy 4- Taylor Date: 7/2/08
e-mail address: tommy t @ for 1. com Telephone: 432 - 556 - 2228
OCD Approval: Permit Application (including closure plan) [ Closure Plan (only)
OCD Representative Signature: Approval Date: 7/7/08
Title: Several OCD Permit Number: P1-00101
Title:OCD Permit Number: P1-DD101  Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC  Closure Method:  Waste Excavation and Removal On-Site Closure Method  If different from approved plan, please explain.
Closure Report (required within 60 days of closure completion):  Closure Method:  Waste Excavation and Removal On-Site Closure Method Alternative Closure Method  If different from approved plan, please explain.  Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice Proof of Closure Notice Proof of Dead Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Soil Backfilling and Cover Installation Re-vegetation Application Rates and Secding Technique
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC  Closure Method:  Waste Excavation and Removal On-Site Closure Method Alternative Closure Method  If different from approved plan, please explain.  Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice  Proof of Deed Notice (if applicable)  Plot Plan  Confirmation Sampling Analytical Results  Waste Material Sampling Analytical Results  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method If different from approved plan, please explain.  Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longitude NAD: 1927 1983
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC  Closure Method:  Waste Excavation and Removal On-Site Closure Method Alternative Closure Method  If different from approved plan, please explain.  Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice  Proof of Deed Notice (if applicable)  Plot Plan  Confirmation Sampling Analytical Results  Waste Material Sampling Analytical Results  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Closure Method: Closure Method: Closure Excavation and Removal On-Site Closure Method Alternative Closure Method If different from approved plan, please explain.  Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Size Reclamation (Photo Documentation) On-site Closure Location: Latitude Longitude NAD: 1927 1983  Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC   Closure Completion Date:   Closure Method:

July 7, 2008

Fasken Oil and Ranch, Ltd. Federal 26A No. 3 510' FSL and 510' FEL Sec. 26, T18S, R33E Lea County, NM

RE: Form C-144 Attachment

Hydrogeologic Data: Nearest water well according to the State Engineer's Database is in the SE/NE of Section 24, T18S, R33E. Water is found at a depth of 195'. A visual inspection of the immediate area has been made and there are no known water wells within a 1 mile radius of this drilling location.

Design Plan: Pit size will be approximately 120' x 165' x 7' double horseshoe design. A geotextile liner will be installed along with a 20 mil HDPE cross laminated liner.

Operating and Maintenance Plan: Pit will be monitored daily for proper fluid levels during drilling operations. A daily log will be kept indicating the fluid level in the pit. Any abnormal drop in fluid levels will be reported to the NMOCD district office. The pit will be de-water immediately after drilling operations have been completed. The pit will be inspected weekly after de-watering and a log will be kept indicating the condition of the pit and any fluid level.

Closure Plan: After de-watering, the pit will be left to dry through natural evaporation. Pit will be buried on site using the on-site trench burial method. A test well will be drilled adjacent to this pit to determine the water depth. This depth will be reported to the NMOCD. If the water depth requirement or lab criteria data do not meet the minimum standards for deep trench burial, the drill cuttings will be dug out and hauled to an NMOCD approved disposal. At the current time the CRI disposal facility at Halfway Bar will be utilized for drill cuttings disposal. The permit number for the CRI facility is Permit Number 6. See the attachment.

Maps: A topographic map is attached showing the surrounding area. FEMA reports that a 100 year flood plain map has not been constructed for this area. A visual inspection of the area does not indicate that flooding or standing water would occur.

In addition, attached is a copy of the cover page of the APD approved by the Bureau of Land Management showing that the BLM as surface owner is fully aware of this permit and reserve pit.

An attachment is provided showing the pit design as drawn by Talon LPE.

Form C-102 is attached showing the pit location and potential on-site deep trench location. The latitude and longitude for each is shown on the plat. These data reference the center of the pit and trench.

An attachment is provided showing the trench design, including the soil cover design of a minimum of 4' with a minimum of 1' topsoil.

The re-vegetation design required by the Bureau of Land Management is also provided. This data comes from the stipulations in the BLM's approval of our drilling permit.

Waste Material Sampling Plan: Talon LPE will take a minimum of a 5 spot soil sample after the reserve pit is dug prior to lining. After drilling the well, Talon LPE will sample the pit contents and determine if the requirements for contaminants in the waste meet NMOCD standards. If standards are met, we will deep bury the pit contents in an on-site trench as shown above. If not, we will dig and haul the pit contents to CRI. In either case, we will have Talon LPE take another 5 spot sample after the waste has been removed from the pit to verify that soil standards have been met.

A sign will be placed on the 4', 4 strand barb-wire fence identifying Fasken Oil and Ranch, Ltd. as the operator, the location of the pit, and providing an emergency phone number.

PermitNot	HAS THE BOOK OF THE PARTY OF TH	English Cook		Tenes .
19	GANDY MARLEY INC	10/06/1994 Chaves	GANDY MARLEY LANDFARM	-4-11 S-31 E
28	OLD LOCO OIL CO	07/02/1985.Eddy	OLD LOCO TREATING PLANT	-19-17 S-31 E
43	Loco Hills Landfarm LLC	11/08/2004 Eddy	Loco Hills Landfarm	rn-32-16 S-30 E
4	LOCO HILLS WATER DISPOSAL	10/30/1981 Eddy	LOCO HILLS WATER DISPOSAL	M-16-17 S-30 E
36	OK HOT OIL SERVICE INC	08/16/2000 Eddy	OK HOT OIL SERVICES INC	0-14-17 S-28 E
24	CHAPARRAL SWD	01/31/1995 Lea	CHAPARRAL TREATING PLANT	B-17-23 S-37 E
35	LEA LAND INC	01/05/2000 Lea	LEA LAND LANDFILL	-32-20 S-32 E
12	C&C LANDFARM INC	11/16/1992 Lea	C&C LANDFARM	8-3-20 S-37 E
13	ENVIRONMENTAL PLUS INC	02/15/1993 Lea	ENVIRONMENTAL PLUS LANDFARM	-14-22 S-37 E
15	GOO YEA LANDFARM INC	11/16/1992 Lea	GOO YEA LANDFARM	-14-11 S-38 E
23	J&L LANDFARM INC	05/10/1998 Lea	J&L LANDFARM	-9-20 S-38 E
25	GANDY CORP	06/27/1973 Lea	Gandy Corp. Treating Plant	-11-10 S-35 E
26	JENEX OPERATING CO	09/21/1983 Lea	JENEX TREATING PLANT	D-14-20 S-38 E
30	ARTESIA AERATION LLC	06/29/1999 Lea	ARTESIA AERATION LANDFARM	-7-17 S-32 E
	SOUTH MONUMENT SURFACE	40044000	COLUMN TAKEN AND CARD	1.05.00.005
32	WASTE FACILITY LLC	10/04/1999 Lea	SOUTH MONUMENT LANDFARM	A-25-36 S-20 E
33	DOOM LANDFARM	04/03/2000 Lea	DOOM LANDFARM	g-5-25 S-37 E
34	DD LANDFARM INC	04/12/2000 Lea	DD LANDFARM	-31-21 S-38 E
21	RHINO OILFIELD DISPOSAL INC	11/17/1997 Lea	RHINO OILFIELD LANDFARM	-34-20 S-38 E
44	COMMERCIAL EXCHANGE, INC	11/01/2004 Lea	Blackwater Oil Reclamation Facility	d-1-25 S-37 E
39	PITCHFORK LANDFARM LLC	10/30/2002 Lea	PITCHFORK LANDFARM	A-5-24 S-34 E
6	CONTROLLED RECOVERY INC	04/27/1990 Lea	CONTROLLED RECOVERY	-27-20 S-32 E
42	COMMERCIAL EXCHANGE, INC.	07/22/2004 Lea	Blackwater Landfarm	f-1-25 S-37 E
38	SAUNDERS LANDFARM LLC	10/28/2002 Lea	SAUNDERS LANDFARM	M-7-14 S-34 E
41	LAZY ACE LANDFARM LLC	03/09/2004 Lea	LAZY ACE LANDFARM	M-22-20 S-34 E
3	SUNDANCE SERVICES, INC.	08/30/1977 Lea	SUNDANCE PARABO	m-29-21 S-38 E
37	COMMERCIAL EXCHANGE, INC.	03/31/2003 Lea	COMMERCIAL SURFACE WM FACILITY	A-1-20 S-36 E
8	T-N-T ENVIRONMENTAL INC	01/19/1987 Rio Arriba	TNT EVAP POND/LANDFARM	-8-25 N-3 W
11	ENVIROTECH INC	07/07/1992 San Juan	ENVIROTECH LANDFARM #2	-6-26 N-10 W
9	KEY FOUR CORNERS INC	04/02/1991 San Juan	KEY EVAP POND and Landfarm	E-2-29 N-12 W
10	JFJ LANDFARM LLC	07/22/2002 San Juan	JFJ Land Farm Crouch Mesa (Formerly Tierra)	j-2-29 N-12 W
 5	BASIN DISPOSAL INC	10/16/1987 San Juan	BASIN DISPOSAL EVAP, POND	F-3-29 N-11 W

DISTRICT I 1625 N. French Dr., Hobbs, NM 85240 DISTRICT II 1501 T. Grand Avenue, Artesia, NM 68210

State of New Mexico Energy, Minerals and Natural Resources Department

Form C-102 Revised October 12, 2005

Submit to Appropriate District Office

State Lease - 4 Copies For Lease - 3 Copies

DISTRICT III 1000 Rio Brazos Rd., Artec, NM 87410

DISTRICT IV 1220 S. St. Prancis pr., Santa Fe. NM 07505 OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

Pit Platmended REPORT

## WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number		Pool Code Pool Name		
30-025-3	Y 00% 216	50	EK:Bone Spring	
Property Code		Property Name		Well Number
22213		FEDERAL 26-A		3
OGRID No.		Operator Name		Elevation
151416	FA.	SKEN OIL AND RANG	CH, LTD	3823'


#### Surface Location

UL or lot No.	Section	Township	Range	lot idn	Feet from the	North/South line	Feet from the	East/West line	County
Р	26	18 S	33 E		510	SOUTH	510	EAST	LEA

## Bottom Hole Location If Different From Surface

UL or lat No.	Section Toy	waship	Range	Lot idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres	Joint or Inf	fill Cons	olidation C	ode Ord	ler No.	DOID			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



Fasken 011 and Ranch, Ltd. Federal 26A No. 3

On-Site Trench Design

Minimum 4 feet of compacted clean material with one foot or more of topsoil, finished at prior grade and re-seeded

20 mil string. 4' of.
reinforced LLPDR Clean soil cover. 20 mil liner\*
cover. folded over \*trench liner = 20 mil string reinforced LDPR membrane

Pit Waste Material

Prepared subgrade

The length and width and depth of the on-site trench will be determined after calculating the volume of waste material compared to the depth to groundwater.

## IX. INTERIM RECLAMATION & RESERVE PIT CLOSURE

### A. INTERIM RECLAMATION

If the well is a producer, interim reclamation shall be conducted on the well site in accordance with the orders of the Authorized Officer. The operator shall submit a Sundry Notices and Reports on Wells (Notice of Intent), Form 3160-5, prior to conducting interim reclamation.

During the life of the development, all disturbed areas not needed for active support of production operations should undergo interim reclamation in order to minimize the environmental impacts of development on other resources and uses.

At the time reserve pits are to be reclaimed, operators should work with BLM surface management specialists to devise the best strategies to reduce the size of the location. Any reductions should allow for remedial well operations, as well as safe and efficient removal of oil and gas.

During reclamation, the removal of caliche is important to increasing the success of revegetating the site. Removed caliche may be used for road repairs, fire walls or for building other roads and locations. In order to operate the well or complete workover operations, it may be necessary to drive, park and operate on restored interim vegetation within the previously disturbed area. Disturbing revegetated areas for production or workover operations will be allowed. If there is significant disturbance and loss of vegetation, the area will need to be revegetated. Communicate with the appropriate BLM office for any exceptions/exemptions if needed.

### **B.** RESERVE PIT CLOSURE

The reserve pit, when dried and closed, shall be recontoured, all trash removed, and reseeded as follows:

Seed Mixture for LPC Sand/Shinnery Sites

The holder shall seed all disturbed areas with the seed mixture listed below. The seed mixture shall be planted in the amounts specified in pounds of pure live seed (PLS)\* per acre. There shall be <u>no</u> primary or secondary noxious weeds in the seed mixture. Seed will be tested and the viability testing of seed will be done in accordance with State law(s) and within nine (9) months prior to purchase. Commercial seed will be either certified or registered seed. The seed container will be tagged in accordance with State law(s) and available for inspection by the authorized officer.

Seed will be planted using a drill equipped with a depth regulator to ensure proper depth of planting where drilling is possible. The seed mixture will be evenly and uniformly planted over the disturbed area (smaller/heavier seeds have a tendency to drop the bottom of the drill and are planted first). The holder shall take appropriate measures to ensure this does not occur. Where drilling is not possible, seed will be broadcast and the area shall be raked or chained to cover the seed. When broadcasting the seed, the pounds per acre are to be doubled. The seeding will be repeated until a satisfactory stand is established as determined by the authorized officer. Evaluation of growth will not be made before completion of at least one full growing season after seeding.


Species to be planted in pounds of pure live seed\* per acre:

<u>Species</u>	<u>lb/acre</u>
Plains Bristlegrass	5lbs/A
Sand Bluestem	5lbs/A
Little Bluestem	3lbs/A
Big Bluestem	6lbs/A
Plains Coreopsis	2lbs/A
Sand Dropseed	11bs/A
**Four-winged Saltbush	51bs/A

<sup>\*</sup> This can be used around well pads and other areas where caliche cannot be removed.

Pounds of seed x percent purity x percent germination = pounds pure live seed

<sup>\*</sup>Pounds of pure live seed:





Drawn By: SJA

New Mexico Pit Liner Detail Plat

