

Submit 3 Copies To Appropriate District  
Office  
District I  
1625 N. French Dr., Hobbs, NM 87240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
May 27, 2004

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-025-08197 /
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. E-9789-1
7. Lease Name or Unit Agreement Name: Monsanto State /
8. Well Number 2 /
9. OGRID Number 16696
10. Pool name or Wildcat, Paduca Delaware

11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
3414'

Pit or Below-grade Tank Application ☐ or Closure ☐  
Pit type Steel Depth to Groundwater 290' Distance from nearest fresh water well \_\_\_\_\_ Distance from nearest surface water \_\_\_\_\_  
Pit Liner Thickness: \_\_\_\_\_ mil Below-Grade Tank: Volume \_\_\_\_\_ bbls; Construction Material \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other /
2. Name of Operator OXY USA Inc. /
3. Address of Operator P.O. Box 50250 Midland, TX 79710-0250
4. Well Location Unit Letter <u>P</u> : <u>660</u> feet from the <u>south</u> line and <u>660</u> feet from the <u>east</u> line Section <u>16</u> Township <u>25S</u> Range <u>32E</u> NMPM County <u>Lea</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3414'
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/> Pit type <u>Steel</u> Depth to Groundwater <u>290'</u> Distance from nearest fresh water well _____ Distance from nearest surface water _____ Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPLETION <input type="checkbox"/>
OTHER: <input type="checkbox"/>	

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

RECEIVED

JUL 07 2004

HOBBS OCD

See Attachment

THE OIL CONSERVATION DIVISION **MUST BE**  
NOTIFIED 24 HOURS PRIOR TO THE BEGINNING  
OF PLUGGING OPERATIONS

*See Chgs Ord 7/8/08 - Downhole drawing!*

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE David Stewart TITLE Sr. Regulatory Analyst DATE 7/1/08

Type or print name David Stewart

E-mail address: david\_stewart@oxy.com  
Telephone No. 432-685-5717

For State Use Only

APPROVED BY Chris Williams

OCD DISTRICT SUPERVISOR/GENERAL MANAGER  
TITLE \_\_\_\_\_ DATE \_\_\_\_\_

JUL 08 2008

Conditions of Approval, if any:

TD-4768'      PERFS-4626-4673'

10-3/4" 32.75# @ 351' w/ 190sx, 13-3/4" hole, TOC-Surf-Circ  
5-1/2" 14-17# csg @ 4767' w/150sx, 7-7/8" hole, TOC-3900'-Calc

1. RIH & Set CIBP @ 4575' w/ 5sx cmt
2. M&P 25sx cmt @ 4360-4175'
3. Perf @ 1200' sqz 45sx cmt to 1050' WOC-Tag
4. Perf @ 401' sqz 250sx cmt to Surface  
    10# MLF between plugs

OXY USA Inc. - Current  
Monsanto State #2  
API No. 30-025-08197

13-3/4" hole @ 351'  
10-3/4" csg @ 351'  
w/ 190sx-TOC-Surf-Circ

7-7/8" hole @ 4768'  
5-1/2" csg @ 4767'  
w/ 150sx-TOC-3900'-Calc

Perfs @ 4626-4673'

TD-4768'

OXY USA Inc. - Proposed  
Monsanto State #2  
API No. 30-025-08197

250sx @ 401'-Surface

45sx @ 1200-1050' WOC-Tag

25sx @ 4360-4175'

CIBP @ 4575' w/ 5sx




Perf @ 401'


13-3/4" hole @ 351'  
10-3/4" csg @ 351'  
w/ 190sx-TOC-Surf-Circ



Perf @ 1200'



Perf & Squeeze Cement 50' in 50' out  
@ 2400' TAG



Perfs @ 4626-4673'

7-7/8" hole @ 4768'  
5-1/2" csg @ 4767'  
w/ 150sx-TOC-3900'-Calc

TD-4768'