

Submit 3 Copies To Appropriate District
Office
District I
1625 N French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-08199
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. E-0789-1
7. Lease Name or Unit Agreement Name: Monsanto State
8. Well Number 4
9. OGRID Number 16696
10. Pool name or Wildcat Paduca Delaware

Pit or Below-grade Tank Application ☐ or Closure ☐
Pit type Steel Depth to Groundwater 290' Distance from nearest fresh water well _____ Distance from nearest surface water _____
Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	2. Name of Operator OXY USA Inc.
3. Address of Operator P.O. Box 50250 Midland, TX 79710-0250	4. Well Location Unit Letter <u>N</u> : <u>660</u> feet from the <u>south</u> line and <u>1980</u> feet from the <u>west</u> line Section <u>16</u> Township <u>25S</u> Range <u>32E</u> NMPM County <u>Lea</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3425'	

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/> PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPLETION <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>	OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

RECEIVED

THE OIL CONSERVATION DIVISION MUST BE
NOTIFIED 24 HOURS PRIOR TO THE BEGINNING
OF PLUGGING OPERATIONS

See Attachment

HOBBS OCD

See changes CW
7/8/08

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE David Stewart TITLE Sr. Regulatory Analyst DATE 7/1/08

Type or print name David Stewart

E-mail address: david_stewart@oxy.com

Telephone No. 432-685-5717

For State Use Only

APPROVED BY Chris Williams TITLE OC DISTRICT SUPERVISOR/GENERAL MANAGER DATE JUL 08 2008

Conditions of Approval, if any:

TD-4715' PBD-4660' PERFS-4586-4643'

8-5/8" 24# @ 360' w/ 240sx, 12-1/4" hole, TOC-Surf-Circ

5-1/2" 14# csg @ 4715' w/150sx, 7-7/8" hole, TOC-3849'-Calc

1. RIH & Set CIBP @ 4540' w/ 5sx cmt
2. M&P 25sx cmt @ 4315-4135'
3. Perf @ 1150' sqz 45sx cmt to 1000' WOC-Tag
4. Perf @ 410' sqz 175sx cmt to Surface
10# MLF between plugs

2a. Perf & squeeze cement 50' out
50' in @ 2400'. TAG

OXY USA Inc. - Proposed
Monsanto State #4
API No. 30-025-08199


175sx @ 410' - Surface

45sx @ 1150-1000' WOC-Tag

25sx @ 4315-4135'

CIBP @ 4540' w/ 5sx

1960-BP @ 4660'



Perf @ 410'

Perf @ 1150'

CMT PLUG @ ~~2300'~~ 2400'
Perf & squeeze 50'
IN 50' OUT. TAG

Perfs @ 4586-4643'

Perfs @ 4673-4678'

12-1/4" hole @ 360'
8-5/8" csg @ 360'
w/ 240sx-TOC-Surf-Circ

7-7/8" hole @ 4715'
5-1/2" csg @ 4715'
w/ 150sx-TOC-3849'-Calc

TD-4715'

OXY USA Inc. - Current
Monsanto State #4
API No. 30-025-08199

12-1/4" hole @ 360'
8-5/8" csg @ 360'
w/ 240sx-TOC-Surf-Circ

1960-BP @ 4660'

7-7/8" hole @ 4715'
5-1/2" csg @ 4715'
w/ 150sx-TOC-3849'-Calc

Perfs @ 4586-4643'

Perfs @ 4673-4678'

TD-4715'