

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr , Hobbs, NM 87240
District II
1301 W Grand Ave , Artesia, NM 88210
District III
1000 Rio Brazos Rd , Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-22233
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. OG1426
7. Lease Name or Unit Agreement Name: Cabot A State
8. Well Number 1
9. OGRID Number 16696
10. Pool name or Wildcat Bagley, Permo Penn, North

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4257'
2. Name of Operator OXY USA Inc.	
3. Address of Operator P.O. Box 50250 Midland, TX 79710-0250	
4. Well Location Unit Letter L : 1980 feet from the south line and 510 feet from the west line Section 14 Township 11S Range 33E NMPM County Lea	
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/> Pit type Steel Depth to Groundwater 45' Distance from nearest fresh water well Distance from nearest surface water Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material	

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

RECEIVED

JUL 07 2008

See Attachment

HOBBS OCD

THE OIL CONSERVATION DIVISION **MUST BE**
NOTIFIED 24 HOURS PRIOR TO THE BEGINNING
OF PLUGGING OPERATIONS

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE David Stewart TITLE Sr. Regulatory Analyst DATE 7/1/08

Type or print name David Stewart

E-mail address: david_stewart@oxy.com
Telephone No. 432-685-5717

For State Use Only

APPROVED BY Chris Williams TITLE OC DISTRICT SUPERVISOR/GENERAL MANAGER DATE JUL 08 2008


Conditions of Approval, if any:

TD-10295' PBTD-9390' PERFS-9177-9380' CIBP-9415'

13-3/8" 48# csg @ 380' w/390sx, 17-1/2" hole, TOC-Surf-Circ
8-5/8" 24-32# @ 3800' w/ 500sx, 11" hole, TOC-1636'-Calc
5-1/2" 17# csg @ 10290' w/550sx, 7-7/8" hole, TOC-6797'-Calc

1. RIH & Set CIBP @ 9125' M&P 25sx cmt
 2. M&P 30sx cmt @ 8500-8315'
 3. Perf @ 6550' sqz 55sx cmt to 6385' WOC-Tag
 4. Perf @ 3850' sqz 50sx cmt to 3710' WOC-Tag
 5. Perf @ 2500' sqz 50sx cmt to 2375' WOC-Tag
 6. Perf @ 1780' sqz 75sx cmt to 1660' WOC-Tag
 7. Perf @ 430' sqz 240sx cmt to Surface
- 10# MLF between plugs

OXY USA Inc. - Current
Cabot A State #1
API No. 30-025-22233



17-1/2" hole @ 380'
13-3/8" csg @ 380'
w/ 390sx-TOC-Surf-Circ

11" hole @ 3800'
8-5/8" csg @ 3800'
w/ 500sx-TOC-1636'-Calc

7-7/8" hole @ 10295'
5-1/2" csg @ 10290'
w/ 550sx-TOC-6797'-Calc

2/06-CIBP @ 9415' w/ 25' cmt

11/67-CIBP @ 9730'

Perfs @ 9177-9380'

Perfs @ 6454-9546'

Perfs @ 9822-10193'

TD-10295'

OXY USA Inc. - Proposed
Cabot A State #1
API No. 30-025-22233

240sx @ 430-Surface

75sx @ 1780-1660' WOC-Tag

50sx @ 2500-2375' WOC-Tag


50sx @ 3850-3710' WOC-Tag

55sx @ 6550-6385' WOC-Tag

30sx @ 8500-8315'

CIBP @ 9125' w/ 25sx
2/06-CIBP @ 9415' w/ 25' cmt

11/67-CIBP @ 9730'



17-1/2" hole @ 380'
13-3/8" csg @ 380'
w/ 390sx-TOC-Surf-Circ

Perf @ 430'

Perf @ 1780'

Perf @ 2500'

11" hole @ 3800'
8-5/8" csg @ 3800'
w/ 500sx-TOC-1636'-Calc

Perf @ 3850'

Perf @ 6550'

7-7/8" hole @ 10295'
5-1/2" csg @ 10290'
w/ 550sx-TOC-6797'-Calc

Perfs @ 9177-9380'

Perfs @ 9454-9546'

Perfs @ 9822-10193'

TD-10295'