

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240

DISTRICT II
1301 W. Grand Avenue, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV
1200 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-102
Revised October 12, 2003

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-005 29037	Pool Code ✓	Pool Name Abo Wildcat
Property Code 37246	Property Name FRANKLIN "18" FEE	Well Number 3
OGRID No. 162683	Operator Name CIMAREX ENERGY CO. OF COLORADO	Elevation 4432'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	18	15 S	31 E		1980	SOUTH	330	EAST	CHAVES

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	18	15 S	31 E		1980	SOUTH	375	WEST	CHAVES

Dedicated Acres	Joint or Infill	Consolidation Code	Order No.
159.24			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

BOTTOM HOLE LOCATION Lat - N33°00'50.68" Long - W103°52'06.93" NMSPC- N 732972.700 E 683794.854 (NAD-83)	SURFACE LOCATION Lat - N33°00'50.67" Long - W103°51'13.55" NMSPC- N 732992.3 E 688339.5 (NAD-83)	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Zeno Farris</i> 06-26-08 Signature Date Zeno Farris Printed Name
		SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. MAY 12 2008 Date Surveyed <i>[Signature]</i> Signature GARY L. JONES Professional Surveyor 7977 Certificate No. Gary L. Jones 7977 Basin Surveys



Planned Wellpath Report

Preliminary

Page 1 of 4



REFERENCE WELLPATH IDENTIFICATION

Operator **Cimarex Energy Co. of Colorado**

Slot **No. 3H SHL**

Area **Chaves County, NM**

Well **No. 3H**

Field **(Franklin) Sec 18, T15S, R31E**

Wellbore **No. 3H PWB**

Facility **Franklin 18 Fee No. 3H**

REPORT SETUP INFORMATION

Projection System **NAD83 / TM New Mexico State Planes, Eastern Zone (3001), US feet**

Software System **WellArchitect® 2.0**

North Reference **Grid**

User **Victor Hernandez**

Scale **0.999934**

Report Generated **6/25/2008 at 3:12:16 PM**

Convergence at slot **0.26° East**

Database/Source file **WA_Midland/No. 3H_PWB.xml**

WELLPATH LOCATION

	Local coordinates		Grid coordinates		Geographic coordinates	
	North[ft]	East[ft]	Easting[USft]	Northing[USft]	Latitude	Longitude
Slot Location	0.00	0.00	688339.50	732992.30	33°00'50.668"N	103°51'13.551"W
Facility Reference Pt			688339.50	732992.30	33°00'50.668"N	103°51'13.551"W
Field Reference Pt			688326.60	735962.00	33°01'20.052"N	103°51'13.544"W

WELLPATH DATUM

Calculation method	Minimum curvature	Rig on No. 3H SHL (RT) to Facility Vertical Datum	18.00ft
Horizontal Reference Pt	Facility Center	Rig on No. 3H SHL (RT) to Mean Sea Level	4450.00ft
Vertical Reference Pt	Rig on No. 3H SHL (RT)	Facility Vertical Datum to Mud Line (Facility)	0.00ft
MD Reference Pt	Rig on No. 3H SHL (RT)	Section Origin	N 0.00, E 0.00 ft
Field Vertical Reference	Mean Sea Level	Section Azimuth	269.75°



Planned Wellpath Report

Preliminary
Page 2 of 4



REFERENCE WELLPATH IDENTIFICATION

Operator **Cimarex Energy Co. of Colorado**
Area **Chaves County, NM**
Field **(Franklin) Sec 18, T15S, R31E**
Facility **Franklin 18 Fee No. 3H**

Slot **No. 3H SHL**
Well **No. 3H**
Wellbore **No. 3H PWB**

WELLPATH DATA (50 stations) † = interpolated/extrapolated station

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	DLS [°/100ft]	Comments
0.00	0.000	269.753	0.00	0.00	0.00	0.00	0.00	Tie On
8395.00	0.000	269.753	8395.00	0.00	0.00	0.00	0.00	KOP
8495.00†	30.000	269.753	8490.49	25.59	-0.11	-25.59	30.00	
8595.00†	60.000	269.753	8560.40	95.49	-0.41	-95.49	30.00	
8695.00†	90.000	269.753	8585.99	190.99	-0.82	-190.98	30.00	
8695.04	90.013	269.753	8585.99	191.03	-0.82	-191.03	30.00	EOC
8795.00†	90.013	269.753	8585.96	290.99	-1.25	-290.98	0.00	
8895.00†	90.013	269.753	8585.94	390.99	-1.69	-390.98	0.00	
8995.00†	90.013	269.753	8585.92	490.99	-2.12	-490.98	0.00	
9095.00†	90.013	269.753	8585.90	590.99	-2.55	-590.98	0.00	
9195.00†	90.013	269.753	8585.87	690.99	-2.98	-690.98	0.00	
9295.00†	90.013	269.753	8585.85	790.99	-3.41	-790.98	0.00	
9395.00†	90.013	269.753	8585.83	890.99	-3.84	-890.98	0.00	
9495.00†	90.013	269.753	8585.80	990.99	-4.27	-990.98	0.00	
9595.00†	90.013	269.753	8585.78	1090.99	-4.71	-1090.98	0.00	
9695.00†	90.013	269.753	8585.76	1190.99	-5.14	-1190.97	0.00	
9795.00†	90.013	269.753	8585.74	1290.99	-5.57	-1290.97	0.00	
9895.00†	90.013	269.753	8585.71	1390.99	-6.00	-1390.97	0.00	
9995.00†	90.013	269.753	8585.69	1490.99	-6.43	-1490.97	0.00	
10095.00†	90.013	269.753	8585.67	1590.99	-6.86	-1590.97	0.00	
10195.00†	90.013	269.753	8585.65	1690.99	-7.29	-1690.97	0.00	
10295.00†	90.013	269.753	8585.62	1790.99	-7.72	-1790.97	0.00	
10395.00†	90.013	269.753	8585.60	1890.99	-8.16	-1890.97	0.00	
10495.00†	90.013	269.753	8585.58	1990.99	-8.59	-1990.97	0.00	
10595.00†	90.013	269.753	8585.56	2090.99	-9.02	-2090.97	0.00	
10695.00†	90.013	269.753	8585.53	2190.99	-9.45	-2190.97	0.00	
10795.00†	90.013	269.753	8585.51	2290.99	-9.88	-2290.96	0.00	
10895.00†	90.013	269.753	8585.49	2390.99	-10.31	-2390.96	0.00	
10995.00†	90.013	269.753	8585.47	2490.99	-10.74	-2490.96	0.00	
11095.00†	90.013	269.753	8585.44	2590.99	-11.17	-2590.96	0.00	



Planned Wellpath Report

Preliminary

Page 3 of 4



INTEQ

REFERENCE WELLPATH IDENTIFICATION

Operator **Cimarex Energy Co. of Colorado**

Area **Chaves County, NM**

Field **(Franklin) Sec 18, T15S, R31E**

Facility **Franklin 18 Fee No. 3H**

Slot

No. 3H SHL

Well

No. 3H

Wellbore

No. 3H PWB

WELLPATH DATA (50 stations) † = interpolated/extrapolated station

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	DLS [°/100ft]	Comments
11195.00†	90.013	269.753	8585.42	2690.99	-11.61	-2690.96	0.00	
11295.00†	90.013	269.753	8585.40	2790.99	-12.04	-2790.96	0.00	
11395.00†	90.013	269.753	8585.37	2890.99	-12.47	-2890.96	0.00	
11495.00†	90.013	269.753	8585.35	2990.99	-12.90	-2990.96	0.00	
11595.00†	90.013	269.753	8585.33	3090.99	-13.33	-3090.96	0.00	
11695.00†	90.013	269.753	8585.31	3190.99	-13.76	-3190.96	0.00	
11795.00†	90.013	269.753	8585.28	3290.99	-14.19	-3290.96	0.00	
11895.00†	90.013	269.753	8585.26	3390.99	-14.62	-3390.95	0.00	
11995.00†	90.013	269.753	8585.24	3490.99	-15.06	-3490.95	0.00	
12095.00†	90.013	269.753	8585.22	3590.99	-15.49	-3590.95	0.00	
12195.00†	90.013	269.753	8585.19	3690.99	-15.92	-3690.95	0.00	
12295.00†	90.013	269.753	8585.17	3790.99	-16.35	-3790.95	0.00	
12395.00†	90.013	269.753	8585.15	3890.99	-16.78	-3890.95	0.00	
12495.00†	90.013	269.753	8585.13	3990.99	-17.21	-3990.95	0.00	
12595.00†	90.013	269.753	8585.10	4090.99	-17.64	-4090.95	0.00	
12695.00†	90.013	269.753	8585.08	4190.99	-18.07	-4190.95	0.00	
12795.00†	90.013	269.753	8585.06	4290.99	-18.51	-4290.95	0.00	
12895.00†	90.013	269.753	8585.03	4390.99	-18.94	-4390.94	0.00	
12995.00†	90.013	269.753	8585.01	4490.99	-19.37	-4490.94	0.00	
13049.01	90.013	269.753	8585.00	4545.00	-19.60	-4544.96	0.00	No. 3H BHL



Planned Wellpath Report

Preliminary

Page 4 of 4



INTEQ

REFERENCE WELLPATH IDENTIFICATION

Operator **Cimarex Energy Co. of Colorado**

Area **Chaves County, NM**

Field **(Franklin) Sec 18, T15S, R31E**

Facility **Franklin 18 Fee No. 3H**

Slot **No. 3H SHL**

Well **No. 3H**

Wellbore **No. 3H PWB**

TARGETS

Name	MD [ft]	TVD [ft]	North [ft]	East [ft]	Grid East [srv ft]	Grid North [srv ft]	Latitude	Longitude	Shape
1) No. 3H BHL	13049.01	8585.00	-19.60	-4544.96	683794.85	732972.70	33°00'50.676"N	103°52'06.925"W	point

SURVEY PROGRAM Ref Wellbore: No. 3H PWB Ref Wellpath: Preliminary

Start MD
[ft]

18.00

End MD
[ft]

13049.01

Positional Uncertainty Model

NaviTrak (Standard)

Log Name/Comment

Wellbore

No. 3H PWB

DISTRICT I

1825 N. French Dr., Hobbs, NM 88240

DISTRICT II

1301 W. Grand Avenue, Artesia, NM 88210

DISTRICT III

1800A W. Brazos Rd., Aztec, NM 87410

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, New Mexico 87505Form C-102
Revised October 12, 2005Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number	Pool Code	Pool Name Abo Wildcat
Property Code	Property Name BUNKER HILL "32" STATE	Well Number 2
UGRID No. 162683	Operator Name CIMAREX ENERGY CO. OF COLORADO	Elevation 4407'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	32	15 S	31 E		660	NORTH	375	EAST	CHAVES

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	32	15 S	31 E		330	NORTH	375	WEST	CHAVES

Dedicated Acres	Joint or Infill	Consolidation Code	Order No.
160			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

375' 330' 4553.2' 375' BOTTOM HOLE LOCATION Lat - N32°58'43.33" Long - W103°51'05.28" NMSPC - N 720066.874 E 699452.666 (NAD 83) SURFACE LOCATION Lat - N32°58'40.00" Long - W103°50'11.99" NMSPC - N 719811.8 E 693543.5 (NAD 83)	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or undivided mineral interest in the land including the proposed bottom hole location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Scott Haynes</i> 6-26-08 Signature Date Scott Haynes Printed Name SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my belief. 2008 Date Surveyed Signature Professional Surveyor 7977 9455 Certificate No. Gary L. Jones 7977 BASIN SURVEYS
--	--



Planned Wellpath Report

Preliminary
Page 1 of 4



REFERENCE WELLPATH IDENTIFICATION

Operator	Cimarex Energy Co. of Colorado	Slot	No. 2H SHL
Area	Chaves County, NM	Well	No. 2H
Field	(Bunker) Section 32, T15S, R31E	Wellbore	No. 2H PWB
Facility	Bunker Hill 32 ST No. 2H		

REPORT SETUP INFORMATION

Projection System	NAD83 / TM New Mexico State Planes, Eastern Zone (3001),	Software System	WellArchitect® 2.0
	US feet		
North Reference	Grid	User	Victor Hernandez
Scale	0.999936	Report Generated	6/24/2008 at 3:38:20 PM
Convergence at slot	0.27° East	Database/Source file	WA_Midland/No. 2H_PWB.xml

WELLPATH LOCATION

	Local coordinates		Grid coordinates		Geographic coordinates	
	North[ft]	East[ft]	Easting[USft]	Northing[USft]	Latitude	Longitude
Slot Location	0.00	0.00	693643.50	719811.80	32°58'40.010"N	103°50'11.992"W
Facility Reference Pt			693643.50	719811.80	32°58'40.010"N	103°50'11.992"W
Field Reference Pt			689064.10	718476.10	32°58'27.005"N	103°51'05.822"W

WELLPATH DATUM

Calculation method	Minimum curvature	Rig on No. 2H SHL (RT) to Facility Vertical Datum	18.00ft
Horizontal Reference Pt	Facility Center	Rig on No. 2H SHL (RT) to Mean Sea Level	4425.00ft
Vertical Reference Pt	Rig on No. 2H SHL (RT)	Facility Vertical Datum to Mud Line (Facility)	0.00ft
MD Reference Pt	Rig on No. 2H SHL (RT)	Section Origin	N 0.00, E 0.00 ft
Field Vertical Reference	Mean Sea Level	Section Azimuth	273.48°



Planned Wellpath Report

Preliminary

Page 2 of 4



INTEQ

REFERENCE WELLPATH IDENTIFICATION

Operator	Cimarex Energy Co. of Colorado	Slot	No. 2H SHL
Area	Chaves County, NM	Well	No. 2H
Field	(Bunker) Section 32, T15S, R31E	Wellbore	No. 2H PWB
Facility	Bunker Hill 32 ST No. 2H		

WELLPATH DATA (47 stations) † = interpolated/extrapolated station

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	DLS [°/100ft]	Comments
0.00	0.000	273.483	0.00	0.00	0.00	0.00	0.00	Tie On
8570.00	0.000	273.483	8570.00	0.00	0.00	0.00	0.00	KOP
8670.00†	30.000	273.483	8665.49	25.59	1.55	-25.54	30.00	
8770.00†	60.000	273.483	8735.40	95.49	5.80	-95.32	30.00	
8868.62	89.585	273.483	8760.98	189.60	11.52	-189.25	30.00	EOC
8870.00†	89.585	273.483	8760.99	190.99	11.60	-190.63	0.00	
8970.00†	89.585	273.483	8761.71	290.98	17.68	-290.45	0.00	
9070.00†	89.585	273.483	8762.44	390.98	23.75	-390.26	0.00	
9170.00†	89.585	273.483	8763.16	490.98	29.83	-490.07	0.00	
9270.00†	89.585	273.483	8763.89	590.98	35.90	-589.88	0.00	
9370.00†	89.585	273.483	8764.61	690.97	41.98	-689.70	0.00	
9470.00†	89.585	273.483	8765.33	790.97	48.05	-789.51	0.00	
9570.00†	89.585	273.483	8766.06	890.97	54.13	-889.32	0.00	
9670.00†	89.585	273.483	8766.78	990.96	60.20	-989.13	0.00	
9770.00†	89.585	273.483	8767.50	1090.96	66.28	-1088.95	0.00	
9870.00†	89.585	273.483	8768.23	1190.96	72.35	-1188.76	0.00	
9970.00†	89.585	273.483	8768.95	1290.96	78.43	-1288.57	0.00	
10070.00†	89.585	273.483	8769.68	1390.95	84.50	-1388.39	0.00	
10170.00†	89.585	273.483	8770.40	1490.95	90.58	-1488.20	0.00	
10270.00†	89.585	273.483	8771.12	1590.95	96.65	-1588.01	0.00	
10370.00†	89.585	273.483	8771.85	1690.95	102.73	-1687.82	0.00	
10470.00†	89.585	273.483	8772.57	1790.94	108.80	-1787.64	0.00	
10570.00†	89.585	273.483	8773.30	1890.94	114.88	-1887.45	0.00	
10670.00†	89.585	273.483	8774.02	1990.94	120.95	-1987.26	0.00	
10770.00†	89.585	273.483	8774.74	2090.94	127.03	-2087.07	0.00	
10870.00†	89.585	273.483	8775.47	2190.93	133.10	-2186.89	0.00	
10970.00†	89.585	273.483	8776.19	2290.93	139.18	-2286.70	0.00	
11070.00†	89.585	273.483	8776.91	2390.93	145.25	-2386.51	0.00	
11170.00†	89.585	273.483	8777.64	2490.93	151.33	-2486.32	0.00	
11270.00†	89.585	273.483	8778.36	2590.92	157.40	-2586.14	0.00	



Planned Wellpath Report

Preliminary

Page 3 of 4



INTEQ

REFERENCE WELLPATH IDENTIFICATION

Operator	Cimarex Energy Co. of Colorado	Slot	No. 2H SHL
Area	Chaves County, NM	Well	No. 2H
Field	(Bunker) Section 32, T15S, R31E	Wellbore	No. 2H PWB
Facility	Bunker Hill 32 ST No. 2H		

WELLPATH DATA (47 stations) † = interpolated/extrapolated station

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	DLS [°/100ft]	Comments
11370.00†	89.585	273.483	8779.09	2690.92	163.48	-2685.95	0.00	
11470.00†	89.585	273.483	8779.81	2790.92	169.55	-2785.76	0.00	
11570.00†	89.585	273.483	8780.53	2890.92	175.63	-2885.58	0.00	
11670.00†	89.585	273.483	8781.26	2990.91	181.70	-2985.39	0.00	
11770.00†	89.585	273.483	8781.98	3090.91	187.78	-3085.20	0.00	
11870.00†	89.585	273.483	8782.70	3190.91	193.85	-3185.01	0.00	
11970.00†	89.585	273.483	8783.43	3290.90	199.93	-3284.83	0.00	
12070.00†	89.585	273.483	8784.15	3390.90	206.01	-3384.64	0.00	
12170.00†	89.585	273.483	8784.88	3490.90	212.08	-3484.45	0.00	
12270.00†	89.585	273.483	8785.60	3590.90	218.16	-3584.26	0.00	
12370.00†	89.585	273.483	8786.32	3690.89	224.23	-3684.08	0.00	
12470.00†	89.585	273.483	8787.05	3790.89	230.31	-3783.89	0.00	
12570.00†	89.585	273.483	8787.77	3890.89	236.38	-3883.70	0.00	
12670.00†	89.585	273.483	8788.49	3990.89	242.46	-3983.51	0.00	
12770.00†	89.585	273.483	8789.22	4090.88	248.53	-4083.33	0.00	
12870.00†	89.585	273.483	8789.94	4190.88	254.61	-4183.14	0.00	
12877.99	89.585	273.483	8790.00 ¹	4198.87	255.09	-4191.11	0.00	No. 2H BHL



Planned Wellpath Report

Preliminary

Page 4 of 4



INTEQ

REFERENCE WELLPATH IDENTIFICATION

Operator **Cimarex Energy Co. of Colorado**
Area **Chaves County, NM**
Field **(Bunker) Section 32, T15S, R31E**
Facility **Bunker Hill 32 ST No. 2H**

Slot **No. 2H SHL**
Well **No. 2H**
Wellbore **No. 2H PWB**

TARGETS

Name	MD [ft]	TVD [ft]	North [ft]	East [ft]	Grid East [srv ft]	Grid North [srv ft]	Latitude	Longitude	Shape
1) No. 2H BHL	12877.99	8790.00	255.09	-4191.11	689452.67	720066.87	32°58'42.727"N	103°51'01.175"W	point

SURVEY PROGRAM Ref Wellbore: No. 2H PWB Ref Wellpath: Preliminary

Start MD [ft]	End MD [ft]	Positional Uncertainty Model	Log Name/Comment	Wellbore
18.00	12877.89	NaviTrak (Standard)		No. 2H PWB



Cimarex Energy Co. of Colorado


Location Chaves County, NM
Field (Bunker) Section 32, T15S, R31E
Facility Bunker Hill 32 ST No. 2H

Slot No 2H SHL
Well No 2H
Wellbore No 2H.PWB




Well Profile Data

Design Comment	MD (ft)	Inc (°)	Az (°)	TVD (ft)	Local N (ft)	Local E (ft)	DLS (%/100ft)	VS (ft)
Tie On	0.00	0.000	273.483	0.00	0.00	0.00	0.00	0.00
KOP	8570.00	0.000	273.483	8570.00	0.00	0.00	0.00	0.00
EOC	8868.62	89.585	273.483	8760.98	11.52	-189.25	30.00	189.60
No. 2H BHL	12877.99	89.585	273.483	8790.00	255.09	-4191.11	0.00	4198.87



LEASE / HARD LINES ARE ESTIMATE ONLY AND ARE SUBJECT TO CUSTOMER APPROVAL.



BGGM (1945.0 to 2009.0) Dip 80.82° Field 49390.4 nT
Magnetic North is 8.17 degrees East of True North (at 5/24/2008)
Grid North is 0.27 degrees East of True North
To correct azimuth from True to Grid subtract 0.27 degrees
To correct azimuth from Magnetic to Grid add 7.90 degrees
For example if the Magnetic North Azimuth = 30 degs. then the Grid North Azimuth = 90 + 7.90 = 97.90

Data references wellbore information	
True vertical depth as referenced to Bunker Hill 32 ST No. 2H (BHL 32T)	Grid System NAD83 / TM Zone 18N (North America, Eastern Zone 18N) UTM
Measurements are referenced to Bunker Hill 32 ST No. 2H (BHL 32T)	North Reference: Grid North
Bunker Hill 32 ST No. 2H (BHL 32T) is measured from 4425 feet	Scale: True distance
Measurements are referenced to Bunker Hill 32 ST No. 2H (BHL 32T)	Depth: True depth
Coordinates are referenced to Bunker Hill 32 ST No. 2H (BHL 32T)	Orientation: North Horizontal and 0.00 degrees

