State of New Mexico District I 1625 N French Dr., Hobbs, NM 8 Minerals and Natural Resources District II Department 1301 W. Grand Avenue, Artesia, NM 88210 District III Oil Conservation Division 1000 Rio Brazos Road, Aztec, NM 87410 South St. Francis Dr. District IV 1220 S. St Francis Dr., Santa Fe nta Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Amended (Disposal Facility)Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Type of action: Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of lie environment. Nor does approval relieve the operator of its responsibility to com	ibility should operations result in pollution of surface water, ground water or the ply with any other applicable governmental authority's rules, regulations or ordinances.	
Operator: Yates Petroleum Corporation OGRID #	025575	
Address: 105 South 4th Street, Artesia, NM 88210	Donation	
Facility or well name: Amazing BAZ Federal #3	Amending *	
API Number: <u>30-025-38450</u> OCD Perm	it Number: PI - ODIIS	
U/L or Qtr/Qtr P Section 30 Township 22S Range 32E County: Lea		
Center of Proposed Design: Latitude N. 32.356167 Longitude W. 103.706389 NAD: № 1927 1983		
Surface Owner: Federal State Tribal Trust or Indian Allotment		
Pit: Subsection F or G of 19.15.17.11 NMAC	☐ Closed-loop System: Subsection H of 19.15.17.11 NMAC	
Temporary: Drilling Workover	☐ Drying Pad ☐ Tanks ☒ Haul-off Bins ☐ Other	
Permanent Emergency Cavitation	☐ Lined ☑ Unlined	
☐ Lined ☐ Unlined	Liner type: Thicknessmil	
Liner type: Thicknessmil	Other	
Other String-Reinforced	Seams: Welded Factory Other	
Seams: Welded Factory Other	Volume:bblyd ³	
Volume:bbl Dimensions: Lx Wx D	Dimensions: Lengthx Width	
Below-grade tank: Subsection I of 19.15.17.11 NMAC	Fencing: Subsection D of 19.15.17.11 NMAC	
Volume:bbl	☐ Chain link, six feet in height, two strands of barbed wire at top	
Type of fluid:	Four foot height, four strands of barbed wire evenly spaced between one and	
Tank Construction material:	four feet	
Secondary containment with leak detection	Netting: Subsection E of 19.15.17.11 NMAC	
☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	☐ Screen ☐ Netting ☐ Other	
☐ Visible sidewalls and liner	☐ Monthly inspections	
☐ Visible sidewalls only	Signs: Subsection C of 19.15.17.11 NMAC	
Other	12'x24', 2' lettering, providing Operator's name, site location, and	
Liner type: Thickness mil HDPE PVC	emergency telephone numbers	
Other	Signed in compliance with 19.15.3.103 NMAC	
Alternative Method:	Administrative Approvals and Exceptions:	
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration	Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.	
of approval.	Please check a box if one or more of the following is requested, if not leave	
	blank:	
	Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for	
	consideration of approval.	
	Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	

Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No	
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No	
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No	
Within a 100-year floodplain FEMA map	☐ Yes ☐ No	
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC See Attached Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC NMAC Haul waste to Lea Land Farm or Gandy Marley Previously Approved Design (attach copy of design) API Number:		
Treviously Approved Design (attach copy of design) Art Number:		

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC	
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the de	ocuments are
attached.	
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
Climatological Factors Assessment	
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC	
Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC	
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC	
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC	
Quality Control/Quality Assurance Construction and Installation Plan	
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan	
Emergency Response Plan	
Oil Field Waste Stream Characterization	
Monitoring and Inspection Plan	
☐ Erosion Control Plan ☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Proposed Closure: 19.15.17.13 NMAC	
Type: Drilling Workover Emergency Cavitation Permanent Pit Below-grade Tank Closed-loop System	Alternative
Proposed Closure Method: Waste Excavation and Removal	
On-site Closure Method (only for temporary pits and closed-loop systems)	
In-place Burial On-site Trench Burial	
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for co	nsideration)
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC	
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable	
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from	
the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau	
office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10	
NMAC for guidance.	
Control of COS of the declarate with height and	□ Vas □ Na
Ground water is less than 50 feet below the bottom of the buried waste.	Yes No
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	∐ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste	☐ Yes ☐ No
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ NA
The office of the State Engineer Than Execution, 65.55, 2 and 65.55, 2	
Ground water is more than 100 feet below the bottom of the buried waste.	☐ Yes ☐ No
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ NA □
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	☐ Yes ☐ No
(measured from the ordinary high-water mark).	
- Topographic map; Visual inspection (certification) of the proposed site	
	—
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes ☐ No
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock	☐ Yes ☐ No
watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	
- NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ☐ No
adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	
- Written confirmation or verification from the municipality; Written approval obtained from the municipality	
William Communication of Vermounter manifestating, William approval communication and manifestating	
Within 500 feet of a wetland.	☐ Yes ☐ No
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	
1, 1, 0, 1	
Within the area overlying a subsurface mine.	☐ Yes ☐ No
- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	
Within an unstable area.	,
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No
Society; Topographic map	
Wishing 100 cons Goodelein	□ Vag □ Na
Within a 100-year floodplain.	☐ Yes ☐ No

Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instru			
closure plan. Please indicate, by a check mark in the box, that the documents are attact Protocols and Procedures - based upon the appropriate requirements of 19.15 17.13	ched. 3 NIM A C		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19:13 17:15			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cu	ittings)		
☐ Soil Backfill and Cover Design Specifications - based upon the appropriate require ☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of	of 19.15.17.13 NMAC		
**Waste Removal Closure For Closed-loop Systems That Utilize Haul-off Bins Only			
facility or facilities for the disposal of liquids, drilling fluids and drill cuttings.	. (17.13.17.13.D WMAC) Instructions. Trease indentity ine		
	posal Facility Permit Number: R-9166		
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the follo			
by a check mark in the box, that the documents are attached.	rating terms must be undered to the closure plant. I tease materies,		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirement			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction and Design of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC			
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirement	ents of Subsection F of 19.15.17.13 NMAC		
Waste Material Sampling Plan - based upon the appropriate requirements of Subse			
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cu ☐ Soil Cover Design - based upon the appropriate requirements of Subsection H of 1:			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19	9.15.17.13 NMAC		
☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of	of 19.15.17.13 NMAC		
Operator Application Certification:			
I hereby certify that the information submitted with this application is true, accurate and	complete to the best of my knowledge and belief.		
Name (Print): Cy Cowan	Title: Regulatory Agent		
$\mathcal{O}_{\mathcal{O}_{\mathcal{A}}}$	Date: 7/15/2008		
Signature: Ofth May for Cy Cowan	Date: ///3/2008		
	,		
e-mail address: cy@ypcnm.com	Telephone: <u>575-748-4372</u>		
OCD Approval: Permit Application (including closure plan) Closure Plan (only	-		
	y) - 1 - 1 -		
OCD Representative Signature: Musilfelliams	-		
OCD Representative Signature: Musillelliams	y) - 1 - 1 -		
OCD Representative Signature: Musillelliams	Approval Date: 7/18/08 Permit Number:		
OCD Representative Signature: Musilfulliams Title: Och Supervisor OCD Closure Report (required within 60 days of closure completion): Subsection K of 19	Approval Date: 7/18/08 Permit Number:		
OCD Representative Signature: Musilfelliams Title: Och Supervisor OCD Closure Report (required within 60 days of closure completion): Subsection K of 19 Closure Method:	Approval Date: 7/18/08 Permit Number: 2.15.17.13 NMAC Closure Completion Date:		
OCD Representative Signature: Closure Report (required within 60 days of closure completion): Subsection K of 19	Approval Date: 7/18/08 Permit Number: 2.15.17.13 NMAC Closure Completion Date:		
OCD Representative Signature: Closure Report (required within 60 days of closure completion): Subsection K of 19 Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure If different from approved plan, please explain.	Approval Date: 7/18/08 Permit Number:		
OCD Representative Signature: Closure Report (required within 60 days of closure completion): Subsection K of 19 Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Report Attachment Checklist: Instructions: Each of the following items mu.	Approval Date: 7/18/08 Permit Number:		
OCD Representative Signature: Closure Report (required within 60 days of closure completion): Subsection K of 19 Closure Method:	Approval Date: 7/18/08 Permit Number:		
OCD Representative Signature: Closure Report (required within 60 days of closure completion): Subsection K of 19 Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Report Attachment Checklist: Instructions: Each of the following items mu.	Approval Date: 7/18/08 Permit Number:		
OCD Representative Signature: Closure Report (required within 60 days of closure completion): Subsection K of 19 Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Report Attachment Checklist: Instructions: Each of the following items mulmark in the box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan	Approval Date: 7/18/08 Permit Number:		
OCD Representative Signature: Closure Report (required within 60 days of closure completion): Subsection K of 19 Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure If different from approved plan, please explain. Closure Report Attachment Checklist: Instructions: Each of the following items mulmark in the box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results	Approval Date: 7/18/08 Permit Number:		
OCD Representative Signature: Closure Report (required within 60 days of closure completion): Subsection K of 19 Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure for approved plan, please explain. Closure Report Attachment Checklist: Instructions: Each of the following items mulmark in the box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results	Approval Date: 7/18/08 Permit Number:		
OCD Representative Signature: Closure Report (required within 60 days of closure completion): Subsection K of 19 Closure Method:	Approval Date: 7/18/08 Permit Number:		
OCD Representative Signature: Closure Report (required within 60 days of closure completion): Subsection K of 19 Closure Method:	Approval Date: 7/18/08 Permit Number:		
OCD Representative Signature: Closure Report (required within 60 days of closure completion): Subsection K of 19 Closure Method:	Approval Date: 7/18/08 Permit Number:		
OCD Representative Signature:	Approval Date: 7/18/08 Permit Number:		
OCD Representative Signature: Closure Report (required within 60 days of closure completion): Subsection K of 19 Compared to the following items must be completed by the following items must be confirmation and provided by the following i	Approval Date:		
Title:	Approval Date:		

Yates Petroleum Corporation – Equipment Design Plan Closed Loop System

Closed Loop System will consist of:

- 1 double panel shale shaker
- 1 (minimum) Centrifuge, certain wells and flow rates may require 2 centrifuges On certain wells, the Centrifuge will be replaced by a Clackco Settling Tank System
- 1 minimum centrifugal pump to transfer fluids
- 2-500 bbl. FW Tanks
- 1 500 bbl. BW Tank
- 1 half round frac tank 250 bbl. capacity as necessary to catch cement / excess mud returns generated during a cement job.
- 1 Set of rail cars / catch bins

Certain wells will use an ASC Auger Tank

All equipment will inspected at least hourly by rig personnel and daily by contractors personnel.

Any spills / leaks will be reported to YPC, NMOCD, and cleaned up without delay.

MARTIN YATES, III 1912-1985

FRANK W. YATES 1936-1986



105 SOUTH FOURTH STREET ARTESIA, NEW MEXICO 88210-2118

TELEPHONE (575) 748-1471



July 15, 2008



Oil Conservation Division 1625 N. French Drive Hobbs, NM 88240

RE: **Amended C-144**

> Amazing BAZ Federal #3 Section 30, T22S-R32E Lea County, New Mexico

To Whom It May Concern:

Enclosed please find two copies an Amended C-144 changing the disposal facility for the above referenced well.

Should you have any questions please contact Cy Cowan at (575) 748-4372.

Thank you.

YATES PETROLEUM CORPORATION

Morti Bunders

Monti Sanders Regulatory Tech

/ms

Enclosure(s)

S.P. YATES

CHAIRMAN EMERITUS

JOHN A. YATES

CHAIRMAN OF THE BOARD

FRANK YATES, JR. PRESIDENT PEYTON YATES

DIRECTOR

JOHN A. YATES, JR.

DIRECTOR