



NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

BILL RICHARDSON

Governor

Joanna Prukop

Cabinet Secretary

Mark E. Fesmire, P.E.

Director

Oil Conservation Division

Field Inspection Program

"Preserving the Integrity of Our Environment"

01-Aug-08

PRIDE ENERGY COMPANY

P.O. BOX 701602

TULSA OK 74170-1602

LETTER OF VIOLATION - Inspection

Dear Operator:

The following inspection(s) indicate that the well, equipment, location or operational status of the well(s) failed to meet standards of the New Mexico Oil Conservation Division as described in the detail section below. To comply with standards imposed by Rules and Regulations of the Division, corrective action must be taken immediately and the situation brought into compliance. The detail section indicates preliminary findings and/or probable nature of the violation. This determination is based on an inspection of your well or facility by an inspector employed by the Oil Conservation Division on the date(s) indicated.

Please notify the proper district office of the Division, in writing, of the date corrective actions are scheduled to be made so that arrangements can be made to reinspect the well and/or facility.

INSPECTION DETAIL SECTION

SOUTH FOUR LAKES UNIT No.006			I-2-12S-34E		30-025-01834-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
07/31/2008	Routine/Periodic	Maxey Brown	Yes	No	11/3/2008	iMGB0821423992
Violations						
General Housekeeping (Rule 114)						
Comments on Inspection: Location needs attention. Equipment OK. RULE 114. NEED TO REMOVE SURPLUS EQUIPMENT (DRILL COLLARS, STRING OF TUBING, RUBBER HOSES) FROM LOCATION. THIS IS 1ST LETTER OF NON-COMPLIANCE.						

SOUTH FOUR LAKES UNIT No.008

A-2-12S-34E

30-025-29533-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
07/31/2008	Routine/Periodic	Maxey Brown	Yes	No	11/3/2008	iMGB0821424351
Violations						
Surface Leaks/Spills						
General Housekeeping (Rule 114)						
Well Monitoring Not Possible (Rules 114, 1						

Comments on Inspection: Valves or other equipment leaking. Fix ASAP. (RULE 115, RULE 116.) OIL LEAKING FROM WELLHEAD. NEED TO REPAIR AND CLEANUP. NEED TO INSTALL GAUGE, PRESSURE GAUGE IS BROKEN (NO WAY TO READ PRESSURE). SURPLUS EQUIPMENT, PILE OF THREAD PROTECTORS, MISC JUNK, STORAGE BUILDING. RULE 114. PLEASE CONTACT CHRIS WILLIAMS DISTRICT I SUPERVISOR (575-393-6161 EXT 102) TO SCHEDULE MIT ON THIS WELL ASAP. THIS IS 1ST LETTER OF NON-COMPLIANCE.

SOUTH FOUR LAKES UNIT No.009

J-35-11S-34E


30-025-31188-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
07/31/2008	Compliance Verification	Maxey Brown	Yes	No	9/3/2008	iMGB0821425539
Violations						
General Housekeeping (Rule 114)						

Comments on Inspection: NEED TO REMOVE OLD PIT LINER FROM NORTHWEST CORNER OF LOCATION. RULE 114. THIS IS 2ND LETTER OF NON-COMPLINACE.

In the event that a satisfactory response is not received to this letter of direction by the "Corrective Action Due By:" date shown above, further enforcement will occur. Such enforcement may include this office applying to the Division for an order summoning you to a hearing before a Divison Examiner in Santa Fe to show cause why you should not be ordered to permanently plug and abandon this well. Such a hearing may result in imposition of CIVIL PENALTIES for your violation of OCD rules.

Sincerely,

**COMPLIANCE OFFICER**


Hobbs OCD District Office

Note: Information in Detail Section comes directly from field inspector data entries - not all blanks will contain data.

*Significant Non-Compliance events are reported directly to the EPA, Region VI, Dallas, Texas.

OIL CONSERVATION DIVISION
DISTRICT 1
1625 N. FRENCH DRIVE
HOBBS NM 88240

FIRST
CLASS



HASLER

\$1.00

05/01/2008

Mailed From 88240

US POSTAGE

PRIDE ENERGY COMPANY
P.O. BOX 701602
TULSA OK 74170-1602