

Results of Directional Survey

API number:	30-025-38612		
OGRID:		Operator:	CHESAPEAKE OPERATING INC
		Property:	LANGLEY GREER # 3

surface	ULSTR:	L	21	T	22S	R	36E
			2440	FSL	660	FWL	

BH Loc	ULSTR:	D	21	T	22S	R	36E
			4575	FSL	670	FWL	

	MD	N/S	E/W	VD
	12133	563.58	41.59	12094.76
TOP PERFS/OH	12170	575.32	40.11	12129.81
	12179	578.17	39.75	12138.34
	13793	2084.08	10.32	12312.78
BOT PERFS/OH	13834	2124.90	9.82	12308.92
	13844	2134.85	9.70	12307.98

NEXT TO LAST	13793	2084.08	10.32	12312.78
LAST READING	13844	2134.85	9.70	12307.98
TD	13844	2134.85	9.70	12307.98

Surface Location	2440	FS	660	FW
Projected BHL	4575	FS	670	FW
Location of				
Top Perfs/OH	3015	FS	700	FW
Bottom Perfs/OH	4565	FS	670	FW

SUMMARY of Subsurface Locations

Surface Location	L-21-22S-36E	2440	FS	660	FW	Vert. Depth
Top Perfs/OH	E-21-22S-36E	3015	FS	700	FW	12129.81
Bottom Perfs/OH	D-21-22S-36E	4565	FS	670	FW	12308.92
Projected TD	D-21-22S-36E	4575	FS	670	FW	12307.98

INCLINATION REPORT

FIELD NAME

LEASE NAME

Langley Greer #3

OPERATOR

Chesapeake Operating Inc.

ADDRESS

2010 Rankin Highway, Midland, TX 79701

LOCATION (Section, Block, and Survey)

SUR: L-21-22s-36e, 2440/S & 660/W

BHL: D-21-22s-36e, 4575/S & 670/W

API # 30-025-38612

County

LEA

RECORD OF INCLINATION

Measured Depth (feet)	Course Length (Hundreds of feet)	Angle of Inclination (Degrees)	Displacement per 100 feet (Sine of Angle x 100)	Course Displacement (Feet)	Accumulative Displacement (Feet)
238	238	0.50	0.87	2.08	2.08
602	364	0.50	0.87	3.18	5.25
1,590	988	1.00	1.75	17.24	22.50
2,488	898	4.00	6.98	62.64	85.14
3,375	887	0.75	1.31	11.61	96.75
3,975	600	1.00	1.75	10.47	107.22
4,910	935	1.00	1.75	16.32	123.54
5,888	978	1.00	1.75	17.07	140.61
6,808	920	0.50	0.87	8.03	148.63
7,774	966	0.50	0.87	8.43	157.06
8,688	914	9.40	16.33	149.28	306.34
9,420	732	8.30	14.44	105.67	412.01
10,311	891	8.40	14.61	130.16	542.17
11,201	890	7.70	13.40	119.25	661.42
12,133	932	16.70	28.74	267.82	929.24
13,071	938	95.70	99.51	933.36	1,862.60

Accumulative total displacement of well bore at total depth of

Inclination measurements were made in

☐ Tubing

13,071 feet = 1862.6 feet

☐ Casing

☐ Open Hole

☒ Drill Pipe

Inclination Data Certification

I declare that I am authorized to make this certification, that I have personal knowledge of the inclination data and facts placed on both sides of this form and that such data and facts are true, correct, and complete to the best of my knowledge.

Mark Cochran

5/6/08

Signature of Authorized Representative

Date

Mark Cochran CFO

Name of Person and Title

Latshaw Drilling Company, LLC

Name of Company

Telephone: 918-355-4380

Inclination Data Certification

I declare that I am authorized to make this certification, that I have personal knowledge of the inclination data and facts placed on both sides of this form and that such data and facts are true, correct, and complete to the best of my knowledge.

Linda Weeks

5/8/2008

Signature of Authorized Representative

Date

Linda Weeks - Regulatory Analyst

Name of Person and Title

Chesapeake Operating Inc

Operator

Telephone: 405/879-6854

Actual Wellpath Report

No. 3H AWP

Page 1 of 5

REFERENCE WELLPATH IDENTIFICATION

Operator	Chesapeake Operating, Inc.	Slot	No. 3H SHL
Area	Lea County, NM	Well	No. 3H
Field	Langley (Devonian) Field	Wellbore	No. 3H AWB
Facility	Langley Greer COM #3H		

REPORT SETUP INFORMATION

Projection System	NAD27 / TM New Mexico State Planes, Eastern Zone (3001), US feet	Software System	WellArchitect® 2.0
North Reference	Grid	User	Gomeoscr
Scale	1.00003	Report Generated	2/28/2008 at 3:26:47 PM
Convergence at slot	0.57° East	Database/Source file	WA_Midland/No. 3H_AWB.xml

WELLPATH LOCATION

	Local coordinates		Grid coordinates		Geographic coordinates	
	North[ft]	East[ft]	Easting[USft]	Northing[USft]	Latitude	Longitude
Slot Location	0.00	0.00	826367.40	502345.60	32°22'35.870"N	103°16'34.316"W
Facility Reference Pt			826367.40	502345.60	32°22'35.870"N	103°16'34.316"W
Field Reference Pt			0.00	0.00	30°59'24.512"N	105°55'44.137"W

WELLPATH DATUM

Calculation method	Minimum curvature	Rig on 3H SHL (RT) to Facility Vertical Datum	23.00ft
Horizontal Reference Pt	Slot	Rig on 3H SHL (RT) to GRN. ELEV.	3566.00ft
Vertical Reference Pt	Rig on 3H SHL (RT)	Facility Vertical Datum to Mud Line (Facility)	0.00ft
MD Reference Pt	Rig on 3H SHL (RT)	Section Origin	N 0.00, E 0.00 ft
Field Vertical Reference	GRN. ELEV.	Section Azimuth	0.18°

SUR: L-21-22s-36e, 2440/S & 660/W
BHL: D-21-22s-36e, 4575/S & 670/W
API # 30-025-38612

Actual Wellpath Report

No. 3H AWP

Page 2 of 5

REFERENCE WELLPATH IDENTIFICATION			
Operator	Chesapeake Operating, Inc.	Slot	No. 3H SHL
Area	Lea County, NM	Well	No. 3H
Field	Langley (Devonian) Field	Wellbore	No. 3H AWP
Facility	Langley Greer COM #3H		

WELLPATH DATA (176 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	DLS [°/100ft]	Comments
0 00	0.000	23 010	0.00	0.00	0 00	0 00	0.00	
200 00	0.500	23.010	200.00	0.80	0.80	0.34	0.25	
400 00	0.250	220 100	400.00	1.27	1.27	0.40	0.37	
600 00	0.500	252.200	599.99	0.67	0.67	-0.71	0.16	
800 00	0.500	217.300	799.98	-0.30	-0.29	-2.07	0.15	
1000 00	0.250	112 390	999.98	-1.16	-1.15	-2.20	0.31	
1200 00	0.000	0 000	1199.98	-1.32	-1.32	-1.79	0.12	
1400 00	0.500	320 580	1399.98	-0.65	-0.64	-2.35	0.25	
1600 00	1.250	8 680	1599.96	2.18	2.19	-2.57	0.49	
1800 00	1.500	351.260	1799.90	6.92	6.93	-2.64	0.24	
2000 00	0.750	11 360	1999.86	10.80	10.80	-2.78	0.42	
2200 00	0.500	12 450	2199.85	12.93	12.94	-2.33	0.13	
2400 00	3.000	14 580	2399.74	18.85	18.86	-0.83	1.25	
2600 00	3.750	41 700	2599.40	28.82	28.81	4.84	0.87	
2800 00	3.500	47.790	2799.00	37.83	37.79	13.71	0.23	
3000 00	2.750	50.870	2998.70	44.99	44.92	21.96	0.38	
3200 00	1.750	49.950	3198.55	50.00	49.91	28.02	0.50	
3400 00	1.000	31 030	3398.49	53.47	53.37	31.25	0.43	
3600 00	0.250	73 130	3598.48	55.10	55.00	32.57	0.42	
3800 00	0.500	71.020	3798.47	55.51	55.41	33.81	0.13	
4000 00	0.250	342 920	3998.47	56.22	56.11	34.51	0.28	
4200 00	0.750	25.820	4198.46	57.81	57.70	34.95	0.30	
4400 00	0.250	62.710	4398.45	59.20	59.08	35.91	0.29	
4600 00	0.250	186 610	4598.45	58.96	58.85	36.25	0.22	
4800 00	0.750	126.500	4798.45	57.75	57.64	37.25	0.33	
5000 00	0.500	157 400	4998.43	56.17	56.05	38.64	0.21	
5200 00	1.000	95 300	5198.42	55.21	55.09	40.71	0.44	
5400 00	1.000	96.190	5398.39	54.88	54.74	44.18	0.01	
5600 00	1.000	113.090	5598.36	54.01	53.86	47.52	0.15	
5800 00	1.000	105.470	5798.33	52.87	52.71	50.81	0.07	
6000 00	0.750	108 360	5998.30	52.01	51.84	53.74	0.13	
6200 00	0.500	131 260	6198.29	51.02	50.85	55.63	0.17	
6400 00	0.250	18 160	6398.29	50.87	50.69	56.43	0.32	
6600 00	0.250	56 050	6598.29	51.53	51.34	56.92	0.08	
6800 00	0.750	6.950	6798.28	53.07	52.89	57.44	0.31	
7000 00	0.500	32 850	6998.27	55.10	54.92	58.08	0.19	
7200 00	1.000	6 750	7198.25	57.57	57.39	58.76	0.30	
7400 00	1.000	343 640	7398.22	60.98	60.79	58.47	0.20	
7600 00	0.750	8 540	7598.20	63.95	63.76	58.17	0.22	
7800 00	0.750	332.360	7798.18	66.40	66.22	57.76	0.23	
8000 00	1.000	34 110	7998.16	69.01	68.82	58.13	0.46	
8200 00	1.000	6 600	8198.13	72.19	72.00	59.31	0.24	
8305 00	1.750	8 840	8303.10	74.68	74.50	59.66	0.72	
8344 00	1.700	40 700	8342.09	75.71	75.52	60.13	2.43	
8375 00	1.700	22.100	8373.07	76.49	76.30	60.60	1.77	

Actual Wellpath Report

No. 3H AWP

Page 3 of 5

REFERENCE WELLPATH IDENTIFICATION			
Operator	Chesapeake Operating, Inc.	Slot	No. 3H SHL
Area	Lea County, NM	Well	No. 3H
Field	Langley (Devonian) Field	Wellbore	No. 3H AWP
Facility	Langley Greer COM #3H		

WELLPATH DATA (176 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	DLS [°/100ft]	Comments
8406.00	2.200	9.900	8404.06	77.50	77.31	60.88	2.09	
8438.00	3.200	3.100	8436.02	79.00	78.81	61.03	3.28	
8469.00	4.200	3.500	8466.95	81.00	80.80	61.15	3.23	
8500.00	5.400	4.900	8497.85	83.58	83.39	61.34	3.89	
8532.00	6.100	3.300	8529.68	86.78	86.59	61.57	2.24	
8563.00	7.000	2.500	8560.48	90.31	90.12	61.75	2.92	
8594.00	7.900	1.200	8591.22	94.33	94.14	61.87	2.95	
8626.00	8.700	359.900	8622.88	98.95	98.76	61.91	2.57	
8657.00	9.200	358.500	8653.51	103.77	103.58	61.85	1.76	
8689.00	9.400	359.000	8685.09	108.94	108.75	61.73	0.67	
8720.00	9.500	358.900	8715.66	114.03	113.84	61.64	0.33	
8751.00	9.500	359.900	8746.24	119.15	118.95	61.59	0.53	
8783.00	9.400	359.100	8777.81	124.40	124.21	61.54	0.52	
8814.00	9.400	359.800	8808.39	129.46	129.27	61.49	0.37	
8845.00	9.300	358.700	8838.98	134.50	134.30	61.43	0.66	
8877.00	9.300	358.500	8870.56	139.67	139.47	61.30	0.10	
8908.00	9.300	359.200	8901.15	144.68	144.48	61.20	0.36	
8940.00	9.200	359.200	8932.73	149.82	149.63	61.13	0.31	
8972.00	9.100	0.700	8964.33	154.91	154.71	61.12	0.81	
9004.00	9.400	1.000	8995.91	160.05	159.86	61.20	0.95	
9036.00	9.400	1.000	9027.48	165.28	165.08	61.29	0.00	
9068.00	9.300	0.400	9059.06	170.48	170.28	61.35	0.44	
9100.00	9.500	358.900	9090.63	175.70	175.51	61.32	0.99	
9132.00	9.200	358.900	9122.20	180.90	180.71	61.22	0.94	
9164.00	9.100	359.200	9153.79	185.99	185.79	61.14	0.35	
9196.00	9.200	359.400	9185.39	191.07	190.88	61.07	0.33	
9228.00	8.900	358.600	9216.99	196.11	195.91	60.99	1.02	
9260.00	8.500	357.400	9248.62	200.94	200.75	60.82	1.37	
9292.00	8.400	359.900	9280.27	205.64	205.45	60.71	1.19	
9324.00	8.300	357.500	9311.93	210.29	210.10	60.60	1.13	
9356.00	8.400	358.900	9343.59	214.93	214.74	60.46	0.71	
9420.00	8.300	359.400	9406.92	224.22	224.03	60.32	0.19	
9483.00	8.300	359.600	9469.26	233.32	233.13	60.24	0.05	
9547.00	8.400	2.300	9532.58	242.61	242.42	60.40	0.63	
9611.00	8.900	0.000	9595.85	252.23	252.04	60.58	0.95	
9674.00	9.000	359.700	9658.08	262.03	261.84	60.56	0.18	
9738.00	9.100	356.400	9721.29	272.09	271.90	60.21	0.83	
9801.00	9.300	357.000	9783.48	282.14	281.95	59.63	0.35	
9864.00	8.800	358.700	9845.69	292.04	291.85	59.26	0.90	
9928.00	8.800	0.600	9908.94	301.83	301.64	59.20	0.45	
9991.00	8.900	358.500	9971.19	311.52	311.33	59.12	0.54	
10055.00	8.900	358.400	10034.42	321.42	321.23	58.85	0.02	
10119.00	8.800	0.500	10097.66	331.26	331.08	58.76	0.53	
10183.00	8.700	358.500	10160.91	341.00	340.81	58.67	0.50	
10247.00	8.400	356.400	10224.20	350.50	350.31	58.25	0.68	

Actual Wellpath Report

No. 3H AWP

Page 4 of 5

REFERENCE WELLPATH IDENTIFICATION

Operator	Chesapeake Operating, Inc.	Slot	No. 3H SHL
Area	Lea County, NM	Well	No. 3H
Field	Langley (Devonian) Field	Wellbore	No. 3H AWP
Facility	Langley Greer COM #3H		

WELLPATH DATA (176 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	DLS [°/100ft]	Comments
10311.00	8.400	356.400	10287.51	359.83	359.65	57.67	0.00	
10375.00	8.300	356.500	10350.83	369.10	368.92	57.09	0.16	
10439.00	8.000	359.200	10414.19	378.16	377.99	56.75	0.76	
10503.00	7.900	358.900	10477.57	387.01	386.84	56.60	0.17	
10566.00	8.600	356.100	10539.92	396.04	395.86	56.20	1.28	
10630.00	9.500	351.600	10603.12	406.04	405.86	55.10	1.79	
10694.00	9.800	349.400	10666.22	416.61	416.44	53.33	0.74	
10758.00	9.800	350.600	10729.29	427.33	427.17	51.44	0.32	
10821.00	8.600	357.800	10791.48	437.32	437.17	50.38	2.64	
10883.00	7.500	5.900	10852.87	445.98	445.82	50.62	2.54	
10946.00	7.500	3.500	10915.33	454.18	454.02	51.29	0.50	
11010.00	7.100	1.500	10978.81	462.30	462.14	51.65	0.74	
11073.00	7.500	354.000	11041.30	470.28	470.12	51.32	1.64	
11137.00	8.100	357.000	11104.71	478.94	478.78	50.65	1.13	
11201.00	7.700	352.600	11168.10	487.69	487.53	49.86	1.13	
11233.00	7.800	352.600	11199.81	491.97	491.81	49.30	0.31	
11265.00	7.700	354.000	11231.52	496.25	496.10	48.80	0.67	
11297.00	7.400	358.300	11263.24	500.44	500.29	48.52	2.00	
11328.00	7.000	359.800	11293.99	504.33	504.17	48.45	1.43	
11360.00	6.200	1.100	11325.78	508.00	507.85	48.48	2.54	
11393.00	6.000	1.800	11358.59	511.51	511.36	48.56	0.65	
11424.00	5.800	0.200	11389.43	514.70	514.54	48.62	0.84	
11456.00	5.700	358.300	11421.27	517.90	517.75	48.58	0.67	
11488.00	4.900	356.800	11453.13	520.85	520.70	48.46	2.54	
11520.00	4.000	359.100	11485.04	523.33	523.18	48.36	2.87	
11550.00	3.600	2.100	11514.97	525.32	525.17	48.38	1.49	
11582.00	3.100	358.000	11546.91	527.19	527.04	48.39	1.73	
11614.00	2.500	353.400	11578.88	528.75	528.60	48.28	2.00	
11646.00	1.700	349.300	11610.85	529.91	529.76	48.11	2.54	
11670.00	1.500	338.200	11634.85	530.55	530.40	47.93	1.53	
11699.00	1.200	335.000	11663.84	531.17	531.03	47.66	1.07	
11731.00	0.800	318.500	11695.83	531.64	531.50	47.37	1.53	
11763.00	0.700	318.200	11727.83	531.96	531.81	47.09	0.31	
11795.00	0.600	319.600	11759.83	532.23	532.08	46.85	0.32	
11827.00	0.700	337.100	11791.83	532.54	532.39	46.66	0.69	
11859.00	0.700	338.200	11823.82	532.90	532.75	46.52	0.04	
11889.00	0.700	335.300	11853.82	533.23	533.09	46.37	0.12	
11921.00	0.700	347.600	11885.82	533.60	533.46	46.25	0.47	
11952.00	1.900	350.900	11916.81	534.29	534.15	46.13	3.88	
11984.00	4.200	350.400	11948.76	535.97	535.83	45.85	7.19	
12016.00	7.000	351.100	11980.61	539.05	538.91	45.35	8.75	
12048.00	10.200	351.100	12012.24	543.78	543.64	44.61	10.00	
12080.00	13.000	350.800	12043.59	550.13	549.99	43.59	8.75	
12112.00	15.500	351.600	12074.60	557.91	557.78	42.39	7.84	
12133.00	16.900	352.600	12094.76	563.71	563.58	41.59	6.80	

Actual Wellpath Report

No. 3H AWP

Page 5 of 5

REFERENCE WELLPATH IDENTIFICATION

Operator	Chesapeake Operating, Inc.	Slot	No. 3H SHL
Area	Lea County, NM	Well	No. 3H
Field	Langley (Devonian) Field	Wellbore	No. 3H AWB
Facility	Langley Greer COM #3H		

WELLPATH DATA (176 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	DLS [°/100ft]	Comments
12179.00	20.400	353.000	12138.34	578.30	578.17	39.75	7.61	
12211.00	25.600	351.500	12167.79	590.67	590.55	38.05	16.35	
12243.00	31.000	351.600	12195.95	605.66	605.55	35.82	16.88	
12275.00	35.800	352.400	12222.66	623.10	622.99	33.38	15.06	
12307.00	40.800	352.900	12247.77	642.75	642.66	30.85	15.65	
12339.00	45.900	355.000	12271.03	664.58	664.49	28.55	16.56	
12370.00	51.100	357.200	12291.56	687.73	687.65	26.99	17.59	
12402.00	56.500	358.400	12310.46	713.52	713.44	26.01	17.14	
12434.00	60.600	359.600	12327.15	740.81	740.73	25.54	13.21	
12466.00	64.500	0.200	12341.90	769.20	769.12	25.49	12.30	
12498.00	68.400	0.500	12354.68	798.53	798.45	25.67	12.22	
12530.00	73.200	0.400	12365.20	828.74	828.66	25.91	15.00	
12561.00	76.200	0.900	12373.38	858.64	858.56	26.25	9.80	
12593.00	78.300	0.100	12380.44	889.84	889.76	26.52	7.00	
12625.00	80.500	359.900	12386.33	921.30	921.22	26.52	6.90	
12657.00	82.200	359.600	12391.14	952.93	952.85	26.38	5.39	
12688.00	84.400	359.500	12394.76	983.71	983.64	26.14	7.10	
12720.00	86.400	359.500	12397.33	1015.61	1015.53	25.86	6.25	
12752.00	87.200	359.600	12399.11	1047.56	1047.48	25.61	2.52	
12784.00	88.200	359.400	12400.40	1079.53	1079.45	25.33	3.19	
12816.00	89.500	358.900	12401.04	1111.51	1111.44	24.86	4.35	
12848.00	91.400	358.800	12400.79	1143.50	1143.43	24.22	5.95	
12880.00	93.000	359.200	12399.56	1175.47	1175.40	23.66	5.15	
12912.00	94.300	359.200	12397.52	1207.40	1207.33	23.21	4.06	
12944.00	94.300	358.900	12395.12	1239.31	1239.24	22.68	0.93	
12976.00	94.200	358.900	12392.75	1271.21	1271.15	22.07	0.31	
13007.00	95.100	358.700	12390.24	1302.10	1302.04	21.42	2.97	
13071.00	95.700	358.500	12384.21	1365.79	1365.73	19.87	0.99	
13135.00	95.900	358.600	12377.75	1429.44	1429.39	18.26	0.35	
13199.00	95.500	359.200	12371.39	1493.10	1493.06	17.03	1.12	
13263.00	95.200	358.900	12365.42	1556.81	1556.77	15.98	0.66	
13326.00	95.400	359.900	12359.60	1619.54	1619.50	15.32	1.61	
13389.00	95.800	359.100	12353.46	1682.23	1682.19	14.77	1.41	
13453.00	95.000	359.400	12347.43	1745.94	1745.90	13.94	1.33	
13517.00	95.600	358.800	12341.52	1809.65	1809.62	12.94	1.32	
13579.00	96.500	359.200	12334.99	1871.29	1871.26	11.86	1.59	
13643.00	97.000	0.300	12327.46	1934.85	1934.82	11.58	1.88	
13707.00	95.200	359.300	12320.66	1998.48	1998.45	11.36	3.21	
13739.00	95.200	359.300	12317.76	2030.34	2030.32	10.97	0.00	
13793.00	95.400	359.300	12312.78	2084.11	2084.08	10.32	0.37	
13844.00	95.400	359.300	12307.98	2134.87	2134.85	9.70	0.00	Proj to Bit

TARGETS

Name	MD [ft]	TVD [ft]	North [ft]	East [ft]	Grid East [srv ft]	Grid North [srv ft]	Latitude	Longitude	Shape
#3H-TGT 1		11680.00	530.13	48.00	826415.40	502875.75	32°22'41.111"N	103°16'33.696"W	point
#3H-BHL		12299.00	2155.26	6.77	826374.17	504500.92	32°22'57.195"N	103°16'33.989"W	point
33H NEW BHL		12299.00	2130.26	6.77	826374.17	504475.92	32°22'56.948"N	103°16'33.992"W	point

WELLPATH COMPOSITION Ref Wellbore: No. 3H AWB Ref Wellpath: No. 3H AWP				
Start MD [ft]	End MD [ft]	Positional Uncertainty Model	Log Name/Comment	Wellbore
0.00	8305.00	Gyrodatta standard - Drop gyro or Multi-shot	GYRO	No. 3H AWB
8305.00	13844.00	NaviTrak (Standard)	MWD	No. 3H AWB



Chesapeake Operating, Inc.

Location Lea County, NM Slot No. 3H SHL
Field Langley (Devonian) Field Well No. 3H
Facility Langley Greer COM #3H Wellbore No. 3H AWB



This reference section is for 3H AWP.	
True vertical depths are referenced to Ag on 3H 84.871.	Grid System: NAD83 / The New Mexico State Plane, Eastern Zone (NAD83), US feet
Measured depths are referenced to Ag on 3H 84.871.	North Reference: Grid north
Ag on 3H 84.871 is OBN ELEV 3864 feet	Scale: True depths
OBN ELEV to Map the Facility: Langley Greer COM #3H 3863 feet	Depth unit: feet
Coordinates are in feet referenced to NAD	Created by: gowans on 2/29/2008

SECTION 21 T22S R36E

