

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

FILE IN TRIPLICATE

OIL CONSERVATION DIVISION

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

2040 Pacheco St.
Santa Fe, NM 87505

X
811 S. 1st Street, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd, Aztec, NM 87410

WELL API NO.	30-025-36286
5. Indicate Type of Lease	FED ☒ STATE ☐ FEE ☐
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	NORTH HOBBS (G/SA) UNIT
	Section 30
8. Well No.	536
9. Pool name or Wildcat	HOBBS (G/SA)


SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101 FOR SUCH PROPOSALS.)	
1. Type of Well:	Oil Well ☐ Gas Well ☐ Other Injector
2. Name of Operator	OCCIDENTAL PERMIAN, LTD
3. Address of Operator	1017 W. Stanolind Rd., HOBBS, NM 88240 505/397-8200
4. Well Location	Unit Letter <u>O</u> : <u>641</u> Feet From The <u>SOUTH</u> Line and <u>2419</u> Feet From The <u>EAST</u> Line Section <u>30</u> Township <u>18S</u> Range <u>38E</u> NMPM <u>LEA</u> County
10. Elevation (Show whether DF, RKB, RT GR, etc.) 3651 GL	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☒
TEMPORARILY ABANDON ☐	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
OTHER: ☐	PLUG & ABANDONMENT ☐
	CASING TEST AND CEMENT JOB ☐
	OTHER: <u>New Well Completion</u> ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work)
SEE RULE 1103.

1. RUPU. Pull injection equipment.
2. Perforate San Andres from 4177-83, 4197-99, 4204-06, and 4232-35 using 4" gun, 2 JSPF, 180 degree phased.
3. Stimulate w/1500 g 15% NEFE HCL acid.
4. RIH w/5.5" G-6 pkr w/XL on/off tool, 1.875 "F" nipple, on 130 jts 2-7/8" Duoline tbg. Pkr set @4139'.
5. Circ csg w/pkr fluid. Test csg to 550 psi for 30 min and chart for the NMOCD.
6. RDPU. Clean Location.


Rig Up Date : 10/24/2003
Rig Down Date: 10/29/2003



I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Robert Gilbert TITLE SR. ENGR. TECH DATE 10/30/2003
TYPE OR PRINT NAME Robert Gilbert TELEPHONE NO. 505/397-8206

(This space for State Use)
APPROVED BY May W. Wink TITLE OC FIELD REPRESENTATIVE II/STAFF MANAGER DATE NOV 03 2003
CONDITIONS OF APPROVAL IF ANY:



OXY PERMIAN

NHU #30-536

10-28-03

96 min. Clock

1000# SPRING

MACLASKY

SER. # 11853

CALI. 9-2-03

Keith Phillips