

Submit 3 Copies To Appropriate District
Office
District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W Grand Ave., Hobbs, NM 88240
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S St Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
March 4, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-28818
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name General G State
8. Well Number 2
9. OGRID Number 241333
10. Pool name or Wildcat Eunice Monument Grayburg S/A

STANDARD PROPOSALS AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS)

1. Type of Well:
Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
Chevron, Midcontinent, L.P.

3. Address of Operator
15 Smith Road, Midland, Texas 79705

4. Well Location
Unit Letter D : 330 feet from the North line and 450 feet from the West line
Section 16 Township 20-S Range 37-E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)

Pit Location: UL D Sect 16 Twp 20S Rng 37E Pit type Steel Depth to Groundwater 35' Distance from nearest fresh water well Over 1000'
Distance from nearest surface water _____ Below-grade Tank Location UL _____ Sect _____ Twp _____ Rng _____ ;
330 feet from the North line and 450 feet from the West line (Steel Tank)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Notify OCD 24 hrs prior to MI and RU.
2. RIH and Tag PBTD@3218' and spot 25sx of cement from 3218'-3018'.
3. Spot 25sx of cement from 2865'-2665' (B Salt). WOC & TAG.
4. Spot 25sx of cement from 1345'-1145' (T.Salt). WOC & TAG.
5. Perf and squeeze 60sx of cement from 460'-260' (shoe). WOC & TAG.
6. Spot 25sx of cement from 100'-surface. (surface/WB).
7. RDMO, install dry hole marker and clean location.

- CERC, MLF

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE M. Lee Roark TITLE Agent DATE 9-09-2008

Type or print name M. Lee Roark E-mail address: _____ Telephone No. 432-561-8600

(This space for State use)

OCD DISTRICT SUPERVISOR/GENERAL MANAGER

APPROVED BY [Signature] TITLE _____ DATE _____

Conditions of approval, if any

SEP 11 2008

Well: **General G #2**

Reservoir: **TA'd**

Location:	
330' FNL & 450' FWL	
Unit Letter: D	
Section: 16	
Township: 20S	
Range: 37E	
County: Lea, NM	

Elevations:	
GL:	3527'
DF:	
KB:	

Current
Wellbore Diagram

Well ID Info:	
Refno:	FW4044
API No:	30-025-28818
L5/L6:	BCU31FL00
Spud Date:	10/19/1984
Compl. Date:	-

Surf Csg: 8-5/8", 24#, K-55
Set: @ 360' w/ 300 sks
Hole Size: 12-1/4"
Circ: Yes
TOC By: Circulation
TOC: Surface

CIBP @ 3249' w/ 31' cmt on top

Perfs	Status
3297'-3446'	Eumont - Squeezed

This wellbore diagram is based on the most recent information regarding wellbore configuration and equipment that could be found in the Midland Office well files and computer databases as of the update date below. Verify what is in the hole with the well file in the Eunice Field Office. Discuss w/ WEO Engineer, W0 Rep, OS, ALS, & FS prior to rigging up on well regarding any hazards or unknown issues pertaining to the well.

Cement Retainer @ 5000'

Perfs	Status
5078'-5227'	Paddock - Squeezed

Cement Retainer @ 5700'

Perfs	Status
5732'-5751'	Blinbry - Squeezed

COTD: 3218'
PBTD: 3218'
TD: 5805'

Prod Csg: 5-1/2" 14#, J-55
Set: @ 5805' w/ 2500 sks
Hole Size: 7-7/8"
Circ: Yes
TOC By: Circulation
TOC: Surface

Updated: 6/10/2008

By: rjdg

New Mexico Office of the State Engineer
POD Reports and Downloads

Township: 20S Range: 37E Sections: 8

NAD27 X: Y: Zone: Search Radius:

County: LE Basin: Number: Suffix:

Owner Name: (First) (Last) ☐ Non-Domestic ☐ Domestic ☒ All

POD / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

iWATERS Menu

Help

AVERAGE DEPTH OF WATER REPORT 09/09/2008

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	(Depth Water in Feet)		
								Min	Max	Avg
L	20S	37E	08				10	30	38	35

Record Count: 10