

Submit 3 Copies To Appropriate District Office
District I
1625 N French Dr., Albuquerque, NM 87106
District II
1301 W Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources
OIL CONSERVATION DIVISION
2200 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
March 4, 2004

WELL API NO. 30-025-30865
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name General G State
8. Well Number 3
9. OGRID Number 241333
10. Pool name or Wildcat Monument Paddock Tubb

STANDARD NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)

1. Type of Well:
Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
Chevron Midcontinent, L.P.

3. Address of Operator
15 Smith Road, Midland, Texas 79705

4. Well Location

Unit Letter D : 525 feet from the North line and 600 feet from the East line

Section 16 Township 20-S Range 37-E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)

Pit Location: UL D Sect 16 Twp 20S Rng 37E Pit type Steel Depth to Groundwater 35' Distance from nearest fresh water well Over 1000'

Distance from nearest surface water 525 feet from the North line and 600 feet from the East line (Steel Tank)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Notify OCD 24 hrs prior to MI and RU 25sx
2. RIH and Tag PBTD@2469' and spot 2300' of cement from 2469'-2269'. — CIRC. MLF
3. Cut and pull 2250' of 5 1/2" casing.
4. Perf and squeeze 115sx of cement from 2250'-2050' (stub). WOC & TAG.
5. Perf and squeeze 275sx of cement from 1600'-1145' (shoe/T.Salt). WOC & TAG.
6. Perf and squeeze 65sx of cement from 100'-surface. (WB/surface). WOC & TAG.
7. RDMO, install dryhole marker and clean off location.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE M. Lee Roark TITLE Agent DATE 9-09-2008

Type or print name M. Lee Roark E-mail address: Telephone No. 432-561-8600

(This space for State use)

APPROVED BY Carly W. Hill TITLE DATE

Conditions of approval, if any

OCD FIELD REPRESENTATIVE / STAFF MANAGER

SEP 11 2008

Well: **General G #3**

Location:
525 FNL & 600' FWL
Section: 16
Township: 20S
Range: 37E
County: LEA, NM

Elevations:
GL:
DF:
KB: 11'

TOC @ 2300'
TOC @ 3000'

Tubing Detail

Jts	Part	Length
	KB Correction	11
164	Jts 2 7/8" EUE 8R J-55 Tbg	5084
1	TAC	2 76
4	Jts 2 7/8" EUE 8R J-55 Tbg	124
1	Jt 2 7/8" EUE 8R J-55 IPC Tbg	31 34
1	SN	1 1
1	2 7/8" x 4' Perf Tbg Sub	4
1	Jt 2 7/8" EUE 8R J-55 Tbg	31
	Bull Plug	0 5
	EOT	5289 7

CIBP @ 3380 w/ 35' cmt on top

CIBP @ 5135 w/ 35' cmt on top

CIBP @ 5500 w/ 35' cmt on top


CIBP @ 6350 w/ 35' cmt on top

CIBP @ 6970' w/ 20' cmt on top

COTD: 5515'
PBTD: 5515'
TD: 7797'

Updated: 8/23/2007

**Proposed
Wellbore Diagram**



By: rjdg

Reservoir: **Monument; Paddock**

Well ID Info:
Refno IZ6687
API No. 30-025-30865
L5/L6 BCU939900
Spud Date: 5/9/1990
Compl Date: 10/1/1998

Surf Csg: 13-3/8" 54.5#, K-55 ST&C
Set: @ 1500' w/ 1350 sks
Hole Size: 17-1/2"
Circ: Yes **TOC:** Surface
TOC By: Circulation

Interm Csg: 9-5/8" 36#, K-55 ST&C
Set: @ 5000' w/ 1765 sks
Hole Size: 12-1/4"
Circ: No **TOC:** 3000'
TOC By: Temperature Survey

CIBP @ 2804 w/ 35' cmt on top

Perfs: 2554'-3090' **Status:** Yates - 7 Rivers Queen - Open

Perfs: 3521'-3830' **Status:** Grayburg - Squeezed

Perfs: 5181'-5189' **Status:** Paddock - Open
5192'-5202' **Status:** Paddock - Open

Perfs: 5588'-5683' **Status:** Blinbry - Squeezed

Perfs: 6386'-6408' **Status:** Tubb - Isolated Below CIBP

Perfs: 7036' - 7221' **Status:** Abo - Isolated Below CIBP

Prod Csg: 5-1/2" 17#, J-55 LT&C
Set: @ 7644' w/ 1125 sks
Hole Size: 7-7/8"
Circ: No **TOC:** 2300'
TOC By: CBL

Cemented Open Hole @ 7644'-7797'

2700

New Mexico Office of the State Engineer
POD Reports and Downloads

Township: 20S Range: 37E Sections: 8

NAD27 X: Y: Zone: Search Radius:

County: LE Basin: Number: Suffix:

Owner Name: (First) (Last) ☐ Non-Domestic ☐ Domestic ☒ All

AVERAGE DEPTH OF WATER REPORT 09/09/2008

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	(Depth Water in Feet)		
								Min	Max	Avg
L	20S	37E	08				10	30	38	35

Record Count: 10