

RECEIVED

Submit 3 Copies To Appropriate District

Office

District I

1625 N. French Dr., Hobbs, NM 87410

District II

1301 W. Grand Ave., Aztec, NM 87410

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103

May 27, 2004

SEP 26 2008

HOBBS (11)

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-025-22337
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: E.C. Hill B
8. Well Number 2
9. OGRID Number 16696
10. Pool name or Wildcat Teague Paddock-Blinbry
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3293'
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/> Pit type <u>Steel</u> Depth to Groundwater <u>100'</u> Distance from nearest fresh water well <u>N/A</u> Distance from nearest surface water <u>N/A</u> Pit Liner Thickness: <u>N/A</u> mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/>	2. Name of Operator OXY USA Inc.	3. Address of Operator P.O. Box 50250 Midland, TX 79710-0250	4. Well Location Unit Letter <u>N</u> : <u>990</u> feet from the <u>south</u> line and <u>1650</u> feet from the <u>west</u> line Section <u>27</u> Township <u>23S</u> Range <u>37E</u> NMPM County <u>Lea</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3293'			
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/> Pit type <u>Steel</u> Depth to Groundwater <u>100'</u> Distance from nearest fresh water well <u>N/A</u> Distance from nearest surface water <u>N/A</u> Pit Liner Thickness: <u>N/A</u> mil Below-Grade Tank: Volume _____ bbls; Construction Material _____			

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

**NOTICE OF INTENTION TO:**

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPLETION <input type="checkbox"/>
OTHER: <input type="checkbox"/>	

**SUBSEQUENT REPORT OF:**

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See Attachment

The Oil Conservation Division **Must be notified**  
**24 hours prior** to the beginning of plugging operations

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE David Stewart TITLE Sr. Regulatory Analyst DATE 9/24/08

Type or print name David Stewart

E-mail address: david\_stewart@oxy.com  
Telephone No. 432-685-5717

For State Use Only

OCD FIELD REPRESENTATIVE II/STAFF MANAGER

APPROVED BY Cary W. Hill TITLE \_\_\_\_\_ DATE OCT 01 2008  
Conditions of Approval, if any:

E.C. Hill B #2

TD-6355' PBTD-5308' PERFS-5365-6211' RBP-5308'

9-5/8" 32.3# csg @ 1066' w/450sx, 12-1/4" hole, TOC-Surface-Circ

7" 23-26# csg @ 6355' w/550sx, 8-3/4" hole, TOC-2330'-CBL

1. RIH & Pul RBP @ 5308'
2. RIH & Set CIBP @ 5308' M&P 25sx cmt to 5208' - *Circ. Hole w/MLF*
3. M&P 30sx cmt @ 3800-3700'
4. M&P 30sx cmt @ 2800-2700'
5. Perf @ 2465' sqz 45sx cmt to 2365' WOC-Tag
6. Perf @ 1116' sqz 210sx cmt to
  - a. Circ to Surface in 7" X 8-3/4" X 8-5/8"
  - b. 1016' in 7" WOC-Tag
7. M&P 50sx @ 200'-Surface

10# MLF between plugs

OXY USA Inc.  
E.C. Hill B #2  
API No. 30-025-22337

**50sx @ 200'-Surface**

**210sx @ 1116-1016' WOC-Tag**


**45sx @ 2465-2365' WOC-Tag**

**30sx @ 2800-2700'**

**30sx @ 3800-3700'**


**CIBP @ 5308' w/ 25sx**

7/77-Pkr @ 5950' w/ tbg & tail pipe



12-1/4" hole @ 1066'  
9-5/8" csg @ 1066'  
w/ 450sx-TOC-Surf-Circ

**Perf @ 1116'**



**Perf @ 2465'**

8-3/4" hole @ 6355'  
7" csg @ 6355'  
w/ 550sx-TOC-2330'-CBL

**Perfs @ 5365-5866'**

**Perfs @ 6039-6211'**

TD-6355'

OXY USA Inc. - Current  
E.C. Hill B #2  
API No. 30-025-22337

12-1/4" hole @ 1066'  
9-5/8" csg @ 1066'  
w/ 450sx-TOC-Surf-Circ

RBP @ 5308'

8-3/4" hole @ 6355'  
7" csg @ 6355'  
w/ 550sx-TOC-2330'-CBL

Perfs @ 5365-5866'

Pkr @ 5950' w/ tbg & tail pipe

Perfs @ 6039-6211'

TD-6355'