

Submit To Appropriate District Office
Two Copies
District I •
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88201
District III
1000 Rio Brazos Rd , Aztec, NM 87410
District IV
1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico
Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-105
July 17, 2008

RECEIVED
SEP 10 2008
HOBBS OGD

WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4 Reason for filing <input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33, attach this and the plat to the C-144 closure report in accordance with 19.15.17 13 K NMAC)					5. Lease Name or Unit Agreement Name C H WEIR B 6 Well Number 14					
7 Type of Completion: <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input checked="" type="checkbox"/> OTHER DHC HOB-0255										
8 Name of Operator CHEVRON U S A INC					9 OGRID 4323					
10 Address of Operator 15 SMITH ROAD, MIDLAND, TEXAS 79705					11 Pool name or Wildcat BLINEBRY/TUBB/DRINKARD					
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	B	11	20-S	37-E		660	NORTH	19800	EAST	LEA
BH:										
13 Date Spudded 07-01-08	14 Date T D Reached 07-11-08	15 Date Rig Released 07-012-08		16 Date Completed (Ready to Produce) 07-30-08			17. Elevations (DF and RKB, RT, GR, etc) 3604' GL			
18 Total Measured Depth of Well 7008'		19. Plug Back Measured Depth 6995'		20 Was Directional Survey Made? YES			21 Type Electric and Other Logs Run GR/CCL/CBL, PRISM,PWX,HLRA			
22 Producing Interval(s), of this completion - Top, Bottom, Name BLINEBRY – 5862-5912, TUBB-6521-6573, DRINKARD-6683-6926										
23 CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB /FT		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
11.75		42		540		14.75		360 SX		145 SX CIRC
8.625		24		2796		11		1050 SX		127 SX CIRC
5.5		17		7005		5,5		1360 SX		35 SX CIRC
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25 TUBING RECORD				
						SIZE 2 7/8"		DEPTH SET 6935'		PACKER SET
26 Perforation record (interval, size, and number) DRINKARD-6683-88,6698-6704,6708-12,6717-22,6732-38,6750-55,6789-93, 6854-59,6862-70,6893-6902,6906-12,6920-26 TUBB-6521-50,6554-60,6563-73 BLINEBRY-5862-72,5876-82,5886-95,5906-12						27 ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						6683-6926		ACIDIZE W/2000 GALS, FRAC-31,000GALS		
						6521-6573		FRAC W/72,000 GALS 50 QUAL N2		
						5862-5912		FRAC W/49,000 GALS YF125ST		
28 PRODUCTION										
Date First Production 08-18-08		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) PUMPING				Well Status (<i>Prod or Shut-in</i>) PROD				
Date of Test 08-27-08	Hours Tested 24 HRS	Choke Size	Prod'n For Test Period	Oil - Bbl 43	Gas - MCF 93	Water - Bbl 234	Gas - Oil Ratio 2166			
Flow Tubing Press.	Casing Pressure	Calculated 24- Hour Rate	Oil - Bbl	Gas - MCF	Water - Bbl	Oil Gravity - API - (<i>Corr</i>)				
29 Disposition of Gas (<i>Sold, used for fuel, vented, etc</i>) SOLD							30. Test Witnessed By			
31 List Attachments SURVEY										
32 If a temporary pit was used at the well, attach a plat with the location of the temporary pit										
33. If an on-site burial was used at the well, report the exact location of the on-site burial										

Latitude
Longitude
NAD 1927 1983

KE

✓

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature Denise Pinkerton Printed Name DENISE PINKERTON Title REGULATORY SPECIALIST Date 09-08-08

E-mail Address leakejd@chevron.com

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt 1557'	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates 2726	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers 2992	T. Devonian	T. Cliff House	T. Leadville
T. Queen 3549	T. Silurian	T. Menefee	T. Madison
T. Grayburg 3844	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres 4238	T. Simpson	T. Mancos	T. McCracken
T. Glorieta 5285	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock 5389	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinbry 5810	T. Gr. Wash	T. Dakota	
T. Tubb 6396	T. Delaware Sand	T. Morrison	
T. Drinkard 6676	T. Bone Springs	T. Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
 No. 2, from.....to.....

No. 3, from.....to.....
 No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
------	----	----------------------	-----------	------	----	----------------------	-----------

1557	2725		SALT					
2726	2991		DOLOMITE/SHALE/ANHYDRITE					
2992	3548		DOLOMITE/ANHYDRITE					
3549	3843		DOLOMITE/ANHYDRITE					
3844	4237		DOLOMITE/ANHYDRITE					
4238	5284		DOLOMITE					
5285	5388		DOLOMITE/LIMESTONE					
5389	5809		DOLOMITE/SAND					
5810	6395		DOLOMITE					
6396	6675		DOLOMITE					
6676	TD		DOLOMITE/LIMESTONE					