

Office

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

87505

## State of New Mexico

Energy, Minerals and Natural Resources

Form C-103

May 27, 2004

RECEIVED

## OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

ACT 09 2008  
HOBBS OIL

WELL API NO.

30-025-02125

5. Indicate Type of Lease

STATE ☒ FEE ☐6. State Oil & Gas Lease No.  
8015

7. Lease Name or Unit Agreement Name

Bridges State

8. Well Number

35

9. OGRID Number

5380

10. Pool name or Wildcat

Vacuum; Grayburg-San Andres

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other: ☐

2. Name of Operator

XTO Energy

3. Address of Operator

200 N. Loraine, Ste. 800, Midland, TX 79701

4. Well Location

Unit Letter K: 1980 feet from the South line and 1980 feet from the West lineSection 26 Township 17S Range 34E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

GL 4,032

Pit or Below-grade Tank Application ☐ or Closure ☒Pit type steel pit Depth to Groundwater \_\_\_\_\_ Distance from nearest fresh water well \_\_\_\_\_ Distance from nearest surface water \_\_\_\_\_Pit Liner Thickness: steel mil Below-Grade Tank: Volume 180 bbls; Construction Material \_\_\_\_\_

## 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

## NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒TEMPORARILY ABANDON ☐ CHANGE PLANS ☐PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐OTHER: ☐

## SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐COMMENCE DRILLING OPNS. ☐ P AND A ☐CASING/CEMENT JOB ☐OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Proposed Plugging Procedure and current wellbore diagram (attached)

RIH w/ tbg and TAG top of fish

Circulate hole with MLF

Spot 25 sx C cmt @ top of fish

Perf and Sqz. 50 sx C cmt @ 2,500' (salt) WOC &amp; TAG


Perf and Sqz. 50 sx C cmt @ 875 - 770' WOC &amp; TAG

Perf and Sqz. 25 sx C cmt @ 60' - surface (top off @ surface w/ 5 sx C cmt if needed)

Cut off wellhead &amp; anchors, install dry hole marker

The Oil Conservation Division **Must be notified**  
**24 hours prior** to the beginning of plugging operationsI hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE



TITLE: P&amp;A Technician (Basic Energy Services) DATE: 10/08/2008

Type or print name


E-mail address:

Telephone No. 432.687.1994

For State Use Only

OCD FIELD REPRESENTATIVE II/STAFF MANAGER

APPROVED BY:




TITLE

DATE

OCT 14 2008

**PROPOSED PLUGGED WELLBORE SKETCH**  
XTO Energy - Bridges State Unit #35

Date 10/8/2008



**Perf & sqz 25 sx C cmt 60' - surface**

Lease & Well No  
Legal Description  
County  
Field  
Date Spudded  
API Number  
Status

Bridges State Unit #35  
1,980' FSL & 1,980' FWL Unit K Sec 26 T17S R34E  
Lea State New Mexico  
Vacuum greyburg S A  
1939  
30-025-02125  
proposed plugged

**Perf & sqz 50 sx C cmt @ 875 - 770' WOC TAG**

10 3/4", 36# csg set @ 823' w/ 250 sx cmt + 7 sx Aquagel

**Perf & sqz 50 sx C cmt @ 2,500' WOC TAG**

TOC @ 2,620'

**PROPOSED PLUGGING PROCEDURE**

- 1) Tag top of fish, Circulate hole with MLF
- 2) Pump 25 sx C cmt @ top of fish
- 3) Perf & sqz 50 sx C cmt @ 2,500' WOC TAG
- 4) Perf & sqz 50 sx C cmt @ 875 - 770' WOC TAG
- 5) Perf & sqz 25 sx C cmt 60' - surface

**Pump 25 sx C cmt @ top of fish**

Fish 5 jts of tubing dropped in hole (2003)

CIBP @ 4,100' w/ cmt on top

7", 24# csg set @ 4,200 w/ 210 sx cmt + 7 sx Aquagel

San Andres open zone 4,822 - 4,200'

TD 4,822'