

Submit 3 Copies To Appropriate District
Office
District I
1625 N French Dr, Hobbs, NM 87401
District II
1301 W Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd, Aztec, NM 87410
District IV
1220 S. St Francis Dr., Santa Fe, NM
87505

State of New Mexico
Department of Energy, Minerals and Natural Resources

Form C-103

June 19, 2008

RECEIVED
SEP 30 2008
HOBBS (1)

OIL CONSERVATION DIVISION

30 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-38802
5. Indicate Type of Lease STATE ☐ FEE ☒
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: Weatherly
8. Well Number 9
9. OGRID Number 019958
10. Pool name or Wildcat N Eunice-Blinebry-Tubb-Drnk (22900)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other
2. Name of Operator Stephens & Johnson Operating Co.
3. Address of Operator P.O. Box 2249 Wichita Falls, Texas 76307-2249
4. Well Location Unit Letter <u>B</u> : <u>1281</u> feet from the <u>NORTH</u> line and <u>1831</u> feet from the <u>EAST</u> line Section <u>21</u> Township <u>21S</u> Range <u>37E</u> NMPM County <u>Lea</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☒ P AND A ☐
CASING/CEMENT JOB ☒

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

MIRU Faith Drilling. Drilled 12 1/4" hole to 1225'. Run and set 1222' 8 5/8", 24#/ft csg. Cmt. csg with 350 sx. Class C lite w/2% CC and 200 sx. Class C with 2% CC and 1/4#/sx cello flakes. Circ. 42 sx to pit. Drilled 7 7/8" hole to TD of 6696'. Run 6694' of 5 1/2", 17# J-55 csg. Cmt. csg. w/250 sx. class C lite and 950 sx Class H cmt with 5#/sx gilsonite, 1/4#/sx cello flake and 5#/sx salt.

Spud Date:

7-18-08

Rig Release Date:

8-17-08

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Bob Gilmore TITLE Petroleum Engineer DATE 9-25-08
Type or print name Bob Gilmore E-mail address: bgilmore@sjoc.net PHONE 940-723-2166

For State Use Only

APPROVED BY [Signature] TITLE PETROLEUM ENGINEER DATE OCT 21 2008
Conditions of Approval (if any):

FAITH DRILLING, LLC

DEVIATION SURVEY RECORD

OPERATOR NAME: STEPHENS & JOHNSON OPERATING CO. 30-025-38802

WELL NAME: WEATHERLY #9 B-21-215-37e 1281/N 91831/E

Survey Depth	Deviation	Date	Time	Driller's Signature
--------------	-----------	------	------	---------------------

198	1°			
512	1 1/2°			
993	1 1/2°			
1225	1 1/2°			
1324	1 1/4°			
1824	1 1 1/2°			
1916	1 1 1/4°			
2070	1°			
2320	1°			
2819	1°			
3250	1 1/4°			
3689	1°			
4162	1 1/2°			
4595	2 3/4°			
4627	2 3/4°			
4751	3 3/4°			
4813	3 3/4°			
4908	4°			
5001	4 1/4°			
5062	5°			
5125	5 1/4°			
5156	5 1/4°			
* Note: CUD Directional Info				
6438	1°			
6696	1°			

