

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

OCD-HOBBS

FORM APPROVED  
OMB No. 1004-0137  
Expires: March 31, 2007

NOV 03 2008

## SUNDAY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

1. Type of Well  
☒ Oil Well ☐ Gas Well ☐ Other2. Name of Operator  
Endeavor Energy Resources, LP3a. Address 3b. Phone No. (include area code)  
110 N. Marienfeld, Ste 200 Midland TX 79701 (432)262-40144. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
SURFACE: 1980 FSL AND 1980 FWL, UL K, SEC 35, T25S, R33E ✓  
BOTTOM HOLE LOCATION: 330 FSL AND 330 FWL, UL  
M, SEC 34, T25S, R33E

5. Lease Serial No.

NM-05792

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No

8. Well Name and No.

REDBULL "35" FEDERAL #1 ✓

9. API Well No

30-025-34015 ✓

10. Field and Pool, or Exploratory Area

WILDCAT - BONE SPRING

11. County or Parish, State

LEA  
NM ✓

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Re-enter well
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

9/18/08 - Spud well @ 6am.

9/19/08 - Rigup separator &amp; mud cleaning equipment nipple up super choke. Rigup test BOP. Note: Had to change stem seals on rams started leaking while testing BOP leaking oil only so didn't have to open BOP &amp; retest BOP. Talked to Pat with BLM about this. He said since we didn't break any seals on BOP this was OK.

9/20/08 - Pickup packer &amp; makeup same pickup DP work on tongs could not make backups bite in order to torque DP Rig down tongs &amp; loadout Rigup floor &amp; rigs pipe spinners to pickup DP change slip. Pickup DP from racks makeup &amp; brake &amp; torque DP 3 Times New X-95 Drill Pipe TIH. Packer depth @ report time 2100'.

9/21/08 - pickup DP from racks makeup &amp; torque &amp; brake DP 3 times new X-95 drill pipe TIH set packer @ 5029 &amp; rigup tester, test casing 1500psi Ok FIT test 160psi Ok unseat packer &amp; rigup trip tank for TOOH break &amp; load out packer &amp; X-O Rig repairs replace 4" mudline valve on #1 pump &amp; hookup rotary torque Note: I talked to Paul Flowers with BLM about not Drlg out the cement plug @ 5063 - 5100. He talked to his boss and gave us permission to FIT test with 13ft. of open formation so after testing casing to 1500psi for 30min. with no losses we did FIT test of 160psi for 30min with no losses Pat McKelvey with BLM witnessed &amp; signed test chart.

14. I hereby certify that the foregoing is true and correct  
Name (Printed/Typed)

Jenifer Sorley

Title Regulatory Analyst

Signature

Date 10/21/2008

ACCEPTED FOR RECORD

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date OCT 27 2008

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

WESLEY W. INGRAM  
PETROLEUM ENGINEER

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0137  
Expires March 31, 2007

**SUNDRY NOTICES AND REPORTS ON WELLS**

**Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.**

**SUBMIT IN TRIPLICATE - Other instructions on reverse side.**

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No <b>NM-05792</b>
2. Name of Operator <b>Endeavor Energy Resources, LP</b>		6. If Indian, Allottee or Tribe Name
3a. Address <b>110 N. Marienfeld, Ste 200 Midland TX 79701</b>	3b. Phone No (include area code) <b>(432)262-4014</b>	7. If Unit or CA/Agreement, Name and/or No.
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) <b>SURFACE: 1980 FSL AND 1980 FWL, UL K, SEC 35, T25S, R33E</b> <b>BOTTOM HOLE LOCATION: 330 FSL AND 330 FWL, UL M, SEC 34, T25S, R33E</b>		8. Well Name and No. <b>REDBULL "35" FEDERAL #1</b>
		9. API Well No. <b>30-025-34015</b>
		10. Field and Pool, or Exploratory Area <b>WILDCAT - BONE SPRING</b>
		11. County or Parish, State <b>LEA NM</b>

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <u>Re-enter well</u>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomplate in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

9/22/08 - 10/9/08 - Drlg Cement F/5063-T/5168 Ran Out Of Cement 5141. Tag @ 5175. Pickup Kelly Wash F/5175 - T/5328. Rig Down Laydown Machine. Circ. Mix & Pump Sweep. TIH F/5328-T/8866. Put well on choke circ. gas out. Wash down to cement tag @ 9018. Drlg Cement F/9018 - T/9377. Circ. put well on choke circ. gas out. TIH. Rigup laydown machine. Pickup DP F/9,377-T/10,994. Circ. put well on choke circ. gas out wash down to cement. Tag cement @ 11,200. Drilling cement F/11,200-T/11,700. Circ. 2 Sweeps out rigup Gyro. Run Gyro. Circ. check for gas pump slug. TIH open ended & pickup 14jts. DP. Circ. gas out. Circ. & wait on sugar to put in cement returns. Rigup Schlumberger pump cement 140sx Class H+0.8%D65+0.3%D800. TOOH T/10697. Reverse out 155bbbls no cement returns. Circ bottoms up. TOOH. TIH with used X-95 DP & laydown all used X-95 DP & pickup HWDP & stand in derrick w/laydown truck. Wash down to cement F/10,630-T/11,382 Tag Cement @ 11,382. Drlg Cement F/11,382-T/11,600. Slide/Rotate Drlg F/11,600-T/13,192

14. I hereby certify that the foregoing is true and correct  
Name (Printed/Typed)

Jenifer Sorley

Title Regulatory Analyst

Signature

Date 10/21/2008

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENTFORM APPROVED  
OMB No. 1004-0137  
Expires: March 31, 2007

## SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an  
abandoned well. Use Form 3160-3 (APD) for such proposals.

## SUBMIT IN TRIPLICATE - Other instructions on reverse side.

1. Type of Well  
☒ Oil Well ☐ Gas Well ☐ Other2. Name of Operator  
Endeavor Energy Resources, LP3a. Address 3b. Phone No. (include area code)  
110 N. Marienfeld, Ste 200 Midland TX 79701 (432)262-40144 Location of Well (Footage, Sec., T., R., M., or Survey Description)  
SURFACE: 1980 FSL AND 1980 FWL, UL K, SEC 35,  
T25S, R33E  
BOTTOM HOLE LOCATION: 330 FSL AND 330 FWL, UL  
M, SEC 34, T25S, R33E

5. Lease Serial No.

NM-05792

6 If Indian, Allottee or Tribe Name

7 If Unit or CA/Agreement, Name and/or No.

8. Well Name and No

REDBULL "35" FEDERAL #1

9. API Well No

30-025-34015

10. Field and Pool, or Exploratory Area

WILDCAT - BONE SPRING

11. County or Parish, State

LEA

NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Re-enter well
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13 Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomplate in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

10/10/08 - 10/20/08 - Circ. & condition mud & add LCM Mica & Pronto Plug. TOOH. Change out motor & MWD & Bit test TIH slow fill pipe every 30 stands T/12,379'. Tagged @ 12413. SLIDE F/13,160-T/13,167 ROTATE F/13,167-T/13,192. Wash & Ream 65' thru tight spot. TIH slow & wash to bottom 13,192'. Conn & Survey. ROTATE & SLIDE F/13,192-T/13,826. Survey & Fill trip tank. TOOH T/8369 Circ. gas out. Pump LCM Pills & Displace Out Of Bit @ 8369Ft. Bit Depth. TIH T/11,585. Circ. gas out on choke gained 55bbls. TIH & wash T/13,826. ROTATE & SLIDE F/13,826-T/16,116. TOOH

14. I hereby certify that the foregoing is true and correct  
Name (Printed/Typed)

Jenifer Sorley

Title Regulatory Analyst

Signature

Date 10/21/2008

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)