
Form C-144 June 24, 2008



State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCI District Office

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per	individual pit, closed-loop system, below-grade tank or alternative request	
Please be advised that approval of this request does not relieve the operator of li	iability should operations result in pollution of surface water, ground water or the apply with any other applicable governmental authority's rules, regulations or ordinances.	
Operator: Range Operating New Mexico, Inc. OG		
Address 100 Throckmorton Street, Fort Worth, TX 76102		
Facility or well name Federal 1-17#3 -		
API Number: 30-025-38550 OCD Per	rmit Number: P1-0012D	
	Range 37F; County. Lea	
Center of Proposed Design: Latitude 32.389005°N Lon		
Surface Owner. X Federal State Private Tribal Trust or Indian Allotment		
Pit: Subsection F or G of 19.15 17 11 NMAC	X Closed-loop System: Subsection II of 19.15.17.11 NMAC	
Temporary: X Drilling Workover	☐ Drying Pad 图 Tanks 图 Haul-off Bins ☐ Other	
Permanent Emergency Cavitation X Steel Pit	Lined Unlined	
Lined Unlined	Liner type: Thickness mil LLDPE HDPE PVC	
Liner type: ThicknessmulLLDPE HDPE PVC	☐ Other	
Other String-Reinforced	Seams: Welded Factory Other	
Seams: Welded Factory Other	Volume: bhl yd'	
Volumebbl Dimensions: Lx Wx D	Dimensions: Length x Width	
Below-grade tank: Subsection I of 19.15.17 11 NMAC	Fencing: Subsection D of 19.15 17.11 NMAC	
Volume bbl	☐ Chain link, six feet in height, two strands of barbed wire at top	
Type of fluid.	Four foot height, four strands of harbed wire evenly spaced between one and	
Tank Construction material:	four feet	
Secondary containment with leak detection	Netting: Subsection E of 19.15.17 11 NMAC	
☐ Visible sidewalls, liner, 6-meh lift and automatic overflow shut-off	Screen Netting Other	
Visible sidewalls and liner	☐ Monthly inspections	
☐ Visible sidewalls only	Signs: Subsection C of 19,15 17.11 NMAC	
Other	12'x24', 2' lettering, providing Operator's name, site location, and	
Liner type: Thicknessmil	emergency telephone numbers	
Other	☐ Signed in compliance with 19.15.3 103 NMAC	
Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration	Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.	
of approval.	Please check a box if one or more of the following is requested, if not leave	
	blank: Administrative approval(s). Requests must be submitted to the	
	appropriate division district or the Santa Fe Environmental Bureau office for	
	consideration of approval. Discoption(s). Requests must be submitted to the Santa Fe	
	Environmental Bureau office for consideration of approval	

Α.

	Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.	
	Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search: USGS, Data obtained from nearby wells	☐ Yes ☐ No
	Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Ycs ☐ No
	Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tunks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA
-	Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
ļ ,	Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site	Yes No
٠,	Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Ycs ☐ No
,	Within 500 feet of a welland. - US Fish and Wildlife Welland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
!	Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
1	Within an unstable area. - Engineering incusures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS: NM Geological Society; Topographic map	☐ Yes ☐ No
'	Within a 100-year floodplain FEMA map	Yes No
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15 17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17 10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number or Permit Number:		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15.17 9 Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19 15.17 10 NMAC Design Plan - based upon the appropriate requirements of 19 15 17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC Closure Plan - hased upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC		

Son to the second section of the property

. ; :,

Permanent Pits Permit Application Checklist: Subsection B of 19.15 17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15 17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment		
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15 17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC		
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Preciously and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
☐ Nuisance or Hazardous Odors, including H₂S, Prevention Plan ☐ Emergency Response Plan	1	
☐ Oil Field Waste Stream Characterization ☐ Monitoring and Inspection Plan	,	
☐ Fiosion Control Plan	!	
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Proposed Closure: 19.15 17.13 NMAC		
Type: X Drilling	Alternative	
Proposed Closure Method. Waste Excavation and Removal		
Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems)		
In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for con	nsideration)	
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable		
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau		
office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance,		
• •		
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes☐ No	
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No	
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells	☐ Ycs ☐ No ☐ NA	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	☐ Yes ☐ No	
- Topographic map; Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site, Aerial photo. Satellite image	Yes No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site	Yes No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	☐ Yes ☐ No	
- Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland.		
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No	
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No │	
Within an unstable area. - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society, Topographic map	☐ Yes ☐ No	
Within a 100-year floodplam - FEMA map	☐ Yes ☐ No	

The Control of the Co

Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be uttached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegefation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC
Waste Removal Closure For Closed-loop Systems That Utilize Haul-off Bins Only: (19.15.17.13 D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings.
Disposal Facility Name: Sundance Disposal Disposal Facility Permit Number: NM-01-0003 On-Site Closure Plan Checklist: (19.15 17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate,
On-Site Closure Plan Checklist: (19.15 17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction and Design of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15 17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19 15.17.13 NMAC
Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Linda L. Brown Title. Regulatory Analyst
Signature (Zvida Draw Date: July 9, 2008
e-mail address: <u>lbrown@rangeresources.com</u> Telephone: (817) 869-4145
OCD Approval: Permit Application (including closure plan) Closure Plan (only)
OCD Representative Signature: Approval Date:
Title: Seologist OCD Permit Number: P1-00120
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC
Closure Completion Date:
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method for different from approved plan, please explain.
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Pacility Name and Permit Number Sondance Disposal - Permit HKM - 01-003 Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longitude NAD: 1927 1983
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Lada Holy Trule Se. Reg. Sp. Signature. Date. 10-30-08
Signature. Date. 10-30-08
E-mail address: Phale@rangeresourcer.com Telephone. 817-869-4216

Lorm C-141

Officer compared to the

Mage 4 or 4