

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO.

3002503323

5. Indicate Type of Lease

STATE ☐ FEE ☐ Fee ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

SOUTH PEARL QUEEN UNIT

8. Well Number 017

9. OGRID Number

025482

10. Pool name or Wildcat

PEARL QUEEN

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☒

2. Name of Operator

XERIC OIL AND GAS CORP

3. Address of Operator

14781 MEMORIAL DRIVE, SUITE 1754 HOUSTON, TX 77079

4. Well Location

Unit Letter P : 660 feet from the S line and 660 feet from the E line

Section 4 Township 20S Range 35E NMPM LEA County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3684 GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER: WELL REPAIR/ MAINTAINANCE ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

PERFORMED WELL REPAIR /MAINTAINANCE WORK ON THE SUBJECT WELL. HOT OILED WELL.

SEE ATTACHED DAILY WORKOVER REPORTS FOR MORE DETAILS.

Spud Date: 12/22/90

Rig Release Date: 1/5/91

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Whitney E. Boyd

TITLE: Authorized Agent

DATE Nov. 7, 2008

Type or print name: Whitney E. Boyd

E-mail address: wboyd@mbakercorp.com

PHONE: 307.763.0209

For State Use Only

APPROVED BY: [Signature]

TITLE

PETROLEUM ENGINEER

DATE

NOV 19 2008

Conditions of Approval (if any):

OPERATOR <b>Xeric Oil and Gas Corp</b>	
WELL NAME <b>SOUTH PEARL QUEEN UNIT 017</b>	
LEGAL LOCATION <b>660FSL, 660 FEL</b>	API NUMBER <b>3002503323</b>
County, State <b>Lea, New Mexico</b>	AFE NUMBER



## Daily Completion Report

REPORT DATE <b>10/13/2008</b>	DAYS SINCE RIG-UP
TOUR SHEET NO. <b>16319</b>	TOTAL DEPTH <b>N/A</b>
RIG CO & NUMBER <b>REECO WELL SERVICE</b>	PBTD <b>N/A</b>
<del>Page 4 of 6</del>	WELLSITE SUPERVISOR <b>Ace Armann</b>

Report v.5b

### PRODUCTION OBJECTIVE INFORMATION

Formation	Top (ft)	Btm (ft)	Csg Size	Csg Type	U-m Top	U-m Btm	U-m Size	Perf Top	Perf Btm	CHARGE	PHASING	SPF	Enhanced

### OPERATION SUMMARY

PRESENT OPERATION -	PULL PRODUCTION EQUIPMENT	DAILY COST	CUMULATIVE COST	AFE COSTS
		\$	\$	\$

OPERATION NEXT 24 HOURS -

PURPOSE & PLAN OF THIS OPERATION -

### DAILY COMPLETION SUMMARY

FROM (hrs)	TO (hrs)	HOURS (hrs)	TIME CODE	DESCRIPTION OF DAILY OPERATIONS (06:00 - 06:00 hrs)
5:00	18:00	13.00		CREW TRAVEL FROM HOBBS, NM
		0.00		RU, UNHANG WELL, TOOH W/ RODS, RODS ARE UNSCREWED ABOVE PLUNGER.
		0.00		TIH W/ RODS, SCREWED BACK ON THE PLUNGER AND STANDING VALVE. TOOH W/ RODS, PLUNGEL, STANDING VALVE
		0.00		
		0.00		RU HOT OIL TRUCK, HOT OIL 50 BBLS DOWN CASING W/ PRODUCED WATER AND PARAFIN SURFACTOR.
		0.00		NU BOP, RELEASE ANCHOR CATCHER, TOOH W/ 2-7/8" TUBING-
		0.00		SDFN
		0.00		
		0.00		
		0.00		
		0.00		
		0.00		
		0.00		
		0.00		
		0.00		
		0.00		
		0.00		
		0.00		
		0.00		
		0.00		
		0.00		
		0.00		
		0.00		
		0.00		
		0.00		
TOTAL HOURS		13.00		

# COMPLETION RIG REPORT

10/13/2008

P. 2-~~of-6~~

## RUN - PULL REPORT

PULLED FROM WELL		DESCRIPTION	RUN IN WELL	
LENGTH	QTY		LENGTH	QTY
22'	1	1-1/4" POLISHED ROD		
4'	1	4'X7/8" ROD SUB		
1400	56	1" FG RODS		
2250	90	7/8" STEEL RODS		
	5	1" RODS ON BOTTOM		
4'	1	1-3/4" X 4' PLUNGER AND STANDING VALVE		
	140	2-7/8" , J-55, 6.5# TUBING		
	1	2X2-3/8" TUBING SUB		
16'	1	1-3/4"X16' PUMP BARREL		
4'	1	2-3/8" X 4' PERFORATED SUB		
		2-3/8" MUD ANCHOR		
		0		
		0		
		0		
		0		

OPERATOR <b>Xeric Oil and Gas Corp</b>	
WELL NAME <b>SOUTH PEARL QUEEN UNIT 017</b>	
LEGAL LOCATION <b>660FSL, 660 FEL</b>	API NUMBER <b>3002503323</b>
County, State <b>Lea, New Mexico</b>	AFE NUMBER



## Daily Completion Report

REPORT DATE <b>10/14/2008</b>	DAYS SINCE RIG-UP <b>2</b>
TOUR SHEET NO.	TOTAL DEPTH <b>N/A</b>
RIG CO & NUMBER <b>REECO WELL SERVICE</b>	PBTD <b>#VALUE!</b>
<del>Page 3 of 8</del>	WELLSITE SUPERVISOR <b>Ace Armann</b>

Report v.5b

### PRODUCTION OBJECTIVE INFORMATION

Formation	Top (ft)	Btm (ft)	Csg Size	Csg Type	U-m Top	U-m Btm	U-m Size	Perf Top	Perf Btm	CHARGE	PHASING	SPF	Enhanced

### OPERATION SUMMARY

PRESENT OPERATION -	RUNNING PRODUCTION EQUIPMENT	DAILY COST	CUMULATIVE COST	AFE COSTS
		\$ 1		
OPERATION NEXT 24 HOURS -				
PURPOSE & PLAN OF THIS OPERATION -				

### DAILY COMPLETION SUMMARY

FROM (hrs)	TO (hrs)	HOURS (hrs)	TIME CODE	DESCRIPTION OF DAILY OPERATIONS (06:00 - 06:00 hrs)
5:00	17:00	12.00		CREW TRAVEL TO LOCATION FROM HOBBS, NM
		0.00		RU HYDROTESTETERS, TIH W/ MUD ANCHOR, PERF SUB, SN, TUBING, TUBING ANCHOR CATHER.
		0.00		FOUND ONE TBG COUPLING LEAKING 1 JOINT ABOVE TAC
		0.00		TESTED TUBING TO 6500 PSI, RD HYDROTESTERS. SET ANCHOR CATHER, ND BOP
		0.00		TIH W/ PLUNGER AND RODS, PLUNGER WOULD NOT GO INTO PUMP BARREL, TOOH W/ RODS AND PLUNGER. CHANGE OOUT X-OVER BOX
		0.00		ONTOP OF PLUNGER, TIH W/ PLUNGER AND RODS, SPACED WELL OUT, HANG IT ON, PUMPED WELL UP, SHUT DOWN
		0.00		
		0.00		
		0.00		
		0.00		
		0.00		
		0.00		
		0.00		
		0.00		
		0.00		
		0.00		
		0.00		
		0.00		
		0.00		
		0.00		
		0.00		
		0.00		
		0.00		
		0.00		
TOTAL HOURS		12.00		

# COMPLETION RIG REPORT

10/14/2008

P. 4 of 6

## RUN - PULL REPORT

PULLED FROM WELL		DESCRIPTION	RUN IN WELL	
LENGTH	QTY		LENGTH	QTY
		1-1/4" POLISHED ROD	\	1
		4'X7/8" ROD SUB	4'	1
		1" FG RODS	1400	56
		7/8" STEEL RODS	2250	90
		1" RODS ON BOTTOM		5
		1-3/4" X 4' PLUNGER AND STANDING VALVE	4'	1
		2-7/8" , J-55, 6.5# TUBING		140
		2X2-3/8" TUBING SUB		1
		1-3/4"X16' PUMP BARREL	16'	1
		2-3/8" X 4' PERFORATED SUB	4'	1
		2-3/8" MUD ANCHOR		
		2'x7/8" ROD SUB	2'	1
		0		
		0		
		0		
		0		