

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Grande Rd., Hobbs, NM 87415
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
June 19, 2008

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 3002525365
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. E081830004
7. Lease Name or Unit Agreement Name WEST PEARL QUEEN UNIT
8. Well Number 169
9. OGRID Number 025482
10. Pool name or Wildcat PEARL QUEEN
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3707 GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
XERIC OIL AND GAS CORP

3. Address of Operator
14781 MEMORIAL DRIVE, SUITE 1754 HOUSTON, TX 77079

4. Well Location
Unit Letter **N** : **1305** feet from the **S** line and **2565** feet from the **W** line
Section **28** Township **19S** Range **35E** NMPM **LEA** County

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: WELL REPAIR/ MAINTAINANCE ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

PERFORMED WELL REPAIR /MAINTAINANCE WORK ON THE SUBJECT WELL. SWAB TESTED WELL.

RESULTS OF SWAB TEST: 0 BBLs OIL, 58 BBLs WATER
INITIAL FLUID LEVEL: 200'
FINAL FLUID LEVEL: 2200'

SEE ATTACHED DAILY WORKOVER REPORTS FOR MORE DETAILS.

Spud Date: 12/22/90

Rig Release Date: 1/5/91

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Whitney E. Boyd TITLE: Authorized Agent DATE Nov. 7, 2008

Type or print name: Whitney E. Boyd E-mail address: wboyd@mbakercorp.com PHONE: 307.763.0209

For State Use Only

APPROVED BY: [Signature] TITLE: PETROLEUM ENGINEER DATE NOV 19 2008
Conditions of Approval (if any):

Baker

REPORT DATE 10/27/2008	DAYS SINCE RIG-UP 1
TOUR SHEET NO.	TOTAL DEPTH 5000'
RIG CO & NUMBER Reeco #116	PBTD 5000"
Page 1 of 6	WELLSITE SUPERVISOR Michael L. Allred

Report v.5b

Formation	Top (ft)	Btm (ft)	Csg Size	Csg Type	U-rn Top	U-rn Btm	U-rn Size	Perf Top	Perf Btm	CHARGE	PHASING	SPF	Enhanced
Queen								4721	4727				
								4846	4850				
								4910	4913				
								4922	4926				

PRESENT OPERATION -	Pull rods and tubing	DAILY COST	CUMULATIVE COST	A/E COSTS
		\$		\$

OPERATION NEXT 24 HOURS - SWAB

PURPOSE & PLAN OF THIS OPERATION -

[illegible]

COMPLETION RIG REPORT

10/27/2008

P. 2 of 6

RUN - PULL REPORT

PULLED FROM WELL		DESCRIPTION	RUN IN WELL	
LENGTH	QTY		LENGTH	QTY
\$ 12.00	1	1-1/4" POLISHED ROD		
		4'X7/8" ROD SUB		
39		3/4"X 25' RODS		
88		7/8" STEEL RODS		
		1" RODS ON BOTTOM		
		1-3/4" X 4' PLUNGER AND STANDING VALVE		
79		2-7/8" , J-55, 6.5# TUBING	\$ 31.50	\$ 76.00
		2X2-3/8" TUBING SUB		
		1-3/4"X16' PUMP BARREL		
		2-3/8" X 4' PERFORATED SUB		
		2-3/8" MUD ANCHOR		
		2 7/8" seating nipple	\$ 1.25	\$ 1.00
		0		
		0		
		0		
		0		

COMPLETION RIG REPORT

10/28/2008

P. 4 of 6

RUN - PULL REPORT

PULLED FROM WELL		DESCRIPTION	RUN IN WELL	
LENGTH	QTY		LENGTH	QTY
\$ 12.00	1	1-1/4" POLISHED ROD		
		4'X7/8" ROD SUB		
39		3/4"X 25' RODS		
88		7/8" STEEL RODS		
		1" RODS ON BOTTOM		
		1-3/4" X 4' PLUNGER AND STANDING VALVE		
79		2-7/8" , J-55, 6.5# TUBING	\$ 31.50	\$ 76.00
		2X2-3/8" TUBING SUB		
		1-3/4"X16' PUMP BARREL		
		2-3/8" X 4' PERFORATED SUB		
		2-3/8" MUD ANCHOR		
		2 7/8" seating nipple	\$ 1.25	\$ 1.00
		0		
		0		
		0		
		0		

COMPLETION RIG REPORT

10/29/2008

P. 6 of 6

RUN - PULL REPORT

PULLED FROM WELL		DESCRIPTION	RUN IN WELL	
LENGTH	QTY		LENGTH	QTY
\$ 12.00	1	1-1/4" POLISHED ROD		
		4'X7/8" ROD SUB		
39		3/4"X 25' RODS		
88		7/8" STEEL RODS		
		1" RODS ON BOTTOM		
		1-3/4" X 4' PLUNGER AND STANDING VALVE		
79		2-7/8" , J-55, 6.5# TUBING	\$ 31.50	\$ 76.00
		2X2-3/8" TUBING SUB		
		1-3/4"X16' PUMP BARREL		
		2-3/8" X 4' PERFORATED SUB		
		2-3/8" MUD ANCHOR		
		2 7/8" seating nipple	\$ 1.25	\$ 1.00
		0		
		0		
		0		
		0		