

Submit to Appropriate District Office Five Copies District I 1625 N French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Aztec, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		<b>State of New Mexico</b> <b>Energy, Minerals and Natural Resources</b>  <b>OIL CONSERVATION DIVISION</b> 1220 South St. Francis Dr. Santa Fe, NM 87505			<b>Form C-105</b> July 17, 2008		
		1. WELL API NO. <b>30-025-34760</b>					
		2. Type Of Lease <input checked="" type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN					
		3. State Oil & Gas Lease No.					
<b>WELL COMPLETION OR RECOMPLETION REPORT AND LOG</b>							
4 Reason for filing.  <input checked="" type="checkbox"/> <b>COMPLETION REPORT</b> (Fill in boxes #1 through #31 for State and Fee wells only)  <input checked="" type="checkbox"/> <b>C-144 CLOSURE ATTACHMENT</b> (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)				5 Lease Name or Unit Agreement Name <b>Goodwin 10 State SWD</b>			
9 Type of Completion <input type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input checked="" type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER				6 Well Number <b>1</b>			
8. Name of Operator <b>XTO Energy Inc.</b>				9 OGRID Number <b>005380</b>			
10 Address of Operator <b>200 N Loraine, Ste. 800 Midland, TX 79701</b>				11. Pool name or Wildcat <b>SWD; Delaware, BS, Tubb, Drinkard Reef</b>			
12 Location	Unit Letter	Section	Township	Range	Lot	Feet from the	
Surface:	L	31	18S	37E		2160'	
BH:							
13 Date Spudded	14. Date T.D. Reached	15. Date Rig Released	16. Date Completed (Ready to Produce)		17 Elevations (DF & RKB, RT, GR)		
11-23-99	6-17-08	6-18-08	6-25-08		3734' GL; 3746' KB		
18. Total Measured Depth of Well		19. Plug Back Measured Depth		20. Was Directional Survey Made		21. Type Electric and Other Logs Run	
7792'		7315' CIBP					
22 Producing Interval(s), of this completion - Top, Bottom, Name							
23. <b>CASING RECORD (Report all strings set in well)</b>							
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED		
Same as Original							
24. <b>LINER RECORD</b>				25. <b>TUBING RECORD</b>			
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	
					2 3/8"	5345'	
						5338'	
26. Perforation record (interval, size, and number)				27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.			
5380'-5883' San Andres (80', 320 Holes) w/4 JSPF 6832'-7003' Drinkard (30', 120 Holes) w/4 JSPF				DEPTH INTERVAL			
				AMOUNT AND KIND MATERIAL USED			
				5380'-5883' Acdz w/6,000 gls 15% NEFE Acid			
				while dropping 350-1.3 SGBS last 4,500 gls acid.			
6832'-7003'				Acdz w/6,000 gls... Cont'd			
28. <b>PRODUCTION</b>							
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod or Shut-in)	
NA						SWD	
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl.	Gas - MCF	Water - Bbl.	
NA							
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API -(Corr.)	
29 Disposition of Gas (Sold, used for fuel, vented, etc.)					30. Test Witnessed By		
31 List Attachments							
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							
33. If an on-site burial was used at the well, report the exact location of the on-site burial:							
Latitude			Longitude		NAD: 1927 1983		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief							
Signature		Printed Name		Title		Date	
Kristy Ward		Kristy Ward		Regulatory Analyst		11/13/08	
E-mail address kristy.ward@xtoenergy.com							

**Goodwin 10 State SWD  
Convert to SWD Cont'd.**

26. 15% NEFE Acid while dropping 300.1.3 SGBS in last 4,500 gals of Acid. Flushed w/36 bbls of 9# brine wtr & 50 bbls of 9# brine wtr mix w/5 gals of RN-211.

*Cary W. Hill*

## INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

**INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE**

## Southeastern New Mexico

T. Anhy	1532'
T. Salt	
B. Salt	
T. Yates	2793'
T. 7 Rivers	3085'
T. Queen	3717'
T. Grayburg	4090'
T. San Andres	4472'
T. Glorieta	
T. Paddock	
T. Blinebry	
T. Tubb	
T. Drinkard	
T. Abo	7279'
T. Wolfcamp	
T. Penn	
T. Cisco (Bough C)	

## Northeastern New Mexico

T. Canyon	
T. Strawn	
T. Atoka	
T. Miss	
T. Devonian	
T. Silurian	
T. Montoya	
T. Simpson	
T. McKee	
T. Ellenburger	
T. Gr. Wash	
T. Delaware Sand	4700'
T. Bone Springs	5347'
T. Tubb Sand	6693'
T. Tubb Carb	6820'
T. Drinkard Reef	7000'
T.	

T. Ojo Alamo \_\_\_\_\_  
T. Kirtland-Fruitland \_\_\_\_\_  
T. Pictured Cliffs \_\_\_\_\_  
T. Cliff House \_\_\_\_\_  
T. Menefee \_\_\_\_\_  
T. Point Lookout \_\_\_\_\_  
T. Mancos \_\_\_\_\_  
T. Gallup \_\_\_\_\_  
Base Greenhorn \_\_\_\_\_  
T. Dakota \_\_\_\_\_  
T. Morrison \_\_\_\_\_  
T. Todilto \_\_\_\_\_  
T. Entrada \_\_\_\_\_  
T. Wingate \_\_\_\_\_  
T. Chinle \_\_\_\_\_  
T. Permian \_\_\_\_\_  
T. Penn "A" \_\_\_\_\_

T. Penn. "B" \_\_\_\_\_  
T. Penn. "C" \_\_\_\_\_  
T. Penn. "D" \_\_\_\_\_  
T. Leadville \_\_\_\_\_  
T. Madison \_\_\_\_\_  
T. Elbert \_\_\_\_\_  
T. McCracken \_\_\_\_\_  
T. Ignacio Otzite \_\_\_\_\_  
T. Granite \_\_\_\_\_  
T. \_\_\_\_\_  
T. \_\_\_\_\_  
T. \_\_\_\_\_  
T. \_\_\_\_\_  
T. \_\_\_\_\_  
T. \_\_\_\_\_  
T. \_\_\_\_\_  
T. \_\_\_\_\_

## OIL OR GAS SANDS OR ZONES

No. 1, from ..... to .....  
No. 2, from ..... to .....

No. 3, from ..... to .....  
No. 4, from ..... to .....

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from ..... to ..... feet .....

No. 2, from ..... to ..... feet .....

No. 3, from ..... to ..... feet .....

**LITHOLOGY RECORD** ( Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology

From	To	Thickness in Feet	Lithology