District I 1625 N. French D. Ho District II 1301 W. Grand Avenue, Artesia, NA

1000 Rio Brazos Road, Aztec, NM 87410

District IV 1220 S. St

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 CLEZ July 21, 2008

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: \square Permit \square Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a

closed-loop system that only use above ground steel tanks or ha	ul-off bins and propose to implement waste removal for closure, please submit a Form C-144.
Please be advised that approval of this request does not relieve the cenvironment. Nor does approval relieve the operator of its responsi	operator of liability should operations result in pollution of surface water, ground water or the ibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
1,	OGRID #: 162683
Address: PO Box 140907; Irving, TX 75014-0907	
Tiggridange 16 State Com No. 4	
API Number: 30-005- 39-062 29-06	2 OCD Permit Number: P1 - 00 693
III or Otr/Otr P Section 16 Township 158	Range 31E County: Chaves
Center of Proposed Design: Latitude 33° 00' 34.73" Lo	
Surface Owner: Federal State Private Tribal Tru	
Closed-loop System: Subsection H of 19.15.17.11 NMA Operation: ☑ Drilling a new well ☐ Workover or Drilling (Above Ground Steel Tanks or ☑ Haul-off Bins	AC Applies to activities which require prior approval of a permit or notice of intent) P&A
3.	
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site loc	otion, and emergency telephone numbers
Signed in compliance with 19.15.3.103 NMAC	anon, and emergency telephone numbers
Signed in compnance with 13.13.3.103 NAVAC	
attached. ☐ Design Plan - based upon the appropriate requirements ☐ Operating and Maintenance Plan - based upon the appr ☐ Closure Plan (Please complete Box 5) - based upon the	of 19.15.17.11 NMAC opriate requirements of 19.15.17.12 NMAC appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC API Number:
Instructions: Please indentify the facility or facilities for the facilities are required.	ilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) e disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two
Disposal Facility Name:CRI	
Disposal Facility Name:	
Will any of the proposed closed-loop system operations and a ☐ Yes (If yes, please provide the information below) ☐	ssociated activities occur on or in areas that will not be used for future service and operations? No
Required for impacted areas which will not be used for future Soil Backfill and Cover Design Specifications based Re-vegetation Plan - based upon the appropriate requir Site Reclamation Plan - based upon the appropriate req	I upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ements of Subsection I of 19.15.17.13 NMAC
6. Operator Application Certification: I hereby certify that the information submitted with this appli	ication is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Natalie Krueger	Title: Regulatory Analyst
Signature: Wat alin Kung	<u>e</u> Date: 10.24.2008
e-mail address:nkrueger@cimarex.com	Telephone:469-420-2723
F C 144 CI F7	Oil Concernation Division Page 1 of 4

Oil Conservation Division

Page 1 of 4

	•						
OCD Approval: Permit Application (including closure plan) Closure P	lan (only)						
	Approval Date: 11/17/08						
OCD Representative Signature:	Approval Date.						
Title:Geologist	OCD Permit Number: 71-DD643						
8. Closure Report (required within 60 days of closure completion): Subsection	K of 19.15.17.13 NMAC						
Instructions: Operators are required to obtain an approved closure plan prior	to implementing any closure activities and submitting the closure report.						
The closure report is required to be submitted to the division within 60 days of i	the completion of the closure activities. Please do not complete this						
section of the form until an approved closure plan has been obtained and the cl							
•	Closure Completion Date:						
9. Closure Report Regarding Waste Removal Closure For Closed-loop Systems	That Utilize Above Cround Steel Tanks or Haul-off Rins Only						
Instructions: Please indentify the facility or facilities for where the liquids, dri	lling fluids and drill cuttings were disposed. Use attachment if more than						
two facilities were utilized.							
Disposal Facility Name:	Disposal Facility Permit Number:						
Disposal Facility Name:	Disposal Facility Permit Number:						
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?							
Yes (If yes, please demonstrate compliance to the items below) No							
Required for impacted areas which will not be used for future service and operat	ions:						
Site Reclamation (Photo Documentation)							
☐ Soil Backfilling and Cover Installation ☐ Re-vegetation Application Rates and Seeding Technique							
10.							
Operator Closure Certification:							
I hereby certify that the information and attachments submitted with this closure	report is true, accurate and complete to the best of my knowledge and						
belief. I also certify that the closure complies with all applicable closure requires	nents and conditions specified in the approved closure plan.						
Name (Print):	Title:						
Signature:	Date:						
e-mail address:	Telephone:						

Cimarex Energy Co. of Colorado - Closed-Loop System Design Plan

Equipment List

- Primary Shakers
- Mud Cleaner hydro-cyclones
- 1 or 2 Centrifuges (depending on well depth)
- De-watering system with pH adjustment, coagulant mixing and dosing, and polymer mixing and dosing (may not be necessary for shallower wells)
- Drying Augur
- Sump Drying Augur
- Sump
- Cuttings Boxes
- Reserve Fluids Tank Farm
- Wire Mesh Trash Enclosure (spent motor oils kept in separate containers and later sent to approved landfill)

Operation and Maintenance

The Cimarex Zero Discharge system is designed to maintain drill solids at or below 5%. The equipment is arranged to progressively remove solids from the largest to the smallest size. Drilling fluids can thus be reused and savings is realized on mud and disposal costs. Dewatering may be required with the centrifuges to insure removal of ultra fine solids.

The drilling location is constructed to allow storm water to flow to a central sump normally the cellar. This ensures no contamination leaves the drilling pad in the event of a spill. Storm water is reused in the mud system or stored in a reserve fluid tank farm until it can be reused. All lubricants, oils, or chemicals are removed immediately from the ground to prevent the contamination of storm water. An oil trap is normally installed on the sump if an oil spill occurs during a storm.

A tank farm is utilized to store drilling fluids including fresh water and brine fluids. The tank farm is constructed on a 20 ml plastic lined, bermed pad to prevent the contamination of the drilling site during a spill. Fluids from other sites may be stored in these tanks for processing by the solids control equipment and reused in the mud system. At the end of the well the fluids are transported from the tank farm to an adjoining well or to the next well for the rig.

These closed loop operations can be monitored by our service technicians. Daily logs are maintained to ensure optimal equipment operation and maintenance. Screen and chemical use is logged to maintain inventory control. Fluid properties are monitored and recorded and drilling mud volumes are accounted for in the mud storage farm. This data is kept for end of well review to insure performance goals are met. Lessons learned are logged and used to help with continuous improvement.


Spill prevention is accomplished by maintaining pump packing, hoses, and pipe fittings to insure no leaks are occurring. During an upset condition the source of the spill is isolated and repaired as soon as it is discovered. Free liquid is removed by a diaphragm pump and returned to the mud system. Loose topsoil may be used to stabilize the spill and the contaminated soil is excavated and placed in the cuttings boxes. After the well is finished and the rig has moved, the entire location is scrapped and tested for all regulated toxic materials. If found they are removed and disposed of per regulatory requirements.

Closure Plan

During drilling operations, all liquids, drilling fluids, and cuttings will be hauled off via CRI (Controlled Recovery Incorporated, Permit R-9166).



Closed Loop with Drying Auger and Dewatering System



DISTRICT WITH A PROPERTY OF THE PROPERTY OF TH

160

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-102 Revised October 12, 2005

Submit to Appropriate District Office

State Lease - 4 Copies Fee Lease - 3 Copies

OIL CONSERVATION DIVISION

1220 South St. Francis Dr. Santa Fe, New Mexico 87505

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 29062		Pool Code			Pool Name					
30-005-29062					Abo Wildcat					
	Property Code			Property Name			Well Number			
372-	16				TICONDEROGA "16" STATE COM			4		
OGRID N					Operator Name			Elevation		
162683 CI			CIM	MAREX ENERGY CO. OF COLORADO			4410'			
Surface Location										
UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
Р	16	15 S	31 E		375	SOUTH	375	EAST	CHAVES	
Bottom Hole Location If Different From Surface										
UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
M	16	15 S	31 E		375	SOUTH	375	WEST	CHAVES	
Dedicated Acres Joint or Infill Consolidation Code Order No.										

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

