

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

RECEIVED

DEC 19 2008

HOBBSOCD

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-27125
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. VA-2112
7. Lease Name or Unit Agreement Name Judson AUU State Com
8. Well Number 1
9. OGRID Number 025575
10. Pool name or Wildcat Wildcat; Wolfcamp; Morrow

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other ☒

2. Name of Operator
Yates Petroleum Corporation

3. Address of Operator
105 South Fourth Street, Artesia, NM 88210

4. Well Location
Unit Letter L : 1980 feet from the South line and 660 feet from the West line
Section 26 Township 10S Range 34E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
4147' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Propose to plug & abandon as follows:

1. MIRU plugging equipment. Load hole. ND wellhead. NU BOP. TOH w/tbg.
2. Set CIBP @ 9250' w/35' of cement.
3. TIH w/tbg & circulate hole with 9.5 ppg mud laden fluid.
4. Cut casing @ 7500'.
5. TIH w/tbg. Spot 100' cement plug 7550-7450'. Spot 100' cement plug 5500-5400'.
6. Spot 100' cement plug 4240-4140'. WOC & tag.
7. Spot 100' cement plug 1500-1400'.
8. Spot 100' cement plug 468-368'. WOC & tag. Spot 10 sack plug @ surface.
9. Cut off head, install marker, clean location.

THE OIL CONSERVATION DIVISION **MUST**
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS

(Proposed schematic attached)

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Allison Barton TITLE Regulatory Compliance Technician DATE 12/18/08

Type or print name Allison Barton E-mail address: abarton@yatespetroleum.com PHONE: (575) 748-4385

For State Use Only

APPROVED BY: [Signature] TITLE OC DISTRICT SUPERVISOR/GENERAL MANAGER DATE DEC 22 2008

Conditions of Approval (if any):

Well Name: Judson AUU State No 1 Field: _____

Location: 1980' FSL & 660' FWL Sec 26-10S-34E. Lea Co, NM


GL: 4175' Zero: _____ AGL: _____ KB: 4186'

Spud Date: _____ Completion Date: _____

Comments: YPC Re-entry of MWJ Prod Co. State MG #26-1

Casing Program	
Size/Wt/Grade/Conn	Depth Set
13 3/8" 48#	418'
8 5/8" 24 & 32#	4190'
4 1/2" 11.6# HCP 110	13350'

CURRENT CONFIGURATION




SKETCH NOT TO SCALE

DATE: 10/24/08 JUDSONI

Well Name: Judson AUU State No 1 Field: _____
 Location: 1980' FSL & 660' FWL Sec. 26-10S-34E Lea Co, NM
 GL: 4175' Zero: _____ AGL: _____ KB: 4186'
 Spud Date: _____ Completion Date: _____
 Comments: YPC Re-entry of MWJ Prod. Co State MG #26-1

Casing Program	
Size/Wt/Grade/Conn	Depth Set
13 3/8" 48#	418'
8 5/8" 24 & 32#	4190'
4 1/2" 11.6# HCP 110	13350'

PROPOSED CONFIGURATION



SKETCH NOT TO SCALE

DATE: 10/24/08 JUDSONB