

Submit To Appropriate District Office Two Copies District I 1625 N French Dr , Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd , Aztec, NM 87410 District IV 1220 S St Francis Dr , Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 July 17, 2008				
1. WELL API NO. 30-025-38846										
2. Type of Lease <input type="checkbox"/> STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN										
3. State Oil & Gas Lease No.										
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: <input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33, attach this and the plat to the C-144 closure report in accordance with 19 15 17.13 K NMAC)						5. Lease Name or Unit Agreement Name L G WARLICK A 6. Well Number 4				
7. Type of Completion. <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER										
8. Name of Operator CHEVRON MIDCONTINENT, L P						9. OGRID 241333				
10. Address of Operator 15 SMITH ROAD, MIDLAND, TEXAS 79705						11. Pool name or Wildcat PENROSE SKELLY GRAYBURG				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	J	19	21-S	37-E		1650	SOUTH	2210	EAST	LEA
BH:										
13. Date Spudded 09-13-08	14. Date T.D Reached 09-20-08	15. Date Rig Released 11-11-08			16. Date Completed (Ready to Produce) 10-22-08			17. Elevations (DF and RKB, RT, GR, etc.) 3500' GL		
18. Total Measured Depth of Well 4330'		19. Plug Back Measured Depth 4285'			20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GR/CBL/CCL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 3648-3946' GRAYBURG										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB / FT		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
8 5/8"		24#		1262'		11"		800 SX		400 SX CIRC
5 1/2"		15.5#		4330'		7.875"		1130 SX		200 SX CIRC
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD				
						SIZE	DEPTH SET	PACKER SET		
						2 7/8"	3606'			
26. Perforation record (interval, size, and number) 3648-50,3682-85,3771-77,3783-86,3795-97,3805-10,3813-22,3851-54,3857-67, 3870-80,3883-87,3890-95,3898-3905,3908-17,3920-30,3933-39,3942-46						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 3648-3946' ACIDIZE W/3500 GALS ACID. FRAC W/88,000 GALS YF125				
28. PRODUCTION										
Date First Production 11-11-08		Production Method (Flowing, gas lift, pumping - Size and type pump) PUMPING INSERT PUMP				Well Status (Prod or Shut-in) PROD				
Date of Test 11-20-08	Hours Tested 24 HRS	Choke Size	Prod'n For Test Period	Oil - Bbl 31	Gas - MCF 298	Water - Bbl 475	Gas - Oil Ratio 9613			
Flow Tubing Press.	Casing Pressure	Calculated 24- Hour Rate	Oil - Bbl	Gas - MCF	Water - Bbl	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD						30. Test Witnessed By				
31. List Attachments SURVEY										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit										
33. If an on-site burial was used at the well, report the exact location of the on-site burial										
Latitude _____ Longitude _____ NAD 1927 1983										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature <i>Denise Pinkerton</i>			Printed Name DENISE PINKERTON Title REGULATORY SPECIALIST Date 12-04-08							
E-mail Address leakejd@chevron.com										

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	1208	T. Canyon	T. Penn A"
T. Salt	1297	T. Strawn	T. Penn. "B"
B. Salt	2468	T. Atoka	T. Penn. "C"
T. Yates	2595	T. Miss	T. Penn. "D"
T. 7 Rivers	2870	T. Devonian	T. Leadville
T. Queen	3387	T. Silurian	T. Madison
T. Grayburg	3630	T. Montoya	T. Elbert
T. San Andres	3955	T. Simpson	T. McCracken
T. Glorieta		T. McKee	T. Ignacio Otzte
T. Paddock		T. Ellenburger	T. Granite
T. Blinebry		T. Gr. Wash	
T. Tubb		T. Delaware Sand	
T. Drinkard		T. Bone Springs	
T. Abo		T.	
T. Wolfcamp		T.	
T. Penn		T.	
T. Cisco (Bough C)		T.	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
 No. 2, from.....to.....

No. 3, from.....to.....
 No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
------	----	----------------------	-----------	------	----	----------------------	-----------

SUR	1208		RED BEDS					
1208	1297		ANHYDRITE					
1297	2468		SALT					
2468	2595		ANHYDRITE, DOLOMITE					
2595	2870		SANDSTONE, DOLO, ANHY					
2870	3387		ANHYDRITE, DOLO, SAND					
3387	3630		SANDSTONE, DOLO, ANHY					
3630	3955		DOLOMITE, SANDSTONE					
3955	TD		DOLOMITE					