Submit To Appropriate District Office State of New Mexico Form C-105 Energy, Minerals and Natural Resources

PECE VENEL API NO. Two Copies July 17, 2008 District I 1625 N French Dr., Hobbs, NM 88240 District II 30-025-38888 1301 W Grand Avenue, Artesia, NM 88210 Oil Conservation Division Type of Lease District III 1220 South St. Francis Dr.DEC 77 STATE 1000 Rio Brazos Rd, Aztec, NM 87410 · 🔲 FEE ☐ FED/INDIAN District IV Santa Fe, NM 87505 State Oil & Gas Lease No. 1220 S. St. Francis Dr , Santa Fe, NM 87505 V-5875 WELL COMPLETION OR RECOMPLETION REPORT 5. Lease Name or Unit Agreement Name 4. Reason for filing: ☐ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) Orbison State Unit ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or 6. Well Number: #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC) 2 7. Type of Completion: ☑ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER 8. Name of Operator 9. OGRID Yates Petroleum Corporation 025575 10 Address of Operator 11. Pool name or Wildcat 105 South Fourth Street, Artesia, NM 88210 Wildcat Devonian (Oil) Feet from the Unit Ltr Section Township Range Lot N/S Line Feet from the E/W Line County 12.Location Surface: 1980 14 12S 34E 1650 South East Lea BH: 17. Elevations (DF and RKB. 15. Date Rig Released 16. Date Completed (Ready to Produce) 13. Date Spudded 14. Date T.D. Reached 11/20/08 RT, GR, etc.) 10/18/08 8/30/08 RH 11/13/08 4155' GR; 4173' KB 9/03/08 RT 18 Total Measured Depth of Well 19. Plug Back Measured Depth 20. Was Directional Survey Made? 21. Type Electric and Other Logs Run 12944' 12944 No CBL, CNL, Laterolog, BCS 22 Producing Interval(s), of this completion - Top, Bottom, Name Open Hole 12,880-12,944' Devonian CASING RECORD (Report all strings set in well) 23. CEMENTING RECORD WEIGHT LB./FT. DEPTH SET HOLE SIZE AMOUNT PULLED **CASING SIZE** 20" Conductor 40' 26" Redi-mix 415' 17-1/2" 1-3-3/8* 48# 450 sx (circ) 9-5/8" 36# & 40# 4220' 11" 1425 sx (circ) 1120 sx (TOC 6346' CBL) 8-3/4" 12880' 26# LINER RECORD TUBING RECORD 24. SACKS CEMENT PACKER SET SIZE TOP **BOTTOM** SCREEN SIZE DEPTH SET 2-7/8" 12873 12808 Perforation record (interval, size, and number) 27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.1 DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED **PRODUCTION** 28 Date First Production Production Method (Flowing, gas lift, pumping – Size and type pump) Well Status (Prod. or Shut-in) 11/21/08 Flowing Date of Test Hours Tested Choke Size Prod'n For Oıl - Bbl Water - Bbl. Gas - MCF Gas - Oil Ratio 12/04/08 6/64' Test Period 70 Flow Tubing Casing Pressur Calculated 24-Oil - Bbl Gas - MCF Water - Bbl. Oil Gravity - API - (Corr.) Hour Rate Press 70 30. Test Witnessed By 29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold when produced Martel Ramirez 31. List Attachments Logs & Deviation Survey 32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit. 33. If an on-site burial was used at the well, report the exact location of the on-site burial: Longitude I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Printed Allison Barton Title Regulatory Compliance Technician Date 12/12/08 E-mail Address abarton@yatespetroleum.com

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico				Northwestern New Mexico		
T. Anhy		T. Canyon		T. Ojo Alamo	T. Penn A"	
T. Salt		T. Strawn	10947'	T. Kirtland	T. Penn. "B"	
B. Salt		T. Atoka	11448'	T. Fruitland	T. Penn. "C"	
T. Yates	2817'	T. Miss (Lower)	12202'	T. Pictured Cliffs	T. Penn. "D"	
T. 7 Rivers		T. Devonian	12901'	T. Cliff House	T. Leadville	
T. Queen T. S		T. Silurian		T. Menefee	T. Madison	
T. Grayburg		T. Montoya		T. Point Lookout	T. Elbert	
T. San Andres	4141'	T. Simpson		T. Mancos	T. McCracken	
T. Glorieta	5584'	T. McKee	^	T. Gallup	T. Ignacio Otzte	
T. Paddock		T. Ellenburger		Base Greenhorn	T.Granite	
T. Blinebry		T. Gr. Wash		T. Dakota		
T.Tubb	7013'	T. Delaware Sand		T. Morrison		
T. Drinkard		T. Bone Springs	· · · · · · · · · · · · · · · · · · ·	T.Todilto		
T. Abo	7752'	T. Rustler	2024'	T. Entrada		
T. Wolfcamp	9136'	T. Morrow	11816'	T. Wingate		
T. Penn (Upper)	9924'	T. Austin	11942'	T. Chinle		
T. Cisco (Bough C)		T		T. Permian		

No. 1 from	to	No. 2 from	SANDS (
		No. 3, from		
140. 2, 110111		ANT WATER SANDS		
Include data on rate of water	er inflow and elevation to which	ch water rose in hole.		
No. 1, from	to	feet		
No. 2, from	to	feet	• • • • • • • • • • • • • • • • • • • •	
		feet		
I	LITHOLOGY RECO) RD (Attach additional sheet i	f necessary)	

From	То	Thickness In Feet	Lithology	From	То	Thickness In Feet	Lithology
					}		
		:					
				,			
						·	
			(
							, ,
			_	:			
i	I		•				