

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

RECEIVED

DEC 23 2008

FORM APPROVED
OMB NO. 1004-0137
Expires: March 31, 2007

1a. Type of Well ☒ Oil Well ☐ Gas Well ☐ Dry ☐ Other
b. Type of Completion ☒ New Well ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resvr.,
Other _____

2 Name of Operator
Apache Corporation

3. Address
6120 S Yale Ave, Suite 1500 Tulsa OK 74136-4224

3.a Phone No. (Include area code)
(918)491-4864

4 Location of Well (Report location clearly and in accordance with Federal requirements)*
At Surface 330' FNL & 840' FEL (NE1/4 NE1/4), Unit A, Sec 4, T21S, R37E
At top prod. interval reported below
At total depth

14. Date Spudded
09/18/2008

15. Date T.D. Reached
09/27/2008

16. Date Completed
☐ D & A ☒ Ready to Prod.
11/07/2008

5. Lease Serial No.
NM-2512

6. If Indian, Allottee or Tribe Name

7. Unit or CA Agreement Name and no.

8. Lease Name and Well No
Northeast Drinkard Unit #147

9 API Well No.
30-025-38762

10. Field and Pool, or Exploratory
Eunice; Blinbry-Tubb-Drinkard, N

11. Sec., T, R., M., on Block and
Survey or Area Sec 4, T21S, R37E

12. County or Parish
Lea

13. State
New Mexico

17. Elevations (DF, RKB, RT, GL)*
3484' GL

18. Total Depth: MD 7075'
TVD

19. Plug Back T.D.. MD 7065'
TVD

20. Depth Bridge Plug Set: MD
TVD

21. Type of Electric & Other Mechanical Logs Run (Submit copy of each)
SD/DSN, LSS, DLL/MG

22. Was well cored? ☒ No ☐ Yes (Submit analysis)
Was DST run? ☒ No ☐ Yes (Submit analysis)
Directional Survey? ☒ No ☐ Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12-1/4"	8-5/8"	24#	0'	1365'		650 Class C	190	0' circ	
7-7/8"	5-1/2"	17#	0'	7075'		1250 Class C	403	104' CBL	

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2-7/8"	6932'							

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) Blinbry	5817'		5751' - 6010'		50	Producing
B) Tubb	6314'		6224' - 6490'		56	Producing
C) Drinkard	6657'		6642' - 6894'		72	Producing
D)						

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
5751' - 6010'	Acidize with 3000 gals 15% NEFE. Frac with 44K gals gel & 78K # 16/30 sand.
6224' - 6490'	Acidize with 3000 gals 15% NEFE. Frac with 47K gals gel & 108K # 20/40 sand.
6642' - 6894'	Acidize with 3000 gals 15% NEFE. Frac with 47K gals gel & 100K # 20/40 sand.

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
11/7/08	12/7/08	24	→	21	33	83	38.8		Pumping
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	
			→				1571	Producing	

ACCEPTED FOR RECORD

DEC 21 2008

BUREAU OF LAND MANAGEMENT
CARLSBAD FIELD OFFICE

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas Oil Ratio	Well Status	
			→						

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas Oil Ratio	Well Status	
			→						

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold

30. Summary of Porous Zones (Include Aquifers):

Show all important zones or porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
Rustler	1348'				
Yates	2716'				
7 Rivers	2947'				
Queen	3517'				
Grayburg	3836'				
San Andres	4102'				
Glorieta	5340'				
Blinberry	5817'				
Tubb	6314'				
Drinkard	6657'				
Abo	6914'				

32. Additional remarks (include plugging procedure):

BLINEBRY 5751, 5758, 5784, 5808, 5832, 5894-5902, 5906-14, 5978, 5991-93, 6010' 2 JSPF
 TUBB 6224-26, 6314-22, 6380, 6386, 6402-05, 6420-24, 6459, 6470-74, 6486-90' 2 JSPF
 DRINKARD 6642, 6644, 6745, 6752, 6766-72, 6776-78, 6789, 6795, 6812-14, 6822-24, 6830, 6844, 6848-52, 6856-62, 6882-86, 6892-94' 2 JSPF


33. Indicate which items have been attached by placing a check in the appropriate boxes:

- ☒ Electrical/Mechanical Logs (1 full set req'd.)
 ☐ Geological Report
 ☐ DST Report
 ☐ Directional Survey
☐ Sundry Notice for plugging and cement verification
 ☐ Core Analysis
 ☐ Other

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) Sophie MackayTitle Engineering Tech

Signature

Date 12/17/2008

Title 18 U.S.C. Section 101 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States and false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.