

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St
Santa Fe, NM 87505

Form C-103
June 19, 2008

WELL API NO. 30-025-04503
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: Eunice Monument South Unit
8. Well Number 213
9. OGRID Number 005380
10. Pool name or Wildcat Eunice Monument; Grayburg-San Andres
11. Elevation (Show whether DR, RKB, RT, GR, etc.)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR REGRAD TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other <u>Injection</u>
2. Name of Operator XTO Energy, Inc.
3. Address of Operator 200 N. Loraine, Ste. 800 Midland, TX 79701
4. Well Location Unit Letter <u>J</u> : <u>4620'</u> feet from the <u>South</u> line and <u>1980'</u> feet from the <u>East</u> line Section <u>5</u> Township <u>21S</u> Range <u>36E</u> NMPM County <u>Lea</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: Repair Casing Leak & RWTI ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

6/21/08 MIRU PU. ND WH. Re1 pkr. NU BOP. RU Hydrostatic scanalog trk. Scan out of hole w/107 jts of 2-3/8" J-55 IPC tbg. RD. MI rack 4,100' 2-7/8" N-80 tbg. PU & RIH w/2-7/8" notch collar on 2-7/8" N-80 tbg to 3,400'
6/24/08 Fin RIH w/notch collar on 2-7/8" N-80 tbg. Tag @ 4,015' (PBSD). POOH w/2-7/8" N-80 tbg. PU & RIH w/BJ 5-1/2" RBP on 2-7/8" N-80 tbg. Set RBP 3,325'. POOH w/2-7/8" N-80 tbg. PU & RIH w/BJ 5-1/2" ten pkr on 2-7/8" N-80 tbg to 3,300'.

Continued on next page.

Spud Date:

06/21/08

Rig Release Date:

06/28/08

I hereby certify that the information above is true and complete to the best of my knowledge and belief.


SIGNATURE Kristy Ward TITLE Regulatory Analyst DATE 12/19/08
Type or print name Kristy Ward E-mail address: kristy_ward@xtoenergy PHONE 432-620-6740

For State Use Only

APPROVED BY Tammy M. Hill TITLE DISTRICT 1 SUPERVISOR DATE DEC 29 2008
Conditions of Approval (if any)

Eunice Monument South Unit #213
Repr. Casing Leak & RWTI

- 6/26/08 Isolate Csg. Leak. RIH w/BJ 5-1/2" ten pkr on 2-7/8" N-80 tbg. Set pkr @ 3,310'. POOH w/2-7/8" N-80 tbg.
- 6/27/08 Fin POOH LD 2-7/8" N-80 tbg & RBP. RU Hydrostatic tbg testers. PU & RIH w/5-1/2" cup pkr & 5-1/2" pkr testing 2-3/8" IPC. Tag @ 1,040'. POOH w/2-3/8" IPC tbg & pkrs. PU & RIH w/4-3/4" bit on 2-7/8" N-80 tbg to 2,000'. POOH LD 2-7/8" N-80 tbg. Remove pump out plug out of cup pkr. PU & RIH w/5-1/2" cup pkr & 5-1/2" A-1x injection pkr on 2-3/8" 4.7#, J-55, EUE, 8rd IPC tbg to 2,000'. RD.
- 6/28/08 Fin RIH w/5-1/2" cup pkr & 5-1/2" injection pkr testing 2-3/8" 4.7#, J-55, EUE, 8rd IPC tbg. RD. Set cup pkr @ 3,666'. Set pkr @ 3,296'. RU. PU & RIH & set blank plug. RD. RU pmp trk. Circ 100 bbls of pkr fluid. RD. ND BOP. NU WH. RIH & fish plug. POOH w/plug. RD. RDMO PU. RWTI.



30-025-04503

GRAPHIC CONTROLS CORPORATION
BUFFALO, NEW YORK

07/03/2008

XTO
EMSU #213

BR 2221

Alan Miller
XTO

07/03/2008

KEY 407

TRK # 0116728

DAVIN MACIAS

CHART RECORDED CALIBRATED
4/10/2008

TB	PSI	740
I	PSI	0
S	PSI	0
C	PSI	

REC'D MIDLAND
JUL 09 2008