RECEIVED

Submit 3 Copies To Appropriate District  State of New Mexico	Form C-103
Office District I  DEC 30 2 Thergy, Minerals and Natural Resources	May 27, 2004 WELL API NO.
1625 N French Dr., Hobbs, NM 88240  District II  ARREST CONSEDVATION DIVISION	30-025-27069
District II 1301 W. Grand Ave., Artesia, MOBBSOCH CONSERVATION DIVISION District III 1220 South St. Francis Dr.	5. Indicate Type of Lease  STATE   FEE
1000 Rio Brazos Rd., Aztec, NM 87410 District IV Santa Fe, NM 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM	NM073240
87505 SUNDRY NOTICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	Federal 30 Com  8. Well Number #1
1. Type of Well: Oil Well	#1
2. Name of Operator  NADELL & GUSSMAN HEYCO, LLC	9. OGRID Number 597040 7
3. Address of Operator PO BOX 1936 ROSWELL NM 88202-1936 505/623-6601	10. Pool name or Wildcat  Gem, Bone Spring
4. Well Location	7001
Unit Letter I : 1980' feet from the South line and	760' feet from the East line  NMPM County Lea
Section 30 Township 19S Range 35E  11. Elevation (Show whether DR, RKB, RT, GR, etc.)	
3585.6 GR	
Pit or Below-grade Tank Application or Closure	form a source out for our works
Pit typeDepth to GroundwaterDistance from nearest fresh water wellDistance from nearest fresh water well	nstruction Material
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO:  PERFORM REMEDIAL WORK  PLUG AND ABANDON  REMEDIAL WORK  ALTERING CASING  COMMENCE DRILLING OPNS  PAND A CASING/CEMENT JOB	
	DED) Recompletion
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.	
1. 7-24-08/Set Cast Iron Bridge Plug @ 13,200' & Dump 35' cement on top. 2. 7-24-08/Set Cast Iron Bridge Plug @ 10,820' & Dump 35' cement on top. 3. 7-24-08/Set Cast Iron Bridge Plug @ 9,800'. 4. 7-25-08/Perforate 9,202-07' (6 holes), 9,210-13' (4 holes), 9,215-27' (13 holes), 9,076-85' (30 holes), & 8,996-99' (8 holes). 5. 7-26-08/Acıdıze w/ 3,000 gallons 7 5% NEFE acid. 6. 8-2-08/Frac w/ 140,000 lbs 20/40 Ottawa, & 10,000 lbs resin coated sand. 7. 8-8-08/Put well back on production 8-8-08. 8. 10-3-08/ D/O Cast Iron Bridge Plug @ 9,800' 9. 10-5-08/ Put well back on production.	
	and the second second
I hereby certify that the information above is true and complete to the best of my knowledg grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit	e and belief. I further certify that any pit or below- or an (attached) alternative OCD-approved plan .
SIGNATURE TITLE PRODUCTION ANA	DATE 12/29/2008
Type or print name E-mail address: tlink@heyco	Reserved to the second
For State Use Only	
APPROVED BY: TITLE PETROLEUM EN	DATE 1/1 1/1 0 2 2009
Conditions of Approval (if any)	

and the second s