<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S. St. Francis Dr., Santa Fe, NM 87505

# State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Proposed Alternative Method Permit or Closure Plan Application				
Proposed Alternative Method Permit or Closure Plan Application				
Type of action:  Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method  Modification to an existing permit				
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method				
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request				
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.				
Operator: OGRID #:				
Address: P.O. Box 140907: Irving TX 75014-0907				
Facility or well name: Yorktown 12 Fee 1				
Facility or well name: Yorktown 12 Fee 1           API Number: 30-005-28004         OCD Permit Number: P1-00 865				
U/L or Qtr/Qtr D Section 12 Township 15S Range 31E County: Chaves				
Center of Proposed Design: Latitude 33.036613 N Longitude 103.782127 W NAD: ⊠1927 ☐ 1983				
Center of Proposed Design: Latitude 33.036613 N Longitude 103.782127 W NAD: ⊠1927 ☐ 1983  Surface Owner: ☐ Federal ☐ State ☒ Private ☐ Tribal Trust or Indian Allotment ☐ W 235′ NNOCD MAP				
2.				
Pit: Subsection F or G of 19.15.17.11 NMAC				
Temporary:  Drilling  Workover				
Permanent Emergency Cavitation P&A				
Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other				
☐ String-Reinforced				
Liner Seams:  Welded Factory Other Volume: bbl Dimensions: L x W x D				
3.  Closed-loop System: Subsection H of 19.15.17.11 NMAC				
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)				
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other				
Lined Unlined Liner type: Thickness 20 mil LLDPE HDPE PVC Other				
Liner Seams: Welded Factory Other				
[ 4.				
Below-grade tank: Subsection I of 19.15.17.11 NMAC				
Volume:bbl Type of fluid:				
Tank Construction material:				
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off				
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other				

Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Liner type: Thickness mil HDPE PVC Other

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, Required if located within 1000 feet of a permanent residence, school, Required if located within 1000 feet of a permanent residence, school, Required if located within 1000 feet of a permanent residence, school, Required if located within 1000 feet of a permanent residence, school, Required if located within 1000 feet of a permanent residence, school, Required if located within 1000 feet of a permanent residence, school, Required if located within 1000 feet of a permanent residence, school, Required if located within 1000 feet of a permanent residence, school, Required if located within 1000 feet of a permanent residence, school, Required if located within 1000 feet of a permanent residence, school, Required if located within 1000 feet of a permanent residence, school, Required if located within 1000 feet of a permanent residence, and the located within 1000 feet of a permanent residence, and the located within 1000 feet of a permanent residence, and the located within 1000 feet of a permanent residence within	hospital,			
institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet				
Alternate. Please specify				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)				
Screen Netting Other				
☐ Monthly inspections (If netting or screening is not physically feasible)				
8.				
Signs: Subsection C of 19.15.17.11 NMAC				
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
☐ Signed in compliance with 19.15.3.103 NMAC				
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☒ No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☒ No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☒ No ☐ NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☑ No ☐ NA			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No			
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No			
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No			
Within a 100-year floodplain FEMA map	☐ Yes ☐ No			

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC Previously Approved Design (attach copy of design) API Number:  or Permit Number:					
Treviously Approved Besign (attach copy of design) 74 1 Number.					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of design)  API Number:					
Previously Approved Operating and Maintenance Plan API Number:(Applies only to closed-loop system that use					
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)					
13.					
Proposed Closure: 19.15.17.13 NMAC  Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.  Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative  Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only)  On-site Closure Method (Only for temporary pits and closed-loop systems)  In-place Burial On-site Trench Burial  Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
Maste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  □ Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please indentify the facility or facilities for the disposal of liquids, a facilities are required.	Steel Tanks or Haul-off Bins Only: (19.15.17.13.D Carilling fluids and drill cuttings. Use attachment if n	NMAC) nore than two		
•	Disposal Facility Permit Number: NMOCD R9166/	NMED DP818		
-	Disposal Facility Permit Number:			
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations?  Yes (If yes, please provide the information below) \sum No				
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				
17. Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may require considered an exception which must be submitted to the Santa Fe Environmental demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC f	e administrative approval from the appropriate disti Bureau office for consideration of approval. Justi	rict office or may be		
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	☐ Yes ☐ No ☐ NA		
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	☐ Yes ☐ No ☐ NA		
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	<ul><li>☐ Yes ☐ No</li><li>☐ NA</li></ul>		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signals (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	nificant watercourse or lakebed, sinkhole, or playa	☐ Yes ☐ No		
Within 300 feet from a permanent residence, school, hospital, institution, or church - Visual inspection (certification) of the proposed site; Aerial photo; Satellite		☐ Yes ☐ No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approve	·	Yes No		
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visua	al inspection (certification) of the proposed site	☐ Yes ☐ No		
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division		Yes No		
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology Society; Topographic map</li> </ul>	& Mineral Resources; USGS; NM Geological	☐ Yes ☐ No		
Within a 100-year floodplain FEMA map		☐ Yes ☐ No		
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC  Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Operator Application Certification:  I hereby certify that the information submitted with this application is true, ac	ccurate and complete to the best of my knowledge and belief.			
Name (Print):	Title: Field Superintendent			
Signature:	Date: 10/16/2008			
e-mail address: dorseyrogers@aol.com	Telephone: 505-200-6105			
OCD Approval: Permit Application (including closure plan) Closur	re Plan (only) OCD Conditions (see attachment)			
OCD Representative Signature:	Approval Date: 1.2.09			
Title:ENVIRONMENTAL ENGINEER	OCD Permit Number: P1-DD865			
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC  Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.				
	Closure Completion Date:			
22.  Closure Method:  Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alt  If different from approved plan, please explain.	ternative Closure Method			
23.  Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:  Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.				
Disposal Facility Name:	Disposal Facility Permit Number:			
Disposal Facility Name:				
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations?  Yes (If yes, please demonstrate compliance to the items below) \( \subseteq \text{No} \)				
Required for impacted areas which will not be used for future service and open Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	erations:			
Closure Report Attachment Checklist: Instructions: Each of the following mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (required for on-site closure)  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)	ure)			
On-site Closure Location: Latitude Lo	ngitude NAD:			
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print):	Title:			
Signature:	Date:			
e-mail address:	Telephone:			







#### 4311 Monica Lane, Carlsbad, NM 88220

Phone 505-236-6012

Fax 505-236-6063

Cell 505- 361-3217

## Email bandr@pvtnetworks.net

September 16, 2008

Cimarex Energy Co. P.O. Box 140907 Irving Texas 75014-0907

Cimarex Energy Co. Re:

Yorktown 12 Fee 1-Re-vegetation Plan, Site Reclamation Plan, Soil Backfill and Cover Design

Yorktown 12 Fee 1 API: 30-0005-28004 Sec 12-T-15S-R-31E

## Re-vegetation Plan

- 1. Will meet appropriate requirements of subsection I of 19.15.17.13 NMAC
- 2. Seed all areas disturbed and associated with the drying pad.
- 3. Obtain vegetation cover that equals 70% of the native perennial vegetation cover.
- 4. Apply seed consisting of at least three native plant species including at least one grass.
- 5. Maintain cover through two successive growing seasons.
- 6. Repeat seeding until it successfully achieves the required vegetation cover.

#### Site Reclamation Plan

- 1. Will meet appropriate requirements of subsection G of 19.15.17.13 NMAC
- 2. Reclaim areas associated with the drying pad to a safe and stable that blends with surrounding undisturbed area.
- 3. Restore surface area to conditions that existed prior to oil and gas operations.

## Soil Backfill and Cover Design Specifications

- 1. Will meet appropriate requirements of subsection H of 19.15.17.13 NMAC
- 2. Consist of the background thickness of topsoil or one foot of suitable material to establish vegetation.
- 3. Cover site's existing grade.
- 4. Contoured to prevent ponding of water and erosion of the cover material.

Please review documentation and contact me at 575-361-2132 with any questions or concerns.

Sincerely2

hl Vald Rayland Vannatta **B&R** Trucking

<u>District I</u>
1625 N. French Dr., Hobbs, NM 88240
<u>District II</u>
1301 W. Grand Avenue, Artesia, NM 88210
<u>District III</u>
1000 Rio Brazos Road, Aztec, NM 87410
<u>District IV</u>
1220 S. St. Francis Dr., Santa Fe, NM 87505



# State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 June 1, 2004 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes \( \subseteq \text{No} \subseteq \)

.IANI - 7 2008

Type of action: Registration of a pit of	or below-grade tank 🛛 Closure of a pit or below-gr	rade tank  OCD-ARTESIA		
Operator: Cimarex Energy Co. of Colorado Te	lenhone: 972-401-3111 e-mail addre	ess: zfarris@cimarex com		
Address DO Doy 140007; Inding TV 75014 0007				
Facility or well name: Yorktown 12 Fee 1 API #: 30-005-2	00 U/L or Qtr/Qtr D Sec 12	T 15S R 31E		
	N Longitude 103.782127 W N			
Surface Owner: Federal  State Private Indian	2018.100	. Б. 1921 🚨 1900 🗀		
Pit Below-grade tank				
Type: Drilling ⊠ Production ☐ Disposal ☐	Volume:bbl Type of fluid			
Workover	Construction material:			
Lined \( \subseteq Unlined \( \subseteq \)	Double-walled, with leak detection? Yes  If n	_		
Liner type: Synthetic ☑ Thickness 12 mil Clay ☐		,,		
Pit Volumebbl closed system, cuttings buried				
	Less than 50 feet	(20 points)		
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)		
high water elevation of ground water.) 238 2351	100 feet or more	(( 0 points)		
	Yes	(20 points)		
Wellhead protection area (Less than 200 feet from a private domestic	No	(0 points)		
water source, or less than 1000 feet from all other water sources.)				
Distance to surface water (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)		
	200 feet or more, but less than 1000 feet	(10 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)		
	Ranking Score (Total Points)	0		
Techining and design (1) Associated from the facility of an incident				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit'				
your are burying in place) onsite  offsite  foffsite, name of facility		*		
date and end date (4) Groundwater encountered: No $\square$ Yes $\square$ If yes, sh		nd attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excava	RECE	N/EM		
Additional Comments:	neul			
, , , , , , , , , , , , , , , , , , , ,				
	JAN 1 C	2008		
		40 TO		
	HORBS	SCCD		
I hereby certify that the information above is true and complete to the best	of my knowledge and belief. I further certify that	the above-described nit or below-grade tank		
has been/will be constructed or closed according to NMOCD guideline	es 🔯, a general permit 🔲, or an (attached) altern	native OCD-approved plan .		
Date: 12.17.07  Printed Name/Title Zeno Farris - Manager Operations Administration Signature Zelux Furnish				
Printed Name/Title Zeno Farris - Manager Operations Administrat	orginature			
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.				
Approval: Printed Name/Title CHRIS WILLIAMS / DIST. SUR Signature Miss Williams Date. 1/24/08				