

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico

Energy, Minerals and Natural Resources

Form C-103

June 19, 2008

RECEIVED

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

HOBBSOCD

WELL API NO. 30-025-04435
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Eumont Hardy Unit
8. Well Number #042
9. OGRID Number 151228
10. Pool name or Wildcat Eumont; Yates, 7 Rvrs, Queen
11. Elevation (Show whether DR, RKB, RT, GR, etc.)

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other WIW	
2. Name of Operator Mar Oil & Gas Corp	
3. Address of Operator PO Box 5155 Santa Fe, NM 87502	
4. Well Location Unit Letter I : 3300 feet from the North line and 660 feet from the East line Section 1 Township 21S Range 36E NMPM Lea County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

No earthen pits will be constructed x all well fluids will be circulated to steel pit
7" casing set at 1318ft x cemented with 10sx cement x TOC calculated at 1250ft
5 1/2" casing set at 3566ft x cemented with 600sx cement x TOC calculated at surface
Open hole 3566-3742ft x TS - 1495ft x BS - 2550ft
CICR set at 3441ft
Run tbg open ended x tag CICR at 3441ft x spot 25sx cmt plug x pull tbg x WOC
Run tbg tag cement plug at estimated depth 3191ft + or -
Displace well with gelled brine water
Pull tbg to 2600ft x spot 25 sx cement plug
Perf casing at 1550ft (TS plug and Surface shoe plug) x squeeze with 45sx cement x WOC x tag cement plug
Perf casing at 350ft x squeeze with 35sx cement x WOC x tag cement plug x fill casing with cement
Cut off wellhead and SU anchors x Install NMOCD regulation PA marker

Perf @ 1495,
TAG @ 1268

Spud Date:

Rig Release Date:

The Oil Conservation Division **Must be notified**
24 hours prior to the beginning of plugging operations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Billy E. Prichard

TITLE **Field Supervisor**

DATE **1/21/09**

Type or print name **Billy E. Prichard**

E-mail address: **billy@pwllc.net**

PHONE: **432-934-7680**

For State Use Only

APPROVED BY:


Mark Whitaker

TITLE **Comp Off.**

DATE **1/28/09**

Conditions of Approval (if any):

**Mar Oil and Gas
Eumont Hardy Unit # 042
API # 30-025-04435
Before**



**Mar Oil and Gas
Eumont Hardy Unit # 042
API # 30-025-04435
After**

