

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88206

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM

87505

RECEIVED

Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

HOBBSOCD

WELL API NO.

30-025-06415

5. Indicate Type of Lease

STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Eumont Hardy Unit

8. Well Number #043

9. OGRID Number

151228

10. Pool name or Wildcat

Eumont; Yates, 7 Rvrs, Queen

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☒

2. Name of Operator

Mar Oil & Gas Corp

3. Address of Operator

PO Box 5155 Santa Fe, NM 87502

4. Well Location

Unit Letter F : 2970 feet from the South line and 2310 feet from the West line
Section 6 Township 21S Range 37E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

No earthen pits will be constructed x all well fluids will be circulated to steel pit

13" casing set at 288feet x cemented with 200sx cement x Cement circulate

9 5/8" casing set at 1379ft x cemented with 500sx cement x TOC calculated at surface

7" casing set at 3520ft x cemented with 300sx cement x TOC calculated at 1335ft

Open hole 3520-3780ft x TS - 1432ft BS - 2592ft

Run and set CIBP at 3500ft x Spot 25sx cmt plug x WOC x tag cmt plug x displace well with gelled brine

Pull tbg to 2600ft x spot 30 sx cement plug

Perf casing at 1482ft (TS plug and Intermediate shoe plug) x squeeze with 50sx cement x WOC x tag cement plug

Perf casing at 338ft x Circulate via 9 5/8" x 7" annulus cement to surface with 150sx cement

Cut off wellhead and SU anchors x Install NMOCD regulation PA marker

Perf @ 1432'
Tag @ 1382'

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Billy E. Prichard

TITLE Field Supervisor

DATE 1/21/09

Type or print name Billy E. Prichard

E-mail address: billy@pwllc.net

PHONE: 432-934-7680

For State Use Only

APPROVED BY:

Mark Whitaker


TITLE Comp. Off

DATE 1/28/09

Conditions of Approval (if any):

The Oil Conservation Division **Must be notified**
24 hours prior to the beginning of plugging operations

**Mar Oil and Gas Corp
Eumont Hardy Unit # 043
API # 30-025-06415
Before**



Mar Oil and Gas Corp
Eumont Hardy Unit # 043
API # 30-025-06415
After

