

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88201
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico

Energy, Minerals and Natural Resources

Form C-103

June 19, 2008

RECEIVED

JAN 26 2009

HOBSOCD

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

WELL API NO. /
30-025-23616

5. Indicate Type of Lease

STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

SFPRR

8. Well Number #009

9. OGRID Number

151228

10. Pool name or Wildcat

Sawyer; San Andres, West

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☒

2. Name of Operator

Mar Oil & Gas Corp

3. Address of Operator

PO Box 5155 Santa Fe, NM 87502

4. Well Location

Unit Letter F : 1980 feet from the North line and 2180 feet from the West line

Section 28 Township 9S Range 37E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

No earthen pits will be constructed x all well fluids will be circulated to steel pit

8 5/8" casing set at 416ft x Cemented with 325sx cement x Cement Circulated

4 1/2" casing set at 5025ft x Cemented with 250sx cement x TOC calculated at 4100ft

Perfs 4938-4994ft TS - 2324ft BS - 2793ft

Run and set CIBP at 4900ft x Spot 25sx cmt plug x WOC x tag cement plug x displace well with gelled brine

Perf casing at 2843ft x squeeze with 25sx cement x WOC x tag cement plug

Perf casing at 2374ft x squeeze with 25sx cement x WOC x tag cement plug PERF @ 2324'

Perf casing at 466ft x Circulate cement to surface via 8 5/8" x 4 1/2" annulus x Leave casing full of cement

Cut off wellhead and SU anchors x Install NMOCD regulation PA marker

Spud Date:

Rig Release

The Oil Conservation Division **Must be notified**

24 hours prior to the beginning of plugging operations

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Billy E. Prichard

TITLE

Field Supervisor

DATE

1/21/09

Type or print name Billy E. Prichard

E-mail address: billy@pwllc.net

PHONE: 432-934-7680

For State Use Only

APPROVED BY:

Mary Brown

TITLE


Compliance Officer

DATE

JAN 28 2009

Conditions of Approval (if any)

Mar Oil and Gas
SFPRR # 009
API # 30-025-23616
Before



Mar Oil and Gas
SFPRR # 009
API # 30-025-23616

After

