

District I
1625 N. French Dr., Hobbs, NM 88240

District II
811 South First, Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised March 17, 1999

RECEIVED

OIL CONSERVATION DIVISION

JAN 28 2009

HOBBSOCD

2040 South Pacheco
Santa Fe, NM 87505

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-39214	² Pool Code 7900	³ Pool Name Brunson; Drinkard-Abo, South
⁴ Property Code 29903	⁵ Property Name A.H. Blinbry NCT-1	⁶ Well Number 51
⁷ OGRID No 4323	⁸ Operator Name Chevron U.S.A., Inc.	⁹ Elevation 3392' (GL)



¹⁰ Surface Location

UL or Lot No D	Section 29	Township 22S	Range 38E	Lot Idn	Feet from the 760	North/South line North	Feet from the 660	East/West line West	County Lea
-------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	----------------------	------------------------	---------------

¹¹ Bottom Hole Location If Different From Surface

UL or Lot No	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
¹² Dedicated Acres 40	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

				1 OPERATOR CERTIFICATION <i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief</i>  Signature Lonnie Grohman Printed Name Petr. Engineer Date 1/26/2009
31				
			1 SURVEYOR CERTIFICATION <i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief</i> Signature and Seal of Professional Surveyor Certificate Number	

A.H. Blinebry NCT-1 #51

Location:

760 FNL & 660 FWL T-22S R-38E Sec 29
Unit Letter: D
Field: Brunson South
County: Lea
State: NM

Well Info:

Spud Date: 1/6/2009
API: 30-025-39214
Cost Center:
WBS#:
RefNO: LK2645
Lease: Federal

Current Wellbore Diagram

Elevations:

KB: (22')
DF:
GL: 3,392

This wellbore diagram is based on the most recent information regarding wellbore configuration and equipment that could be found in the Midland Office well files and computer databases as of the update date below. Verify what is in the hole with the well file in the Eufesa Field Office. Discuss w/ WFO Engineer, WFO Rep, OS, ALS & FS prior to rigging up on well regarding any hazards or unknown issues pertaining to the well.

Surface Casing

Size: 8-5/8" 24# J-55
Set: @ 1334'
With: 920 sacks
Hole Size: 12-1/4"
TOC @ Surface
By: Circulation

Production Casing


Size: 5-1/2" 17# L-80
Set @: 7072'
With: 1500 sacks
Hole Size: 7-7/8"
TOC: Surface
By: Circulation

Updated: 1/26/2009

By: LGEK

PBTD: 6984'

TD: 7072'



A.H. Blinebry NCT-1 #51

Location:

760 FNL & 660 FWL T-22S R-38E Sec 29
Unit Letter: D
Field: Brunson South
County: Lea
State: NM

Well Info:


Spud Date: 1/6/2009
API: 30-025-39214
Cost Center:
WBS#:
RefNO: LK2645
Lease: Federal

Proposed Wellbore Diagram

Elevations:

KB: (22')
DF:
GL: 3,392

This wellbore diagram is based on the most recent information regarding wellbore configuration and equipment that could be found in the Midland Office's well files and computer databases as of the update date below. Verify what is in the update date well file in the Eutaw Field Office. Discuss w/ WEO Engineer, WFO Rep, OS, ALS, & FS prior to rigging up on well regarding any hazards or unknown issues pertaining to the well.



Surface Casing

Size: 8-5/8" 24# J-55
Set @: 1334'
With: 920 sacks
Hole Size: 12-1/4"
TOC @ Surface
By: Circulation

Perfs	Zone	Status
5603-13'	Blinebry	Proposed
5616-22'	Blinebry	Proposed
5626-34'	Blinebry	Proposed

Perfs	Zone	Status
6098-06'	Tubb	Proposed
6194-6204'	Tubb	Proposed
6217-25'	Tubb	Proposed
6231-36'	Tubb	Proposed
6252-60'	Tubb	Proposed
6280-86'	Tubb	Proposed
6289-97'	Tubb	Proposed
6300-10'	Tubb	Proposed

Perfs	Zone	Status
6390-96'	Drnkard-Abo	Proposed
6425-32'	Drnkard-Abo	Proposed
6452-60'	Drnkard-Abo	Proposed
6464-74'	Drnkard-Abo	Proposed
6493-00'	Drnkard-Abo	Proposed
6527-37'	Drnkard-Abo	Proposed
6642-47'	Drnkard-Abo	Proposed
6670-80'	Drnkard-Abo	Proposed
6715-22'	Drnkard-Abo	Proposed
6740-47'	Drnkard-Abo	Proposed
6760-70'	Drnkard-Abo	Proposed
6783-92'	Drnkard-Abo	Proposed
6841-47'	Drnkard-Abo	Proposed
6864-69'	Drnkard-Abo	Proposed
6888-98'	Drnkard-Abo	Proposed
6906-16'	Drnkard-Abo	Proposed
6925-35'	Drnkard-Abo	Proposed
6940-48'	Drnkard-Abo	Proposed
6951-58'	Drnkard-Abo	Proposed
6983-91'	Drnkard-Abo	Proposed
6996-04'	Drnkard-Abo	Proposed
7021-28'	Drnkard-Abo	Proposed

Production Casing

Size: 5-1/2" 17# L-80
Set @: 7072'
With: 1500 sacks
Hole Size: 7-7/8"
TOC: Surface
By: Circulation

Updated: 1/27/2009
By: LGEK
PBSD: 6984'
TD: 7072'