

Submit 3 Copies To Appropriate District

Office

District I

1625 N. French Dr., Hobbs, NM 87240

District II

1301 W. Grand Ave., Artesia, NM 87200

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico

Energy, Minerals and Natural Resources

Form C-103

May 27, 2004

RECEIVED

JAN 28 2009

HOBBSOCD

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

WELL API NO. 30-041-10472
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. 0G1395
7. Lease Name or Unit Agreement Name: Todd Lower SA Unit
8. Well Number 358
9. OGRID Number 16696
10. Pool name or Wildcat Todd Lower San Andres (Assoc)

### SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

OXY USA Inc.

3. Address of Operator

P.O. Box 50250 Midland, TX 79710-0250

4. Well Location

Unit Letter H : 1980 feet from the north line and 660 feet from the east line

Section 35 Township 7S Range 35E NMPM County Roosevelt

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

4180'

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type \_\_\_\_\_ Depth to Groundwater \_\_\_\_\_ Distance from nearest fresh water well \_\_\_\_\_ Distance from nearest surface water \_\_\_\_\_

Pit Liner Thickness: \_\_\_\_\_ mil Below-Grade Tank: Volume \_\_\_\_\_ bbls; Construction Material \_\_\_\_\_

### 12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

#### NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

#### SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

The Oil Conservation Division **Must be notified**  
**24 hours prior** to the beginning of plugging operations

See Attachment

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE David Stewart TITLE Sr. Regulatory Analyst DATE 1/27/09

E-mail address: david\_stewart@oxy.com

Type or print name David Stewart

Telephone No. 432-685-5717

For State Use Only

APPROVED BY Malety, Shawn MSB TITLE \_\_\_\_\_ DATE 2/3/2009

Conditions of Approval, if any:

COMPLIANCE OFFICER

TLSAU #358 - 30-041-10472

TD-4358' Perfs-4256-4297'

7-5/8" 15.28# @ 357' w/ 200sx, 9-7/8" hole, TOC-Surf-Circ  
4-1/2" 11.6# csg @ 4358' w/ 500sx, 6-3/4" hole, TOC-738'-Calc

Circ Hole w/ 10# MLF and between plugs

1. RIH & Set CIBP @ 4206' M&P 25sx cmt
2. M&P 25sx cmt @ 3538-3400'
3. M&P 50sx cmt @ 2390-2048' WOC-Tag
4. M&P 25sx cmt @ 1200-1085'
5. Cut & Pull 4-1/2" csg @ +/- 407'
6. M&P 135sx cmt @ 457'-Surface

OXY USA Inc. - Proposed  
Todd Lower SA Unit #358  
API No. 30-041-10472


135sx @ 457'-Surface

25sx @ 1200-1085'

50sx @ 2390-2048' WOC-Tag

25sx @ 3538-3400'

CIBP @ 4206' w/ 25sx




Cut & Pull 4-1/2" csg @ +/- 407'

6-3/4" hole @ 4358'  
4-1/2" csg @ 4358'  
w/ 500sx-TOC-738'-Calc

Perfs @ 4256-4297'

OXY USA Inc. - Current  
Todd Lower SA Unit #358  
API No. 30-041-10472

9-7/8" hole @ 357'  
7-5/8" csg @ 357'  
w/ 200sx-TOC-Surf-Circ



6-3/4" hole @ 4358'  
4-1/2" csg @ 4358'  
w/ 500sx-TOC-738'-Calc

Perfs @ 4256-4297'