

Office

District I

1625 N. French Dr., Hobbs, NM 87240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505

Minerals and Natural Resources

May 27, 2004

RECEIVED

JAN 28 2009

HOBBSOCD

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-041-20016
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. OG1395
7. Lease Name or Unit Agreement Name: Todd Lower SA Unit
8. Well Number 355
9. OGRID Number 16696
10. Pool name or Wildcat Todd Lower San Andres (Assoc)
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4197'
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/>
Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____
Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)

1. Type of Well:

Oil Well ☐ Gas Well ☐ Other Injection ☒

2. Name of Operator

OXY USA Inc.

3. Address of Operator

P.O. Box 50250 Midland, TX 79710-0250

4. Well Location

Unit Letter E: 1980 feet from the north line and 660 feet from the west lineSection 35 Township 7S Range 35E NMPM County Roosevelt11. Elevation (Show whether DR, RKB, RT, GR, etc.)
4197'

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒TEMPORARILY ABANDON ☐ CHANGE PLANS ☐PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐CASING TEST AND CEMENT JOB ☐OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

The Oil Conservation Division **Must be notified**
24 hours prior to the beginning of plugging operations.

See Attachment

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐SIGNATURE David Stewart TITLE Sr. Regulatory Analyst DATE 1/27/09

Type or print name David Stewart

E-mail address: david_stewart@oxy.com

Telephone No. 432-685-5717

For State Use Only

APPROVED BY Mark Brown TITLE mgr DATE 2/3/2009

Conditions of Approval, if any:

COMPLIANCE OFFICER

TLSAU #355 - 30-041-20016

TD-4360' Perfs-4280-4320'


7-5/8" 15.28# @ 357' w/ 200sx, 9-7/8" hole, TOC-Surf-Circ
4-1/2" 9.5# csg @ 4360' w/ 500sx, 6-3/4" hole, TOC-740'-Calc

Circ Hole w/ 10# MLF and between plugs

1. RIH & Set CIBP @ 4230' M&P 25sx cmt
2. M&P 25sx cmt @ 3558-3420'
3. M&P 50sx cmt @ 2420-2035' WOC-Tag
4. M&P 25sx cmt @ 1200-1085'
5. Cut & Pull 4-1/2" csg @ +/- 407'
6. M&P 135sx cmt @ 457'-Surface

OXY USA Inc. - Proposed
Todd Lower SA Unit #355
API No. 30-041-20016

135sx @ 457'-Surface



9-7/8" hole @ 357'
7-5/8" csg @ 357'
w/ 200sx-TOC-Surf-Circ

Cut & Pull 4-1/2" csg @ +/- 407'

25sx @ 1200-1085'

50sx @ 2420-2035' WOC-Tag

25sx @ 3558-3420'


6-3/4" hole @ 4360'
4-1/2" csg @ 4360'
w/ 500sx-TOC-740'-Calc

CIBP @ 4230' w/ 25sx

Perfs @ 4280-4320'

TD-4360'

OXY USA Inc. - Current
Todd Lower SA Unit #355
API No. 30-041-20016



9-7/8" hole @ 357'
7-5/8" csg @ 357'
w/ 200sx-TOC-Surf-Circ

6-3/4" hole @ 4360'
4-1/2" csg @ 4360'
w/ 500sx-TOC-740'-Calc

Perfs @ 4280-4320'

TD-4360'