District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1006 Rio Brazos Road, Aztec, NM 87410
District IV
1270 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division

1220 South St. Francis Dr. Santa Fe, NM 87505 For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

## Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of li-	ability should operations result in pollution of surface water, ground water or the ply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Range Operating New Mexico, Inc OG	
Address 100 Throckmorton Street, Fort Worth, TX 76102	
Facility or well name <u>Federal 1-17#3</u>	
API Number: 30-025-38550 OCD Per	mit Number: P1 - P012D
	Range 37F. County. Lea
Center of Proposed Design: Latitude 32.389005°N Long	
Surface Owner. X Federal State Private Tribal Trust or Indian Alle	otment
Pit: Subsection F or G of 19.15 17 11 NMAC	X Closed-loop System: Subsection II of 19.15.17.11 NMAC
Temporary: X Driling  Workover	☐ Drying Pad X Tanks X Haul-off Bins ☐ Other
Permanent Emergency Cavitation X Steel Pit	Lined Unlined
☐ Lined ☐ Unlined	Liner type: Thickness inilLLDPE HDPE PVC
Liner type: ThicknessmilLLDPE HDPE PVC	☐ Other
Other String-Reinforced	Seams: Welded Factory Other
Seams: Welded Factory Other	Volume: bhi yd <sup>1</sup>
Volumebbl Dimensions: Ix Wx D  Below-grade tank: Subsection I of 19.15.1711 NMAC	Dimensions: Length x Width  Fencing: Subsection D of 19.15 17.11 NMAC
Below-grade tank: Subsection I of 19.15.17 11 NMAC	Fencing: Subsection D of 19.15 17.11 NMAC
Volume bbl	☐ Chain link, six feet in height, two strands of barbed wire at top
Type of fluid.	Four foot height, four strands of harbed wire evenly spaced between one and
Tank Construction material:	four feet
Secondary containment with leak detection	Netting: Subsection E of 19.15.17 11 NMAC
☐ Visible sidewalls, liner, 6-mch lift and automatic overflow shut-off	Screen Netting Other
☐ Visible sidewalls and liner	☐ Monthly inspections
☐ Visible sidewalls only	Signs: Subsection C of 19.15 17.11 NMAC
Other	12'x24', 2' lettering, providing Operator's name, site location, and
Liner type: Thicknessmil	emergency telephone numbers
Other _	Signed in compliance with 19.15.3 103 NMAC
Alternative Method: Submitted of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration	Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.
of approval.	Please check a bax if one or more of the following is requested, if not leave blank:  Administrative approval(s). Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.  Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval
	21

	Stting Criteria (regarding permitting): 19.15.17.10 NMAC [Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.	
Sittlement and statement	Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search: USGS, Data obtained from nearby wells	☐ Yes ☐ No
,	Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Ycs No
	Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tunks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
	Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA
	Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site	Yes No
	Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
	Within 500 feet of a wotland.  - US I'ish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
	Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
	Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map	Yes No
	Within a 100-year floodplain FEMA map	Yes No
~	Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15 17.9 N  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the docuttached.    Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC   Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17 10 NMAC   Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	cuments are
	Previously Approved Design (attach copy of design) API Number or Permit Number:	*
	Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached.  Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19 15.17 10 2  Design Plan - based upon the appropriate requirements of 19 15 17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	19 15 17 9
		i i

Permanent Pits Permit Application Checklist: Subsection B of 19.15 17.9 NMAC	
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that	the documents are
uttached.   Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15 17.9 NMAC	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
Climatological Factors Assessment	
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15 17.11 NMAC	
Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC	
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC	
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC	
Quality Control/Quality Assurance Construction and Installation Plan	
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
Treeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan  Emergency Response Plan	
☐ Oil Field Waste Stream Characterization	
Monitoring and Inspection Plan	
☐ Brosion Control Plan	
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Proposed Closure: 19.15 17.13 NMAC	<del></del>
; "	
Type: XDrilling Workover Emergency Cavitation Permanent Pit Below-grade Tank X Closed-loop System	1  Alternative
Proposed Closure Method.  Waste Excavation and Removal	
Waste Removal (Closed-loop systems only)	
<ul> <li>On-site Closure Method (Only for temporary pits and closed-loop systems)</li> </ul>	
In-place Burial On-site Trench Burial	
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau fo	or consideration)
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC	
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable	
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval fr the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau	
office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15,17,1	
NMAC for guidance.	,
Ground water is less than 50 feet below the bottom of the buried waste	Yes No
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtained from nearby wells	□ NA
10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Ground water is between 50 and 100 feet below the bottom of the buried waste  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
1 MM Office of the State Engineer - TWATERS database search; USUS; Data obtained from hearby wells	□ NA
Ground water is more than 100 feet below the bottom of the buried waste.	Yes No
- NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells	NA NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or plays	Yes No
lake (measured from the ordinary high-water mark).	
- Topographic map; Visual inspection (certification) of the proposed site	'
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No
- Visual inspection (certification) of the proposed site, Aerial photo. Satellite image	103 (1.10
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock	Yes No
watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application	L.
- NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	
adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	☐ Yes ☐ No
- Written confirmation or verification from the municipality, Written approval obtained from the municipality	
Within 500 feet of a wetland.	Yes No
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	
Within the area overlying a subsurface mine	
Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
and thinked thistion	ı
Within an unstable area.	i
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No
Society, Topographic map	
Within a 100-year floodning	
Within a 100-year floodplain - FEMA map	Yes No
e marion a carage	1 1

Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be uttached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19 15.17.13 NMAC
☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17.13 NMAC ☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17.13 NMAC
Waste Removal Closure For Closed-loop Systems That Utilize Haul-off Bins Only: (19.15.17.13 D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings.
Disposal Facility Name: Sundance Disposal Disposal Facility Permit Number: NM-01-0003  On-Site Closure Plan Checklist: (19.15 17.13 NMAC) Instructions: Euch of the following items must be attached to the closure plan. Please indicate,
On-Site Closure Plan Checklist: (19.15 17.13 NMAC) Instructions: Euch of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Construction and Design of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15 17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC
Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Linda L. Brown Title. Regulatory Analyst
Signature ( Zvida Dusum) Date: July 9, 2008
e-mail address: lbrown@rangeresources com Telephone (817) 869-4145
OCD Approval: Permit Application (including closure plan) Closure Plan (only)
OCD Approval: Permit Application (including closure plan) Closure Plan (only)  OCD Representative Signature: Approval Date: 7/15/05
OCD Representative Signature:  Approval Date: 7/15/88  Title: OCD Permit Number: P1- D5 120
OCD Representative Signature:  Approval Date: 7/15/85  Title: OCD Permit Number: P1-DD 12D  Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC  Closure Completion Date: 9/25/08
OCD Representative Signature:    Approval Date: 7/15/85
OCD Representative Signature:    Approval Date:
OCD Representative Signature:    Approval Date:   1/5/85
OCD Representative Signature:    Approval Date:
OCD Representative Signature:    Approval Date:   1/5/05    Title:     OCD Permit Number:   Pl - DD 12D
OCD Representative Signature:    Approval Date: