

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
310 Old Santa Fe Trail, Room 206
Santa Fe, New Mexico 87503

WELL API NO.
30-025-36272

5. Indicate Type of Lease
STATE ☐ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name
Fort21

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE 'APPLICATION FOR PERMIT'
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
OIL WELL ☐ GAS WELL ☒ OTHER ☐

2. Name of Operator
Pecos Production Company

8. Well No. 1

3. Address of Operator
400 W. Illinois, Ste 1070, Midland Texas 79701

9. Pool name or Wildcat
Wildcat

4. Well Location
Unit Letter G : 2310 Feet From The North Line and 1978 Feet From The East Line
Section 21 Township 14S Range 34E NMPM Lea County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)
4124' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Rig up P&A equipment. Dig and line work pit. NU BOP.
2. Set CIBP @ 13450'. Circulate hole w/ 9.5# mud. Spot 25 sx. on CIBP
3. Spot 30 sx. from 12,700-12,800
4. Spot 30 sx. from 9,900'-10,000'
5. Spot 30 sx cement from 6,900'-7,000'.
6. Spot 30 sx. from 4,450'-4,550'. Tag (shoe plug)
7. Cut and pull 5-1/2" casing from 4000'. Spot 40 sx. plug 50' in and out of casing stub. Tag
8. Spot 45 sx cement from 1800'-1900'
9. Spot 40 sx. cement from 355'-455'. Tag
10. Cut off wellhead. Spot 10 sx. surface plug. Install P&A marker



I hereby certify that the information shown is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE

DATE 12/04/03

TYPE OR PRINT NAME

TELEPHONE NO. 432-620-8480

(This space for State Use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:


PETROLEUM ENGINEER

DEC 08 2003

WELL NAME AND NUMBER

Fort 21 Well No. 1
Pecos Production Company
Lea County, New Mexico

WELLBORE CONFIGURATION



WELL NAME AND NUMBER

Fort 21 Well No. 1
Pecos Production Company
Lea County, New Mexico
Proposed Plugging

WELLBORE CONFIGURATION

Dry hole marker
10 sx. surface

355-455- Tag
40 sx.

Rustler
1800-1900
45 sx

Casing cut at 4000'
3950-4050- Tag
40 sx.

4450-4550- Tag
30 sx.

6,900-7,000
30 sx.

9,900-10,000
30 sx

12,700-12,800
30 sx.

CIBP @ 13,450'
w/ 25 sx. cement

13-3/8" @ 405'. TOC @ surface.

9-5/8" @ 4500'. TOC @ surface

TOC (5-1/2") = 4000' (estimated)

DV @ 10,320'

Perfs:

12,884-12,900 (Squeezed w/ 200 sx)

13,318-13,346 (Squeezed)

Missippian: 13, 510-13,734 (selective)

TD = 13,838

5-1/2" @ 13,834' (Drilled 7-7/8" OH)
cmt w/ 450 sx. (1st stage) and 1200 sx. (2nd stage)