

Submit 3 Copies To Appropriate District Office
District I
1625 N French Dr, Hobbs, NM 88240
District II
1301 W Grand Ave, Artesia, NM 88210
District III
1000 Rio Brazos Rd, Aztec, NM 87410
District IV
1220 S St. Francis Dr, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
June 19, 2008

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-02526884
5. Indicate Type of Lease STATE ☐ FEE ☒ Fed
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Eunice Brine Well
8. Well Number 1
9. OGRID Number 246368
10. Pool name or Wildcat BSW: Salado

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other Brine
2. Name of Operator Basic Energy Services
3. Address of Operator P.O. Drawer 1869 Eunice 88231
4. Well Location Unit Letter 0 : 630 feet from the S line and 2427 feet from the E line Section 34 Township 21 S Range 37 E NMPM County Lea
11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: **5 year MIT & Sonar** ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ PLUG AND ABANDON ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Drilled with 3 1/2 tubing and bit to TD. Sonar tool would not go to bottom. Came out of hole and went back in with 4 1/2 casing got almost to bottom and twisted off 1 joint & bit. Came out of hole with casing and went back with 4 1/2 hy drill tubing and drilled to TD. Shot bit off and run Sonar tool. Completed Sonar. Run back in to TD with new 2 3/8" tubing. Put back & Production

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE

DATE

Type or print name

E-mail address:

PHONE

For State Use Only

APPROVED BY:

TITLE

DATE

Conditions of Approval (if any):

Accepted for Record!

SONARWIRE INC.
Depth versus Volume

BASIC ENERGY SERVICES
EUNICE BRINE NO. 1


EUNICE, NM
Wed, Feb 04, 2009

Depth	Cubic ft. per ft.	Cubic ft. total	Barrels per ft.	Barrels total
1445	5.7	28.7	1.0	5.1
1450	6.3	60.2	1.1	10.7
1455	6.9	94.7	1.2	16.9
1460	7.5	132.2	1.3	23.6
1465	8.2	173.1	1.5	30.8
1470	7.2	209.0	1.3	37.2
1475	965.8	5038.0	172.0	897.3
1480	8461.4	47345.2	1507.0	8432.6
1485	7268.0	83685.1	1294.5	14905.0
1490	764.4	87507.0	136.1	15585.7
1495	40.3	87708.6	7.2	15621.6
1500	44.1	87929.1	7.9	15660.9
1505	1.8	87938.2	0.3	15662.5
1510	3.8	87957.0	0.7	15665.8
1515	3.9	87976.4	0.7	15669.3
1520	3.6	87994.5	0.6	15672.5
1525	6.1	88025.1	1.1	15678.0
1530	5.0	88050.3	0.9	15682.4
1535	4.3	88071.8	0.8	15686.3
1540	5.0	88096.8	0.9	15690.7
1545	1.9	88106.1	0.3	15692.4
1550	6.9	88140.6	1.2	15698.5
1555	2.0	88150.5	0.4	15700.3
1560	2.3	88162.1	0.4	15702.4
1565	2.4	88174.0	0.4	15704.5
1570	6.3	88205.4	1.1	15710.1
1575	6.8	88239.4	1.2	15716.1
1580	6.8	88273.3	1.2	15722.2
1585	6.8	88307.2	1.2	15728.2
1590	6.8	88341.1	1.2	15734.2
1595	6.8	88375.1	1.2	15740.3
1600	558.2	91166.2	99.4	16237.4
1605	1235.9	97345.9	220.1	17338.0
1610	872.3	101707.5	155.4	18114.9
1615	963.6	106525.6	171.6	18973.0
1620	852.6	110788.6	151.9	19732.3
1625	548.4	113530.9	97.7	20220.7
1630	278.1	114921.5	49.5	20468.4
1635	466.2	117252.8	83.0	20883.6
1640	405.3	119279.3	72.2	21244.6
1645	3.1	119295.0	0.6	21247.4
1650	1.3	119301.4	0.2	21248.5
1655	3.0	119316.2	0.5	21251.1
1660	5.7	119344.7	1.0	21256.2
1665	80.3	119746.3	14.3	21327.7
1666	134.3	119880.6	23.9	21351.7

BASIC ENERGY SERVICES
EUNICE, NM
EUNICE BRINE NO. 1

SONARWIRE, INC
Max Range vs Bearing

Max Radius=137.6 ft @ 250.3 deg
Depth= 1476 ft. Wed, Feb 04, 2009



1 inch = 50.0 ft.
160 140 120 100 80 60 40 20 0 20 40 60 80 100 120 140 160

