
RECEIVED

OCD-HOBBS

m 3160-5 FEB 2.5 2000 UNITED STATES ril 2004) FEB 2.5 2000 UNITED STATES HOBBSOCRYREAU OF LAND MANAGEMENT	FORM APPROVED
HOBBSOCEUREAU OF LAND MANAGEMENT	OM B No 1004-0137 Expires March 31, 2007
SUNDRY NOTICES AND REPORTS ON WELLS	5 Lease Senal No
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160 - 3 (APD) for such proposals.	6 If Indian, Allottee or Tribe Name
SUBMIT IN TRIPLICATE- Other instructions on reverse side.	7 If Unit or CA/Agreement, Name and/or No NM Federal Unit
Type of Well Gas Well Other Other	8. Well Name and No
Name of Operator ConocoPhillips Company	Britt B #5 9 API Well No
Address 3b. Phone No (include area code)	3002506104
001 Penbrook, Suite 351, Odessa, Texas 79762 432-368-1268 Location of Well (Footage, Sec., T., R., M., or Survey Description)	10 Field and Pool, or Exploratory Area Eunice: Monument Gray bu
Section 15, T-20-S, R-37-E, Lea County, New Mexico Unit K 1980 FSL & 1530 FWL	11 County or Parish, State Lea County, New Mexico
12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE,	REPORT OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION	ica dai, da dinas bini
Acidize Deepen Production (S Notice of Intent Alter Casing Fracture Treat Reclamation	Start/Resume)
Subsequent Report Casing Repair New Construction Recomplete	Other Construct new power.
Subsequent Report Change Plans Plug and Abandon Temporarily A Convert to Injection Plug Back Water Dispose	
Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA Required following completion of the involved operations. If the operation results in a multiple completion or recompletion testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including recla determined that the site is ready for final inspection.)	n in a new interval, a Form 3160-4 shall be filed once
Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA Required following completion of the involved operations. If the operation results in a multiple completion or recompletion testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclaims.	ured subsequent reports shall be filed within 30 days n in a new interval, a Form 3160-4 shall be filed once imation, have been completed, and the operator has
Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA Requ following completion of the involved operations. If the operation results in a multiple completion or recompletion testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including recla determined that the site is ready for final inspection.) ConocoPhillips Company request permission to install 2 spans of power line associated with the I	ured subsequent reports shall be filed within 30 days n in a new interval, a Form 3160-4 shall be filed once imation, have been completed, and the operator has
Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA Requ following completion of the involved operations. If the operation results in a multiple completion or recompletion testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including recla determined that the site is ready for final inspection.) ConocoPhillips Company request permission to install 2 spans of power line associated with the I	ured subsequent reports shall be filed within 30 days n in a new interval, a Form 3160-4 shall be filed once imation, have been completed, and the operator has
Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA Requ following completion of the involved operations. If the operation results in a multiple completion or recompletion testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including recla determined that the site is ready for final inspection.) ConocoPhillips Company request permission to install 2 spans of power line associated with the I	ured subsequent reports shall be filed within 30 days n in a new interval, a Form 3160-4 shall be filed once imation, have been completed, and the operator has
Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA Requ following completion of the involved operations. If the operation results in a multiple completion or recompletion testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including recla determined that the site is ready for final inspection.) ConocoPhillips Company request permission to install 2 spans of power line associated with the I	ured subsequent reports shall be filed within 30 days n in a new interval, a Form 3160-4 shall be filed once imation, have been completed, and the operator has
Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA Requiped following completion of the involved operations. If the operation results in a multiple completion or recompletion testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including recla determined that the site is ready for final inspection.) ConocoPhillips Company request permission to install 2 spans of power line associated with the Inspection.	ured subsequent reports shall be filed within 30 days n in a new interval, a Form 3160-4 shall be filed once imation, have been completed, and the operator has
Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA Requiped following completion of the involved operations. If the operation results in a multiple completion or recompletion testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including recla determined that the site is ready for final inspection.) ConocoPhillips Company request permission to install 2 spans of power line associated with the Inspection.	ured subsequent reports shall be filed within 30 days n in a new interval, a Form 3160-4 shall be filed once imation, have been completed, and the operator has
Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA Requ following completion of the involved operations. If the operation results in a multiple completion or recompletion testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including recla determined that the site is ready for final inspection.) ConocoPhillips Company request permission to install 2 spans of power line associated with the I	ured subsequent reports shall be filed within 30 days n in a new interval, a Form 3160-4 shall be filed once imation, have been completed, and the operator has
Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA Required following completion of the involved operations. If the operation results in a multiple completion or recompletion testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including recla determined that the site is ready for final inspection.) ConocoPhillips Company request permission to install 2 spans of power line associated with the Indepicted on the attached drawing. 1 Thereby certify that the foregoing is true and correct Name (Printed/Typed)	ured subsequent reports shall be filed within 30 days n in a new interval, a Form 3160-4 shall be filed once imation, have been completed, and the operator has
Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA Requiped following completion of the involved operations. If the operation results in a multiple completion or recompletion testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including recladetermined that the site is ready for final inspection.) ConocoPhillips Company request permission to install 2 spans of power line associated with the Edepicted on the attached drawing. 4. Thereby certify that the foregoing is true and correct Name (Printed/Typed) Todd Tredaway Title Contract Agent	ured subsequent reports shall be filed within 30 days n in a new interval, a Form 3160-4 shall be filed once imation, have been completed, and the operator has
Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA Required following completion of the involved operations. If the operation results in a multiple completion or recompletion testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including recladetermined that the site is ready for final inspection.) ConocoPhillips Company request permission to install 2 spans of power line associated with the Indepicted on the attached drawing. I hereby certify that the foregoing is true and correct Name (Printed/Typed) Todd Tredaway Title Contract Agent Signature Date /-/4-0-9	ared subsequent reports shall be filed within 30 days in a new interval, a Form 3160-4 shall be filed once imation, have been completed, and the operator has aritt B #5. The power line route is generally
Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA Requiped following completion of the involved operations. If the operation results in a multiple completion or recompletion testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including recladetermined that the site is ready for final inspection.) ConocoPhillips Company request permission to install 2 spans of power line associated with the Indepicted on the attached drawing. 4. I hereby certify that the foregoing is true and correct Name (Printed/Typed) Todd Tredaway Title Contract Agent Date 1-14-09 THIS SPACE FOR FEDERAL OR STATE OFFICE	ared subsequent reports shall be filed within 30 days in a new interval, a Form 3160-4 shall be filed once imation, have been completed, and the operator has shift B #5. The power line route is generally
Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA Required following completion of the involved operations. If the operation results in a multiple completion or recompletion testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including recla determined that the site is ready for final inspection.) ConocoPhillips Company request permission to install 2 spans of power line associated with the Edepicted on the attached drawing. Thereby certify that the foregoing is true and correct Name (Printed/Typed) Todd Tredaway Title Contract Agent Date 1-14-09 THIS SPACE FOR FEDERAL OR STATE OFFICE	EUSE BINETP Date FEB 2 6 200
Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA Required following completion of the involved operations. If the operation results in a multiple completion or recompletion testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including recla determined that the site is ready for final inspection.) ConocoPhillips Company request permission to install 2 spans of power line associated with the Edepicted on the attached drawing. Thereby certify that the foregoing is true and correct Name (Printed/Typed) Todd Tredaway Title Contract Agent Date 1-14-09 THIS SPACE FOR FEDERAL OR STATE OFFICE	ared subsequent reports shall be filed within 30 days in a new interval, a Form 3160-4 shall be filed once imation, have been completed, and the operator has shift B #5. The power line route is generally



LESSER PRAIRIE-CHICKENS

No surface use is allowed during the following time periods; unless otherwise specified, this stipulation does not apply to operation and maintenance of production facilities.

For the purpose of: Protecting Lesser Prairie-Chickens: All of Section 15; Township 20 South, Range 37 East; and Section 29; Township 20 South, Range 38 East.

Oil and gas activities, including 3-D geophysical exploration and drilling, will not be allowed in lesser prairie-chicken habitat during the period from March 1st through June 15th, annually. During that period, other activities that produce noise or involve human activity, such as the maintenance of oil and gas facilities, geophysical exploration other than 3-D operations, and pipeline, road, and well pad construction, will be allowed except between 3:00 am and 9:00 am. The 3:00 am to 9:00 am restriction will not apply to normal, around-the-clock operations, such as venting, flaring, or pumping, which do not require a human presence during this period. Additionally, no new drilling will be allowed within up to 200 meters of leks known at the time of permitting. Normal vehicle use on existing roads will not be restricted. Exhaust noise from pump jack engines must be muffled or otherwise controlled so as not to exceed 75 db measured at 30 ft. from the source of the noise.

BLM Serial Number: LC-031621B, LC-031695A Company Reference: Conoco Phillips Company Well No. & Name: Britt B # 5, and SEMU-McKee Federal # 60

STANDARD STIPULATIONS FOR OVERHEAD ELECTRIC DISTRIBUTION LINES

A copy of the APD and attachments, including stipulations, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

- 1. The holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.
- 2. The holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR, Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR, Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.
- 3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, et seq. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, et seq.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.
- 4. There will be no clearing or blading of the right-of-way unless otherwise agreed to in writing by the Authorized Officer.
- 5. Powerlines shall be constructed in accordance to standards outlined in "Suggested Practices for Raptor Protection on Powerlines," Raptor Research Foundation, Inc., 1981. The holder shall assume the burden and expense of proving that pole designs not shown in the above publication are "raptor safe." Such proof shall be provided by a raptor expert approved by the Authorized Officer. The BLM reserves the right to require modification or additions to all powerline structures placed on this right-of-way, should they be necessary to ensure the safety of large

perching birds. Such modifications and/or additions shall be made by the holder without liability or expense to the United States.

- 6. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting the fence. No permanent gates will be allowed unless approved by the Authorized Officer.
- 7. The BLM serial number assigned to this authorization shall be posted in a permanent, conspicuous manner where the power line crosses roads and at all serviced facilities. Numbers will be at least two inches high and will be affixed to the pole nearest the road crossing and at the facilities served.
- 8. Upon cancellation, relinquishment, or expiration of this grant, the holder shall comply with those abandonment procedures as prescribed by the Authorized Officer.
- 9. All surface structures (poles, lines, transformers, etc.) shall be removed within 180 days of abandonment, relinquishment, or termination of use of the serviced facility or facilities or within 180 days of abandonment, relinquishment, cancellation, or expiration of this grant, whichever comes first. This will not apply where the power line extends service to an active, adjoining facility or facilities.
- 10. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

11. Special Stipulations:

- For reclamation remove poles, lines, transformer, etc. and dispose of properly.
- Fill in any holes from the poles removed.
- See attached reclamation plans.
- See attached Lesser-prairie chicken timing requirements.

BLM Serial #: LC-031621B, LC-031695A Company Reference: Conoco Phillips Company Well Name and Number: Britt B # 5, and SEMU-McKee Federal # 60

Seed Mixture for LPC Sand/Shinnery Sites

The holder shall seed all disturbed areas with the seed mixture listed below. The seed mixture shall be planted in the amounts specified in pounds of pure live seed (PLS)* per acre. There shall be <u>no</u> primary or secondary noxious weeds in the seed mixture. Seed will be tested and the viability testing of seed will be done in accordance with State law(s) and within nine (9) months prior to purchase. Commercial seed will be either certified or registered seed. The seed container will be tagged in accordance with State law(s) and available for inspection by the authorized officer.

Seed will be planted using a drill equipped with a depth regulator to ensure proper depth of planting where drilling is possible. The seed mixture will be evenly and uniformly planted over the disturbed area (smaller/heavier seeds have a tendency to drop the bottom of the drill and are planted first). The holder shall take appropriate measures to ensure this does not occur. Where drilling is not possible, seed will be broadcast and the area shall be raked or chained to cover the seed. When broadcasting the seed, the pounds per acre are to be doubled. The seeding will be repeated until a satisfactory stand is established as determined by the authorized officer. Evaluation of growth will not be made before completion of at least one full growing season after seeding.

Species to be planted in pounds of pure live seed* per acre:

Species	<u>lb/acre</u>
Plains Bristlegr	ass 5lbs/A
Sand Bluestem	5lbs/A
Little Bluestem	3lbs/A
Big Bluestem	6lbs/A
Plains Coreops	is 2lbs/A
Sand Dropseed	
,	As a company of the c

^{**}Four-winged Saltbush

Pounds of seed x percent purity x percent germination = pounds pure live seed

⁵lbs/A

^{*} This can be used around well pads and other areas where caliche cannot be removed.

^{*}Pounds of pure live seed: