

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
June 19, 2008

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-07736
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☐ FEE ☒
2. Name of Operator Chesapeake Operating, Inc. /		6. State Oil & Gas Lease No.
3. Address of Operator P.O. Box 18496 Oklahoma City, OK 73154-0496		7. Lease Name or Unit Agreement Name Fred Turner
4. Well Location Unit Letter P : 660' feet from the South line and 560' feet from the East line Section 6 Township 20S Range 38E NMPM County Lea		8. Well Number 1
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3569' GR		9. OGRID Number 147179
		10. Pool name or Wildcat Monument; Tubb

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Chesapeake Operating, Inc. respectfully request to plug and abandon this well.
Please find attached the plugging procedure, the actual and proposed well bore diagram and NMOCD's C-144 (CLEZ) pit permit.

RECEIVED

MAR 05 2009

HOBBSOCD

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Bryan Arrant TITLE _____ DATE 03/04/2009

Type or print name Bryan Arrant E-mail address: bryan.arrant@chk.com PHONE: (405)935-3782

For State Use Only

APPROVED BY: Larry D. Hill TITLE DISTRICT 1 SUPERVISOR DATE MAR 05 2009

Conditions of Approval (if any):

THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS

Fred Turner 1-6 Lea County, New Mexico Plugging Procedure

Date: March 4, 2009

Location: 660' FSL & 560' FEL Sec. 6, 20S-38E

Production Casing: 5 1/2" 15.5# & 17# Liner set at 7014'

PBTD/TD: 6430' / 9430'

Current Perfs: 6402' - 6422' Tubb

Recommended Procedure:

1. MIRU PU. NDWH/NUBOP.
2. Set CIBP @ 6350' w/ 35' cmt.
3. Fill 5 1/2" Liner with salt gel mud containing 9.5 pound brine and 12.5 lbs of gel per barrel.
4. PUH to ^{5500'} ~~5408'~~. Set 100 sx plug from 5308' ^{5500'} ~~5408'~~. Top of Glorieta plug. WOC. Tag plug.
5. PUH to 4200'. Set 100 sx plug from 4058' ^{4200'} ~~4158'~~. Top of Liner plug. WOC. Tag plug.
6. PUH to 2625'. Set 100 sx plug from 2525' - 2625'. Base of salt plug. WOC. Tag plug.
7. PUH to 1695'. Set 100 sx plug from 1595' - 1695'. Top of salt plug. WOC. Tag plug.
8. PERF Intermediate casing @ 325'. SQZ and fill csg back to surf with cement. POH w/ tbq. Top off csg with cmt.
9. RD and move off. Install dry hole marker and cut off dead men. Restore location.

Contacts

Workover Superintendent

Lynard Barrera
Office: 575-391-1462
Cell: 575-631-4942

Asset Manager

Kim Henderson
Office: 405-935-8583
Cell: 405-312-1840

Production Foreman

Melvin Harper
Office: 575-391-1462
Cell: 575-631-5348



Proposal for Workover

FRED TURNER 1-6

Field: MONUMENT TUBB
County: LEA
State: NEW MEXICO
Location: SEC-6, 20S-38E, 660 FSL & 560 FEL
Elevation: GL 3,569.50 KB 3,582.50
KB Height: 13.00

Spud Date: 3/8/1955
Initial Compl. Date:
API #: 3002507736
CHK Property #: 890253
1st Prod Date: 10/1/1983
PBTD: Original Hole - 6430.0
TD: 9,430.0

