

Submit 3 Copies To Appropriate District Office
 District I
 1625 N French Dr., Hobbs, NM 87240
 District II
 1301 W. Grand Ave., Artesia, NM 88210
 District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 May 27, 2004

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-28613
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator CROWNQUEST OPERATING, LLC		6. State Oil & Gas Lease No. 00 4762
3. Address of Operator 303 Veterans Air Hwy, Lane, Ste. 5100, Midland, TX 79710		7. Lease Name or Unit Agreement Name: STATE 27
4. Well Location Unit Letter A : 990 feet from the NORTH line and 1300 feet from the EAST line Section 27 Township 14-S Range 32-3 NMPM County IEA		8. Well Number 3
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4,317' K B		9. OCiRID Number
Pit or Below-grade Tank Application ☐ or Closure ☐ Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____ Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____		10. Pool name or Wildcat TULK ABO TULK PENN

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data			
NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OP'NS. ☐	PLUG AND ABANDONMENT ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPLETION ☐	CASING TEST AND CEMENT JOB ☐	
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

* SET CIBP @ 9556', CAP W/35' CMT.
 1. Set CIBP @ 8,512'. Cap 35' cmt. Circulate hole w/M.L.F.
 2. Spot 25 sx. cmt. - 7,599' - 7,499'. 6500' 66400'
 3. Cut & pull 4,100' of 5 1/2" csg. * 4150'
 4. Spot 60 sx. cmt. - 4,200' - 4,000'. W.O.C. & tag.
 5. Spot 40 sx. cmt. - 3,439' - 3,339'.
 6. Spot 40 sx. cmt. - 2,534' - 2,434'. W.O.C & tag.
 7. Spot 55 sx. cmt. - 1,900' - 1,650'.
 8. Spot 120 sx. cmt. * 450' - surface. W.O.C. & tag. * 550'

RECEIVED
 MAR 06 2009
 HOBBSOCD

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE *Gary Eggleston* TITLE AGENT DATE 3-6-09
 Type or print name GARY EGGLESTON E-mail address: _____ Telephone No. (432) 530-0907

For State Use Only

APPROVED BY *Gary W. Hill* TITLE DISTRICT 1 SUPERVISOR DATE MAR 09 2009
 Conditions of Approval, if any: _____

NO TO 4

Date Spudded: 04/11/84
4317' KB, 4305' GL

Proposed P&A
CrownQuest Operating, LLC
State "27" #3
990' FNL, 1300' FEL, Sec. 27, T-14-S, R-32-E,
Lea County, NM, API #30-025-28613

17 1/2" Hole →

13 3/8", 61# csg @ 400'. Cmt
w/440 sx CI "C", circ to surface.

11" Hole →

8-5/8", 24# & 28# @ 4100'. Cmt'd
w/2100 sx Lite Cmt and 300 sx CI "C".
Circ to surface.

7 7/8" Hole →

TOC ± 7920' by CBL

Abo Perfs : 8612', 8617', 8620'-8630',
8634'-8640', 8732', 8738', 8744', 8756'-
8764', 8776', 8782'
Acadz w/4000 gals 20% NeFe (11/20/97)

Abo Perfs : 8588'-8952'
Acadz w/4000 gals 15% NeFe (6/28/96)

Abo Perfs: 8879'-8886', 8894'-8904'
Acadz w/3400 gals 15% NeFe (1/10/87)
Re-acadz w/4500 gals 20% NeFe (11/20/97)

Bough "B" & "C" Perfs : 9606'-9764'
Acadz w/4100 gals 15% NeFe (6/28/96)

Bough "B" & "C" Perfs : 9786'-9790',
9797'-9810', 9826'-9829', 9835'-9860'
Acadz 9786'-9810' w/4000 gals 15% NeFe
Acadz 9828'-9880' w/6000 gals 15% NeFe
IP 6/10/84: 383 bo, 310 mcf, 179 bw

5 1/2", 17#, @ 10,000' Cmt'd w/495 sx CI "H".
Cmt did not circ. TOC 7920' by CBL.

TD: 10,000'

PBTD: 9888'

NO TV
Date Spudded: 04/11/84
4317' KB, 4305' GL

Proposed P&A
CrownQuest Operating, LLC

State "27" #3
990' FNL, 1300' FEL, Sec. 27, T-14-S, R-32-E,
Lea County, NM, API #30-025-28613

17 1/2" Hole

13 3/8", 61# csg @ 400'. Cmt
w/440 sx CI "C", circ to surface.

11" Hole

8-5/8", 24# & 28# @ 4100'. Cmt'd
w/2100 sx Lite Cmt and 300 sx CI "C".
Circ to surface.

7 7/8" Hole

120 SX5 CMT 450 TO 504 ACCE TAO

55 SX3 CMT 1900' TO 1650

40 SX5 CMT 2534' TO 2434' TAO

40 SX5 CMT 3439' TO 3339'

60 SX5 CMT 4150' TO 4000' TAO

25 SX5 CMT 7599' TO 7499'

TOC ± 7920' by CBL

CIBP, 8512' Cased 3.5' CMT

Abo Perfs : 8612', 8617', 8620'-8630',
8634'-8640', 8732', 8738', 8744', 8756'-
8764', 8776', 8782'
Acidz w/4000 gals 20% NeFe (11/20/97)

Abo Perfs : 8888'-8952'
Acidz w/4000 gals 15% NeFe (6/28/96)

Abo Perfs: 8879'-8886', 8894'-8904'
Acidz w/3400 gals 15% NeFe (1/10/87)
Re-acidz w/4500 gals 20% NeFe (11/20/97)

Bough "B" & "C" Perfs : 9606'-9764'
Acidz w/4100 gals 15% NeFe (6/28/96)

Bough "B" & "C" Perfs : 9786'-9790',
9797'-9810', 9826'-9829', 9835'-9860'
Acidz 9786'-9810' w/4000 gals 15% NeFe
Acidz 9828'-9880' w/6000 gals 15% NeFe
IP 8/10/84: 383 bo, 310 mcf, 179 bw

TD: 10,000'

PBTD: 9888'

5 1/2", 17# @ 10,000' Cmt'd w/485 sx CI "H".
Cmt did not circ. TOC 7920' by CBL.

Drawn by: DLR, 3/09