

Submit 3 Copies To Appropriate District

Office

District I

1625 N. French Dr., Hobbs, NM 87240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico

Energy, Minerals and Natural Resources

Form C-103

May 27, 2004

RECEIVED

OIL CONSERVATION DIVISION

MAR 05 2009 1220 South St. Francis Dr.

HOBBSOCD Santa Fe, NM 87505

WELL API NO.

30-025-11164

5. Indicate Type of Lease

STATE ☐FEE ☒

6. State Oil &amp; Gas Lease No.

7. Lease Name or Unit Agreement Name:

Thomas A

8. Well Number

2

9. OGRID Number

192463

10. Pool name or Wildcat

Jalmat Tansill-Yates-7Rvrs

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

OXY USA WTP Limited Partnership

3. Address of Operator

P.O. Box 50250 Midland, TX 79710-0250

4. Well Location

Unit Letter G : 2310 feet from the north line and 2210 feet from the east lineSection 19 Township 24S Range 37E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3293'

Pit or Below-grade Tank Application ☐ or Closure ☐Pit type Steel Depth to Groundwater 150' Distance from nearest fresh water well \_\_\_\_\_ Distance from nearest surface water \_\_\_\_\_

Pit Liner Thickness: \_\_\_\_\_ mil Below-Grade Tank: Volume \_\_\_\_\_ bbls; Construction Material \_\_\_\_\_

## 12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒TEMPORARILY ABANDON ☐ CHANGE PLANS ☐PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐OTHER: ☐

## SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐CASING TEST AND CEMENT JOB ☐OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-3680' PBTD-3487' OH-2870-3487'

8-5/8" 24# csg @ 1204' w/625sx, 11" hole, TOC-Surf-Circ

5-1/2" 14# csg @ 2870' w/250sx, 7-7/8" hole, TOC-1282'-Calc

1. RIH &amp; Set CIBP @ 2820', M&amp;P 25sx cmt to 2720'

2. Perf @ 1254', sqz 45sx cmt to 1154' - WOC + TAG

3. Perf @ 200', sqz 85sx cmt to Surface

Circulate 10# MLF between plugs

CIRC. MLF

The Oil Conservation Division **Must be notified 24 hours prior** to the beginning of plugging operations.I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐SIGNATURE David Stewart TITLE Sr. Regulatory Analyst DATE 3/2/09

E-mail address:

Type or print name David Stewart

Telephone No. 432-685-5717

## For State Use Only

APPROVED BY Tammy M. Hill TITLE DISTRICT 1 SUPERVISOR DATE MAR 09 2009

Conditions of Approval, if any:

OXY USA WTP LP - Proposed  
Thomas A #2  
API No. 30-025-11164


**85sx @ 200'-Surface**

**45sx @ 1254-1154'**

**CIBP @ 2820' w/ 25sx**

PBTD-3487'

TD-3680'



**Perf @ 200'**

**Perf @ 1254'**

11" hole @ 1204'  
8-5/8" csg @ 1204"  
w/625sx-TOC-Surf-Circ

7-7/8" hole @ 2870'  
5-1/2" csg @ 2870'  
w/250sx-TOC-1282'-Calc

4-3/4" OH 2870-3487'

OXY USA WTP LP  
Thomas A #2  
API No. 30-025-11164

11" hole @ 1204'  
8-5/8" csg @ 1204"  
w/625sx-TOC-Surf-Circ

7-7/8" hole @ 2870'  
5-1/2" csg @ 2870'  
w/250sx-TOC-1282'-Calc

4-3/4" OH 2870-3487'

PBTD-3487'

TD-3680'