

Submit To Appropriate District Office Two Copies District I 1625 N French Dr, Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd, Aztec, NM 87410 District IV 1220 S St Francis Dr, Santa Fe, NM 87505		State of New Mexico RECEIVED Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 HOBBS				Form C-105 July 17, 2008			
		1. WELL API NO. 30-025-38639		2. Type of Lease <input checked="" type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN		3. State Oil & Gas Lease No.			
WELL COMPLETION OR RECOMPLETION REPORT AND LOG									
4. Reason for filing <input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33, attach this and the plat to the C-144 closure report in accordance with 19.15.17 13.K NMAC)				5. Lease Name or Unit Agreement Name CENTRAL VACUUM UNIT					
				6. Well Number. 457					
7. Type of Completion: <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER INJECTION									
8. Name of Operator CHEVRON U S A INC				9. OGRID 4323					
10. Address of Operator 15 SMITH ROAD, MIDLAND, TEXAS 79705				11. Pool name or Wildcat VACUUM GRAYBURG SAN ANDRES - 62180					
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line		
Surface:	G	36	17-S	34-E		1593	NORTH		
BH:									
13. Date Spudded 10-30-08	14. Date T D. Reached 11-13-08	15. Date Rig Released 12-30-08		16. Date Completed (Ready to Produce) 12-12-08		17. Elevations (DF and RKB, RT, GR, etc) 3998' GL			
18. Total Measured Depth of Well 5026'		19. Plug Back Measured Depth 4927'		20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run PLATFORM EXP, GR			
22. Producing Interval(s), of this completion - Top, Bottom, Name 4396-4778 GRAYBURG									
23. CASING RECORD (Report all strings set in well)									
CASING SIZE	WEIGHT LB /FT	DEPTH SET		HOLE SIZE		CEMENTING RECORD	AMOUNT PULLED		
8 5/8"	24#	1516'		11"		1160 SX	540 SX CIRC		
5.5"	17#	5026'		7.785"		1300 SX	225 SX CIRC		
24. LINER RECORD									
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	25. TUBING RECORD				
					SIZE	DEPTH SET	PACKER SET		
					2 7/8"	4344'			
26. Perforation record (interval, size, and number) 4752-4770, 4774-4778, 4712-4718, 4725-4730, 4734-4738, 4742-4745, 4678-4688, 4692-4702, 4705-4707 4396-4496				27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 4678-4778 ACIDIZE W/6000 GALS 15% HCL 4396-4496 ACIDIZE W/5000 GALS 15% HCL					
28. PRODUCTION									
Date First Production 01-08-09 (WATER), 01-23-09 GAS		Production Method (Flowing, gas lift, pumping - Size and type pump) INJECTING			Well Status (Prod or Shut-in) PROD Injecting				
Date of Test 1-21-09	Hours Tested 24 HRS	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF 614 BBLS @ 4355 PSI (GAS)	Water - Bbl. 1575 BBLS @ 780 PSI	Gas - Oil Ratio		
Flow Tubing Press	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl	Gas - MCF	Water - Bbl	Oil Gravity - API - (Corr.)			
29. Disposition of Gas (Sold, used for fuel, vented, etc)						30. Test Witnessed By			
31. List Attachments									
NOTARIZED DEVIATION REPORT									
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit									
33. If an on-site burial was used at the well, report the exact location of the on-site burial									
Latitude				Longitude		NAD 1927 1983			
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief									
Signature <i>Denise Pinkerton</i>				Printed Name DENISE PINKERTON Title REGULATORY SPECIALIST Date 02-19-2009					
E-mail Address leakejd@chevron.com									

WFY-835

KZ

CVU #457

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	1503	T. Canyon	T. Penn A"
T. Salt	1629	T. Strawn	T. Penn. "B"
B. Salt	2614	T. Atoka	T. Penn. "C"
T. Yates	2782	T. Miss	T. Penn. "D"
T. 7 Rivers	3113	T. Devonian	T. Leadville
T. Queen	3688	T. Silurian	T. Madison
T. Grayburg	4039	T. Montoya	T. Elbert
T. San Andres	4334	T. Simpson	T. McCracken
T. Glorieta		T. McKee	T. Ignacio Otzte
T. Paddock		T. Ellenburger	T. Granite
T. Blinebry		T. Gr. Wash	
T. Tubb		T. Delaware Sand	
T. Drinkard		T. Bone Springs	
T. Abo		T.	
T. Wolfcamp		T.	
T. Penn		T.	
T. Cisco (Bough C)		T.	

**OIL OR GAS
SANDS OR ZONES**

No. 1, from.....to..... No. 3, from.....to.....
 No. 2, from.....to..... No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
------	----	----------------------	-----------	------	----	----------------------	-----------

SUR	1503		RED BEDS					
1503	1629		ANHYDRITE					
1629	2614		SALT					
2614	2782		ANHYDRITE, DOLOMITE					
2782	3113		SAND, DOLO, ANHYDRITE					
3113	3688		ANHYDRITE, DOLO, SAND					
3688	4039		SAND, DOLO, ANHYDRITE					
4039	TD		DOLOMITE					