State of New Mexico District I District III

FEB 26 2009 Oil Conservation Division 1220 South St. Francis Dr.

1220 S St Francis Dr , Santa Fe, NM 8750510BBSOCD

1000 Rio Brazos Road, Aztec, NM 87410

District III

Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Proposed Alternative Method Permit or Closure Plan Application
Type of action:    Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method   Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method   Modification to an existing permit   Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
Operator: John H. Hendrix Corporation OGRID #. 012024
Address: P. O. Box 3040 Midland, TX 79702-3040
Facility or well name New Mexico "AB" State #3
API Number 30-025-24573 OCD Permit Number: P1-0098[
U/L or Qtr/QtrISection16Township24Range37ECounty:Lea
Center of Proposed Design Latitude Longitude NAD
Surface Owner:  Federal  State  Private  Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19 15.17 11 NMAC   Temporary   Drilling   Workover   Permanent   Emergency   Cavitation   P&A   Lined   Unlined Liner type. Thickness   mil   LLDPE   HDPE   PVC   Other   String-Reinforced   Liner Seams:   Welded   Factory   Other   Volume.   bbl Dimensions. L   x W   x D     String-Reinforced   Type of Operation   P&A   Drilling a new well   Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)   Drying Pad   Above Ground Steel Tanks   Haul-off Bins   Other   Vacuum Truck   Lined   Unlined Liner type. Thickness   mil   LLDPE   HDPE   PVC   Other
Liner Seams: Welded Factory Other
Below-grade tank: Subsection I of 19.15 17.11 NMAC  Volume:
Alternative Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

6			
Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)  Chain link six feet in height, two strands of barbed wire at top (Paguing di Charted with 1900 C. 1900 C			
☐ Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school institution or church) ☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet	ol, hospital,		
Alternate. Please specify			
New St. C. D. Cloud Brown			
Netting: Subsection E of 19.15 17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other			
Monthly inspections (If netting or screening is not physically feasible)			
Signs: Subsection C of 19 15 17.11 NMAC			
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers			
Signed in compliance with 19.15 3 103 NMAC			
Administrative Approvals and Exceptions:	,		
Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank:			
Administrative approval(s). Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval.	office for		
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.			
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accernate are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	opriate district		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank - NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells	☐ Yes ☐ No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  Visual inspection (certification) of the proposed site; Aerial photo; Satellite image			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978. Section 3-27-3, as amended  - Written confirmation or verification from the municipality; Written approval obtained from the municipality			
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No		
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society; Topographic map	☐ Yes ☐ No		
Vithin a 100-year floodplain FEMA map	☐ Yes ☐ No		

File a second of the Co

II.
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17 9 NMAC
and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
12.
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are
mucheu,
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15.17 10 NMAC  Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC  Operating Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 10.15.17.0 NMAC
and 19 15.17 13 NMAC
Previously Approved Design (attach copy of design)  API Number
Previously Approved Operating and Maintenance Plan API Number (Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
2 - Closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15 17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are indicated.    Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15 17.9 NMAC   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC   Climatological Factors Assessment   Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC   Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Quality Control/Quality Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC   Quality Control/Quality Assurance Construction and Installation Plan   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC   Treeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15 17.11 NMAC   Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan   Gilf Field Waste Stream Characterization   Monitoring and Inspection Plan   Erosion Control Plan   Erosion Control Plan   Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
reposed Closure: 19.15 1/.13 NMAC
ype. Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
· mornau · · ·
roposed Closure Method. Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (Only for temporary pits and closed-loop systems)
In-place Burial On-site Trench Burial  Alternative Closure Method (Eventuary must be also be a few forms)
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Asste Excavation and Removal Closure Plan Checklist: (19 15.17.13 NMAC) Instructions: Each of the following items must be attached to the Sosure plan. Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19 15.17 13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19 15 17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluid	or Haul-off Bins Only: (19.	15 17.13 D NMAC)
D. LE W. M.		
Disposal Facility Name Sundance Services Disposal Facility Name	ity Permit Number:NN	4-01-0003
Disposal Facility Name	cility Permit Number	
Will any of the proposed closed-loop system operations and associated activities occur on or in a Yes (If yes, please provide the information below) \( \subseteq \text{No} \)	areas that will not be used for t	future service and operations?
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specifications based upon the appropriate requirements  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15	13 NIMAC	13 NMAC
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. provided below. Requests regarding changes to certain siting criteria may require administrat considered an exception which must be submitted to the Santa Fe Environmental Bureau offic demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	fine a summan and for the	1 . ** *
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search: USGS; Data obtained from	m nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from	m nearby wells	Yes No
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from	m nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant waterclake (measured from the ordinary high-water mark)  Topographic map; Visual inspection (certification) of the proposed site	course or lakebed, sinkhole, or	playa Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence a  Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	t the time of initial application	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five hou watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existe - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of	anno of the time of Color to the	ock Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field co-adopted pursuant to NMSA 1978. Section 3-27-3, as amended  Written confirmation or verification from the municipality; Written approval obtained from	vered under a municipal ordina	ance Yes No
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (c		Yes No
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral D		Yes No
Within an unstable area  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Re Society, Topographic map		ral ☐ Yes ☐ No
Within a 100-year floodplain - FEMA map		☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15 17 13 NMAC) Instructions: Each of the following item by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F o Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate require Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon Protocols and Procedures - based upon the appropriate requirements of 19.15 17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15 17.13 Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17.13	15.17.10 NMAC  of 19.15.17.13 NMAC  rements of 19.15.17 11 NMAC  on the appropriate requirements  bsection F of 19.15.17.13 NM  F19.15 17.13 NMAC  on case on-site closure standard  on NMAC	C of 19.15.17.11 NMAC AC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 1	7 13 NMAC	

19 Operator Application Certification:		
	on is true, accurate and complete to the best of my knowledge and belief	
Name (Print) Carolyn Doran Haynes	Title. Engineer	
Signature: Cawly Dna Hayne	Date:2/25/2009	
	Telephone432-684-6631	
OCD Approval: Permit Application (including closure plan)	☐ Closure Plan (only) ☐ OCD Conditions (see attachment)	
OCD Representative Signature:	Approval Date: 3/23/09	
Title: FETHOLEOW LIVE	OCD Permit Number: P[-D098]	
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC  Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.		
	Closure Completion Date:	
Closure Method:  Waste Excavation and Removal On-Site Closure Method If different from approved plan, please explain.	Alternative Closure Method  Waste Removal (Closed-loop systems only)	
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.		
Disposal Facility Name:	Disposal Facility Permit Number:	
Disposal Facility Name.	Disposal Facility Permit Number:	
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  Yes (If yes, please demonstrate compliance to the items below) No		
Required for impacted areas which will not be used for future service.  Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique	ce and operations	
Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closures and Permit Number Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)		
On-site Closure Location: Latitude	Longitude NAD: 🗌 1927 🔲 1983	
Deerator Closure Certification: hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and elief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan		
Name (Print).	Title:	
Signature·	Date	
e-mail address:	Telephone	