#### District I 1625 N French Dr , Hobbs, NM 88240 District II 136 W Grand Avenue, Artesia, NM 88210

1000 Rio Brazos Road, Aztec, NM 87410

District III

State of New Mexico RECEIVE Minerals and Natural Resources Department

MAR 2.3 2010 Conservation Division -1000 Rio Brazos Road, Aztec, NM 87410

District IV
1220 S St. Francis Dr., Santa Fe, NM 87505

HOBBSOCD Santa Fe, NM 87505

MAR 18 2009

Form C-144 CLEZ July 21, 2008

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

## Closed-Loop System Permit or Closure Plan Application

Closed Boop Bystom Termine of Closed Film Typinedion
(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Type of action: Permit Closure
Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.
ease be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the vironment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
OCRUP # OCESTE
Degrator: Yates Petroleum Corporation OGRID #: 025575
Address: 105 South Fourth Street, Artesia, New Mexico 88210
Facility or well name: Boomerang State Unit #2  API Number: P1 - DD982
U/L or Qtr/Qtr <u>E</u> Section <u>25</u> Township <u>8S</u> Range <u>33E</u> County: <u>Chaves</u>
Center of Proposed Design: Latitude N 33.593786 Longitude W 103.575169 NAD: ☐1927 ☐ 1983
Surface Owner:  Federal State Private Tribal Trust or Indian Allotment
<ul> <li>☑ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC</li> <li>☑ Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17 13 NMAC</li> </ul>
Previously Approved Design (attach copy of design)  API Number
Previously Approved Operating and Maintenance Plan API Number:
Maste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.  Disposal Facility Name: Gandy Marley Disposal Facility Permit Number: NM-01-0019 Disposal Facility Name: CRI Disposal Facility Permit Number: R9-166 NM-01-0006 Disposal Facility Name: Lea Land Disposal Facility Permit Number: NM-1-035
Disposal Facility Petrilit Number. Nivi-1-035
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations?  Yes (If yes, please provide the information below) No
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

6. Operator Application Certification:		
I hereby certify that the information submitted with this application is true, accurate	rate and complete to the best of my knowledge and belief.	
Name (Print). Lucky Briggs/ Signature: Mark Standard for Julky/Buss/ e-mail addressluckyb@yatespetroleum.com	Title: Regulatory Agent  Date: 3/17/09  Telephone: 575-748-4335	
7. OCD Approval: Permit Application (including closure plan) Closure	Plan (only)	
OCD Representative Signature:	Approval Date: 3/23/09	
Title: Geologist	OCD Permit Number: P1-00982	
8. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  Closure Completion Date:		
9. Closure Report Regarding Waste Removal Closure For Closed-loop System Instructions: Please indentify the facility or facilities for where the liquids, dr two facilities were utilized.	ns That Utilize Above Ground Steel Tanks or Haul-off Bins Only: rilling fluids and drill cuttings were disposed. Use attachment if more than	
Disposal Facility Name:	Disposal Facility Permit Number:	
Disposal Facility Name:		
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations?  Yes (If yes, please demonstrate compliance to the items below) No		
Required for impacted areas which will not be used for future service and operation    Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique	ations:	
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure belief. I also certify that the closure complies with all applicable closure require	e report is true, accurate and complete to the best of my knowledge and ements and conditions specified in the approved closure plan.	
Name (Print):	Title:	
Signature:	Date:	
e-mail address:	Telephone:	

# Yates Petroleum Corporation Closed Loop System

#### Equipment Design Plan

Closed Loop System will consist of:

- 1 double panel shale shaker
- 1 (minimum ) Centrifuge, certain wells and flow rates may require 2 centrifuges On certain wells, the Centrifuge will be replaced by a Clackco Settling Tank System
- 1 minimum centrifugal pump to transfer fluids
- 2-500 bbl. FW Tanks
- 1-500 bbl. BW Tank
- 1 half round frac tank 250 bbl. capacity as necessary to catch cement / excess mud returns generated during a cement job.
- 1 Set of rail cars / catch bins

Certain wells will use an ASC Auger Tank

### Operation Plan

All equipment will be inspected at least hourly by rig personnel and daily by contractors personnel.

Any spills / leaks will be reported to YPC, NMOCD, and cleaned up without delay.

#### Closure Plan

Drilling with Closed Loop System, haul off bins will be taken to Gandy Marley, CRI and Lea Land Farm.