

Office

District I

1625 N French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

1220 S. St Francis Dr, Santa Fe, NM 87505

Energy, Minerals and Natural Resources

May 27, 2004

RECEIVED

OIL CONSERVATION DIVISION

APR 02 2009

HOBBSD

20 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.

30 - 25 -09043

13. Indicate Type of Lease

STATE ☐ FEE ☒

13. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other ☒

2. Name of Operator

BP America Production Company

3. Address of Operator

P. O. Box 1089 Eunice, New Mexico 88231

7. Lease Name or Unit Agreement Name

Ethel Shipley Owens "WN"

8. Well Number

1

9. OGRID Number

000778

10. Pool name or Wildcat

Jalmat Tansil Yates SRQ (Gas)

13. Well Location

Unit Letter M : 990 feet from the South line and 990 feet from the West lineSection 26 Township 22S Range 36E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3504' GR

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____

Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

13. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒TEMPORARILY ABANDON ☐ CHANGE PLANS ☐PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐COMMENCE DRILLING OPNS. ☐ P AND A ☐CASING/CEMENT JOB ☐OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. MIRU PU and ancillary P&A equipment. Install BOP and POH w/ tubing.

2. Make bit & scraper trip to 3050'. Run 7" CIBP on tbg & set @ 3050'. Load hole w/ water, test CIBP & csg to 500 psi. Spot 40 sx Class "C" onto CIBP to approx 2820', which also covers B/Salt @ 2900'. POH w/ tbg.

3. RU WL equipment and run CBL to determine TOC and evaluate isolation across T/Salt @ 1580', across surface casing shoe @ 1504', across top of Rustler @ 1490' and across base of freshwater zones @ 350'. Discuss with NMOCD and receive approval of any revisions to this procedure that result from log evaluation - remainder of this proposed procedure assumes that TOC is below 1630'.

4. TIH w/ open-ended tbg, tag bottom plug and circulate hole with mud laden fluid to 1600'.

5. Perf 4 circulating holes in 7" csg @ 1630' = 50' below T/Salt. Cement down 7" csg via perms until good cement returns to surface via 9 5/8" x 7" annulus and leave 7" csg filled w/ cement from 0' - 1630'; this places plug across T/Salt @ 1580', across 9 5/8" surface casing shoe @ 1504', across top of Rustler @ 1490' and across upper freshwater zones above 350'. Estimated cement volume to be pumped = 515 sx Class "C".

6. RD PU and ancillary P&A equipment. Cut-off WH & anchors to 3' below GL and install regulation Dry Hole Marker. Reclaim location and notify NMOCD when site is ready for final inspection.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.SIGNATURE M.D. Westmoreland TITLE Wells Operations Superintendent DATE 4/1/09Type or print name M. D. Westmoreland E-mail address: dan.westmoreland@bp.com Telephone No. 432/688-5245

For State Use Only

APPROVED BY: Mark Whitaker TITLE Comp. Off. DATE 04/03/2009

Conditions of Approval (if any):

Condition of Approval: Notify OCD Hobbs office 24 hours prior to running MIT Test & Chart


Ethel Shipley Owens "WN" #1
(Jalmat Yates Tansill SR Gas)

API No. 30 - 025 - 09043

990' FSL & 990' FWL
Sec 26 - T22S - R36E
Lea County, New Mexico

Current Status

RKB 10'
GL 3504'



Ethel Shipley Owens "WN" #1

(Jalmat Yates Tansill SR Gas)

API No. 30 - 025 - 09043

990' FSL & 990' FWL
Sec 26 - T22S - R36E
Lea County, New Mexico

Proposed P&A

RKB 10'
GL 3504'

