

NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

BILL RICHARDSON

Governor

Joanna Prukop

Cabinet Secretary

Mark E. Fesmire, P.E.

Director

Oil Conservation Division

Field Inspection Program
"Preserving the Integrity of Our Environment"

02-Apr-09

JAY MANAGEMENT COMPANY, LLC

4801 WOODWAY AVE. SUITE 100E HOUSTON TX 77056

LETTER OF VIOLATION - Inspection

Dear Operator:

The following inspection(s) indicate that the well, equipment, location or operational status of the well(s) failed to meet standards of the New Mexico Oil Conservation Division as described in the detail section below. To comply with standards imposed by Rules and Regulations of the Division, corrective action must be taken immediately and the situation brought into compliance. The detail section indicates preliminary findings and/or probable nature of the violation. This determination is based on an inspection of your well or facility by an inspector employed by the Oil Conservation Division on the date(s) indicated.

Please notify the proper district office of the Division, in writing, of the date corrective actions are scheduled to be made so that arrangements can be made to reinspect the well and/or facility.

| INCPECT | ION DETAIL | CECTION |
|---------|------------|-----------|
| INSPECI | IUN DETAII | . SECTION |

| M No.001 Type Inspection | Inspector | Violation? | N-20-11S-33E *Significant Non-Compliance? | 30-025-22541-00 Corrective Action Due By: | -00 Inspection No. |
|--|--|--|--|---|--|
| 04/01/2009 Routine/Periodic Violations | | Yes | No | 7/5/2009 | iMGB0909150935 |
| DAMAGE MGB. | | | IS 1ST LETTER OF | NON-COMPLIANC | Ē. |
| Type Inspection | Inspector Maxey Brown | Violation? | *Significant Non-Compliance? | Corrective Action Due By: | -00 Inspection No. iMGB0909151399 |
| Violations | Maxey Blown | 103 | NO | 11312009 | IMOB0909131399 |
| | Type Inspection Routine/Periodic Violations Absent Well Identification Sig on Inspection: NO Well S DAMAGE MGB. PM No.001 Type Inspection Routine/Periodic | Type Inspection Routine/Periodic Wiolations Absent Well Identification Signs (Rule 103) On Inspection: NO Well Sign (Rule 103). NEED TO DAMAGED TANK FROM LOCA' MGB. DM No.001 Type Inspection Routine/Periodic Inspector Maxey Brown | Type Inspection Inspector Violation? Routine/Periodic Maxey Brown Yes Violations Absent Well Identification Signs (Rule 103) on Inspection: NO Well Sign (Rule 103). NEED TO INSTALL DAMAGED TANK FROM LOCATION. THIS MGB. DM No.001 Type Inspection Inspector Violation? Routine/Periodic Maxey Brown Yes | Type Inspection Inspector Violation? *Significant Non-Compliance? Routine/Periodic Maxey Brown Yes No Violations Absent Well Identification Signs (Rule 103) On Inspection: NO Well Sign (Rule 103). NEED TO INSTALL WELL SIGN. ALSO DAMAGED TANK FROM LOCATION. THIS IS 1ST LETTER OF MGB. DM No.001 L-20-11S-33E *Significant Non-Compliance? Routine/Periodic Maxey Brown Yes No | Type Inspection Inspector Violation? Non-Compliance? Routine/Periodic Maxey Brown Yes No 7/5/2009 Violations Absent Well Identification Signs (Rule 103) On Inspection: NO Well Sign (Rule 103). NEED TO INSTALL WELL SIGN. ALSO NEED TO REMOVE DAMAGED TANK FROM LOCATION. THIS IS 1ST LETTER OF NON-COMPLIANCE MGB. DM No.001 L-20-11S-33E *Significant Non-Compliance? *Significant Non-Compliance? *Significant Non-Compliance? Action Due By: Routine/Periodic Maxey Brown Yes No 7/5/2009 |

MONTHS. THIS IS 1ST LETTER OF NON-COMPLIANCE. MGB.

BESS No.002

Inspection Date

Type Inspection

Inspector

Violation?

A-20-11S-33E *Significant Non-Compliance? 30-025-28545-00-00 Corrective

Inspection No.

04/01/2009 Routine/Periodic Maxey Brown

Yes

No

Action Due By: 7/5/2009

iMGB0909149698

Violations

Absent Well Identification Signs (Rule 103)

Comments on Inspection:

NO Well Sign (Rule 103). NEED TO INSTALL WELL SIGN. NO PROD REPORTED IN 102

MONTHS. THIS IS 1ST LETTER OF NON-COMPLIANCE.

In the event that a satisfactory response is not received to this letter of direction by the "Corrective Action Due By:" date shown above, further enforcement will occur. Such enforcement may include this office applying to the Division for an order summoning you to a hearing before a Divison Examiner in Santa Fe to show cause why you should not be ordered to permanently plug and abandon this well. Such a hearing may result in imposition of CIVIL PENALTIES for your violation of OCD rules.

Sincerely,

COMPLIANCE OFFICER

Hobbs OCD District Office

Note: Information in Detail Section comes directly from field inspector data entries - not all blanks will contain data. *Significant Non-Compliance events are reported directly to the EPA, Region VI, Dallas, Texas.

EMNRD
OIL CONSERVATION DIVISION
1625 N FRENCH DRIVE
HOBBS NM 88240



JAY MANAGEMENT COMPANY 4801 WOODWAY AVE. SUITE 100E HOUSTON TX 77056