

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

RECEIVED

APR 09 2009

MOBBSOCD

CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

WELL API NO. 30-005-20998
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Doyal
8. Well Number 4
9. OGRID Number 025513
10. Pool name or Wildcat SE Chaves Qn Gas Area Assoc

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other Inj.

2. Name of Operator
Yates Drilling Company

3. Address of Operator
105 S. 4th Street, Artesia, NM 88210

4. Well Location
Unit Letter M : 330 feet from the South line and 330 feet from the West line
Section 26 Township 12S Range 31E NMPM Chaves County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
4425' GR

Pit or Below-grade Tank Application ☐ or Closure ☐
Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____
Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDON ☐
CASING/CEMENT JOB ☐

OTHER: _____

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See Attachment

The Oil Conservation Division **Must be notified**
24 hours prior to the beginning of plugging operations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Karen Leishman TITLE Operations Tech DATE Date 04/08/2009

Type or print name Karen Leishman E-mail address: karenl@ypcnm.com Telephone No. 505-748-8663

For State Use Only

APPROVED BY: Maley Brown TITLE msb

DATE 04/13/2009

Conditions of Approval (if any):

COMPLIANCE OFFICER


Yates Drilling Company
Doyal #4
Unit M, Section 26-12S-31E
Chaves County, NM
30-005-20998
Sundry attachment
April 8, 2009

1. Set CIBP @ 2,950', mix and circulate 10# mud inside 5 1/2" casing to surface
2. Spot 25 sxs Class "C" cement plug on top of CIBP
3. TOC 310'. Spot cement plug from 350' - 450' ~~WOC & TAG~~
4. Perforate 5 1/2" casing @ 300'. Pump in 5 1/2" casing and circulate annulus with 10# mud.
5. Pump Class "C" cement in 5 1/2" casing out 5 1/2" annulus to surface
6. Erect dry hole marker, remove equipment and clean location.

SPOT 25 SXS CMT @ 2200' BOS
SPOT 25 SXS CMT @ 1400' TDS

DOYAL #4

Sec 26, T12S-R31E CHAVES CO., NM
30-005-20998



Perfs
2982'-2985' 2 SPF

Formation Tops
1408' Rustler Top of Salt
2107' Base of Salt
2225' Yates
2359' 7-Rivers
2959' Top of Queen