



October 30, 2008

# RECEIVED

New Mexico Oil Conservation Division 1220 South St. Francis Drive Santa Fe, New Mexico 87505 MAY 1 8 2009 HOBBSOCD

Re:

FINAL C-144 and Soil Analysis

Well Name: Christmas 28, Well No. 3

API#:

30-025-38826

County:

Lea

#### Gentlemen:

Please find enclosed Range Operating New Mexico, Inc.'s submission of the final C-144 and soil analysis.

Should you have any questions or need further information please contact the undersigned.

Sincerely,

Paula Hale Sr. Reg. Sp.

Enclosure(s)

State of New Mexico District I
1625 N French Dr , Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rto Brazos Road, Aztec, NM 87410 nerals and Natural Resources Department JUN 3 ∩ 2008 Oil Conservation Division 1220 South St. Francis Dr. District IV 1220 S St Francis Dr , Santa Fe, NM 875

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

## Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Salfa Fe, NM 87505

_	
Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of lia environment. Nor does approval relieve the operator of its responsibility to comp	bility should operations result in pollution of surface water, ground water or the ly with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Range Operating New Mexico, Inc OGR	
Address: 100 Throckmorton Street, Fort Worth, TX 76102	
Facility or well name: Christmas 28 #3	0:
API Number: <u>30-025-38826</u> OCD Peri	nit Number: PI-DDD79
U/L or Qtr/Qtr M Section 28 Township 22S	Range 37E County: Lea
Center of Proposed Design: Latitude 495961.621 Longitude	<u>857674.843</u> NAD: 🔀 1927 🔲 1983
Surface Owner:  Federal X State Private Tribal Trust or Indian All	
Pit: Subsection F or G of 19.15.17.11 NMAC	X Closed-loop System: Subsection H of 19.15.17.11 NMAC
Temporary X Drilling Workover	☐ Drying Pad X Tanks X Haul-off Bins ☐ Other
☐ Permanent ☐ Emergency ☐ Cavitation ☒ Steel Pit	☐ Lined ☐ Unlined
Lined Unlined	Liner type: Thicknessmil
Liner type: Thicknessmil	☐ Other
Other String-Reinforced	Seams: Welded Factory Other
Seams:  Welded  Factory Other	Volume:bblyd³
Volume: bbl Dimensions: L x W x D	Dimensions: Lengthx Width
Below-grade tank: Subsection I of 19.15.17.11 NMAC	Fencing: Subsection D of 19.15.17.11 NMAC
Volume:bbl	Chain link, six feet in height, two strands of barbed wire at top
Type of fluid:	Four foot height, four strands of barbed wire evenly spaced between one and
Tank Construction material:	four feet
Secondary containment with leak detection	Netting: Subsection E of 19.15.17.11 NMAC
☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	Screen Netting Other
☐ Visible sidewalls and liner	☐ Monthly inspections
☐ Visible sidewalls only	Signs: Subsection C of 19.15.17.11 NMAC
Other	12'x24', 2' lettering, providing Operator's name, site location, and
Liner type: Thicknessmil	emergency telephone numbers
Other	☐ Signed in compliance with 19.15.3.103 NMAC
Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration	Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19 15.17 NMAC for guidance.
of approval.	Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval  Exception(s): Requests must be submitted to the Santa Fe
	Environmental Bureau office for consideration of approval.

Siting Criteria (regarding permitting): 19.15 17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society, Topographic map	Yes No
Within a 100-year floodplain FEMA map	Yes -No
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	9 NMAC
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC	locuments are
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached.  Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19.15.17.11 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	f 19.15.17.9

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC	umants ara
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc	umenis ui e
attached.  Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
Climatological Factors Assessment	
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC	
Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC	
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC	
Ouglity Control/Quality Assurance Construction and Installation Plan	
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.13.17.11 NMAC	
☐ Nuisance or Hazardous Odors, including H₂S, Prevention Plan	
Emergency Response Plan	
Oil Field Waste Stream Characterization  Monitoring and Inspection Plan	
Fresion Control Plan	
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Proposed Closure: 19.15.17.13 NMAC	
Type: X Drilling Workover Emergency Cavitation Permanent Pit Below-grade Tank Closed-loop System .	Alternative
Type: X Drilling Workover Emergency Cavitation Permanent Pit Below-grade Talk & Closed-loop System Est	ritternative
Proposed Closure Method: Waste Excavation and Removal	
X Waste Removal (Closed-loop systems only)	
On-site Closure Method (Only for temporary pits and closed-loop systems)	
☐ In-place Burial ☐ On-site Trench Burial ☐ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for constant of the Santa Fe Environmental Bureau for con	sideration)
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC  Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable	
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from	
the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau	
office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10	
NMAC for guidance.	
	☐ Yes ☐ No
tabiling water is less than 30 feet below the potton of the oursed waste.	□ NA
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	·····
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No
- NM Office of the State Engineer - 1WATERS database search; USGS; Data obtained from nearby wells	□ NA
a 100 C 41 Lough battern of the hydren	☐ Yes ☐ No
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa	☐ Yes ☐ No
lake (measured from the ordinary high-water mark).	
- Topographic map; Visual inspection (certification) of the proposed site	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes ☐ No
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock	☐ Yes ☐ No
watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	
- NM Office of the State Engineer - IWATERS database, Visual inspection (certification) of the proposed site	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ☐ No
adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	
- Written confirmation or verification from the municipality; Written approval obtained from the municipality	
Within 500 feet of a wetland.	☐ Yes ☐ No
- US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (certification) of the proposed site	
OU F TO HIGH WITH THE CHARLES INCOME THE PROPERTY OF THE PROPE	_
Within the area overlying a subsurface mine.	☐ Yes ☐ No
- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	
Wed in an analytic case	
Within an unstable area - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No
Society; Topographic map	
Society, Topographic map	
Within a 100-year floodplain.	Yes No
- FEMA man	

Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				
Waste Removal Closure For Closed-loop Systems That Utilize Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings.				
Disposal Facility Name: Sundance Disposal Disposal Facility Permit Number: NM-01-0003  Disposal Facility Name: NM-01-0003				
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate,				
by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.13 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Construction and Design of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.13 NMAC  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				
Operator Application Certification:				
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.				
Name (Print): Linda L. Brown Title: Regulatory Analyst				
Signature: Date: June 27, 2008				
e-mail address:				
OCD Approval: Permit Application (including closure plan) Closure Plan (only)				
OCD Representative Signature:				
Title: Destrict Supervisor OCD Permit Number: #1-DDD 19				
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC  Closure Completion Date:				
Closure Method:  Waste Excavation and Removal On-Site Closure Method Alternative Closure Method  If different from approved plan, please explain.				
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check  mark in the box, that the documents are attached.  Proof of Closure Notice  Proof of Deed Notice (if applicable)  Plot Plan  Confirmation Sampling Analytical Results  Waste Material Sampling Analytical Results  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)  On-site Closure Location: Latitude  Longitude  NAD: 1927 1983				
Operator Closure Certification:				
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print): Laula Hole, Title: Sn. Reg Sp.				
Signature Date: 10-30-08				

Report Date: July 7, 2008

Work Order: 8070304 Christmas 28 No. 3 Page Number: 1 of 2 Background: Pre-Drilling

# **Summary Report**

Chris Garcia Range Operating-Eunice P. O. Box 1570 Eunice, NM, 88231 Report Date: July 7, 2008

Work Order: 8070304

Project Location: Background: Pre-Drilling

Project Name: Christmas 28 No. 3

			Date	$\operatorname{Time}$	$\operatorname{Date}$
Sample	Description	Matrix	Taken	Taken	Received
$\frac{56.077}{165477}$	Pre-drill N Corner	soil	2008-06-26	12:45	2008-07-03
165478	Pre-drill S Corner	soil	2008-06-26	12:55	2008-07-03
165479	Pre-drill E Corner	soil	2008-06-26	13:00	2008-07-03
165480	Pre-drill W Corner	soil	2008-06-26	13:10	2008-07-03
165481	Pre-drill Center	soil	2008-06-26	13:25	2008-07-03

Sample: 165477 - Pre-drill N Corner

Param	Flag	$\operatorname{Result}$	Units	RL
Chloride		<32.5	mg/Kg	3.25

Sample: 165478 - Pre-drill S Corner

Param	Flag	Result	Units	RL
Chloride		<32.5	mg/Kg	3.25

Sample: 165479 - Pre-drill E Corner

Param	Flag	Result	Units	RL
Chloride		<32.5	mg/Kg	3.25

Sample: 165480 - Pre-drill W Corner

Report Date: July 7, 2008

Work Order: 8070304 Christmas 28 No. 3 Page Number: 2 of 2 Background: Pre-Drilling

Param	Flag	Result	Units	RL
Chloride		36.5	mg/Kg	3.25

### Sample: 165481 - Pre-drill Center

Param	Flag	$\operatorname{Result}$	Units	RL
Chloride		36.5	mg/Kg	3.25