

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I

1625 N. French Drive , Hobbs, NM 88240

OIL CONSERVATION DIVISION

310 Old Santa Fe Trail, Room 206
Santa Fe, New Mexico 87503

WELL API NO. 073 30-025-34373
5. Indicate Type of Lease FED <input type="checkbox"/> STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name NORTH HOBBS (G/SA) UNIT
SECTION 33
8. Well No. 534
9. Pool name or Wildcat HOBBS (G/SA)


SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101 FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <u>Inject</u>	
2. Name of Operator <u>Occidental Permian Ltd.</u>	
3. Address of Operator 1017 W STANOLIND RD.	
4. Well Location Unit Letter <u>J</u> : <u>2415</u> Feet From The <u>SOUTH</u> Line and <u>2200</u> Feet From The <u>EAST</u> Line Section <u>33</u> Township <u>18-S</u> Range <u>38-E</u> NMPM LEA County	
10. Elevation (Show whether DF, RKB, RT GR, etc.) 3637' GL	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data			
NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG & ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>		CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Pull Injection equipment.
Sqz hole in csg @4000'. Clean out to PBTD @4311'.
Perforate the following intervals; 4076', 4084', and 4087'. 1 JSPF (3holes).
Perforate 4047-52'. 2 JSPF (11 holes).
Stimulate perfs w/1350 g 15% NEFE HCL acid.
Set Guiberson 5.5" Uni VI packer @3974'.
Test csg to 600 psi for 30 min and chart for the NMOCD.
Circ csg with inhibited fluid.
RDPU Clean Location.

Rig Up Date: 11/25/2003
Rig Down Date: 12/08/2003



I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE _____ TITLE Sr. Engr Tech DATE 12/10/2003
TYPE OR PRINT NAME Robert Gilbert HONE NO. 505/397-8206

(This space for State Use)

APPROVED BY Hay W. Wink TITLE OC FIELD REPRESENTATIVE II / STAFF MANAGER DATE DEC 23 2003

CONDITIONS OF APPROVAL IF ANY:

DEC 23 2003

